THE UPJOHN COMPANY

FINE Pharmaceuticals

1907-08

KALAMAZOO NEW YORK



THE UPJOHN COMPANY

Makers of

Fine Pharmaceutical Preparations

PRICE LIST
JANUARY, 1908

HOME OFFICE, Kalamazoo, Mich.
NEW YORK . 48 Vesey Street
LONDON . . 104 Golden Lane

INDEX

PAGE

Acetanilid Compound Tablets, in bulk 159
Acetphenetidin and Combinations 9, 178
Alkaline and Antiseptic Tablets 159
Anti-Constipation (Upjohn's) 1-2 gr. (See Specialties) 14, 139
Antiseptic Tablets for Solution 160
Apiol and Digitalis Comp. 17
Blaud's Pills (See also Specialties) 37, 140
Blood Root Compound, Syrup 141
Borotal 163
Cactus Comp. 21, 139
Caripeptic Preparations (See Specialties)
  Caripeptic Liquid 142
  Caripeptic Pills, Compound 139
  Caripeptic Powder 163
  Caripeptic Tablets 160
  Caripeptic Tablets with Charcoal 160
  Caripeptic Tablets with Charcoal, Special 160
Cathartic Pills, bulk 139
Cathartic Pills, gross 164
Cathartic Vegetable Liver 30, 140
Chlorodyne 142
Cold Laxative Pill 32
Cordials 122
Corrective Syrup for Children 143
Corrosive Sublimate Tablets, for solution 160
Derm-Anodyne 152
Dermocel 151
Diastasic Wine 143
Eczema Lotion 143
Elixirs 98
Essence of Pepsin 144
Eucamenthol and Combinations 167, 168
Ferruginous Pills (Blaud's) 37, 140
Flexible Granule Case 164
Fluid Alterative 144
Fluid Extracts 65
Fluid Lithium and Hydrangea Comp. 144
Fluids, Net List 141
Fluid Tonga Compound 144
Glycero-Phospho-Mangan 144
Granular Effervescent Salts 156
Hematic Tonic Pill 41, 140
Hive Syrup and Tolu Compound with Eucal. Honey 145
Hypodermic Tablets, Alphabetical List 171
Hypodermic Tablets, Numerical List 175
Hypodermic Tablet Cases 164
Hypophosphites Comp. Hematic Pill 136, 140
Ichtholine 154
Kissengen Salt 156
Lactated Pepsin Powder 163
Lassar's Paste 154
Laxative White Pine Expectorant 145
Laxatonic Granules 44, 140
Laxsaline, Liquid 145
Laxsaline, Effervescent Salt 157

PAGE

Lenitol 166
Lime Juice and Pepsin 146
Liquids, Net List 141
Liquid Peptones 146
Liquid Peptones with Creosote and Guaiacol 146
Lithium and Hydrangea Compound 144
Lozenges 162
Lupulin and Bromide Comp. Imp. 161
Mercuric Chloride, tablets for solution 160
Mercury Protiodide Pill 138, 141
Methylene Blue Comp. Pill (See also Specialties) 141
Nasal Douche 165
Nebulizer 165
Nebulol Solutions 166
Net List 139
Ointments 153
Palmo-Dionin 146
Pancreatin 163
Pepsin 164
Pepsin, Saccharated, U. S. P. 164
Phenacetine and Combinations 50
Phenosorcin 155
Phospho-Glycerine Tonic Comp. 147
Physicians' Flexible Granule Case 164
Pills, General List 9
  In bulk (Net List) 139
  Quinine, in bulk 56
  Special Label 164
  Specialties 129
Powdered Extracts 126
Powders 163
Quinine Pills in 5 oz. bottles 56
Quinine Pills, in dispensing boxes 56
Restonal (See also Specialties) 57, 141
Soap Liniment 147
Solution Hypophosphites Comp., No. 1 147
Solution Hypophosphites Comp., No. 2 147
Solution Peptonate Iron and Manganese 148
Solution Peptonate Iron and Manganese, Arsenated 148
Solution Sodium Phosphate 148
Solution Sodium Phosphate and Iron Chloride 148
Specialties 129
Syrup Blood Root Comp. 141
Syrups 113
Tablets, Plain and Coated (See also Lozenges) 177
  In bulk (Net List) 159
Terraplasm 151
Throat Troches 162
Thymo-Lyptol 148
Tinctures 124
Ty-Mo-Rol 149
Uterine Tonic Compound 149
Vapo-Glycine 167
Vin-Carnol 149
White Liniment 150
Wild Cherry and Ammonium Compound 150
Wine of Cod Liver Oil, Tasteless 150

PRICE LIST

OCTOBER 1907

In response to many requests we have given an increased number of therapeutic notes. It is presumed that any who refer to this list will be acquainted with the actions and uses of medicines and the notes are presented as suggestive only.

As with all reference tables, doses stated are those for adults of average development, when not otherwise indicated. The doses for children may be determined by the ordinary rules.

For the further convenience of physicians we add a Therapeutic Index. Under each heading is stated a number of preparations from our list which are applicable to the morbid condition in question.

It is hoped that the notes, both in the Therapeutic Index and in the body of the list, will be found of service.

PRICE CHANGES

Owing to the liability of frequent market fluctuations in the cost of crude materials, prices are necessarily made subject to change without notice.

TRANSPORTATION CHARGES

We allow freight on shipments amounting to $10.00 or more, or one half of expressage, when not in excess of freight rate.

Transportation charges, either freight, express, or postage, on orders amounting to less than $10.00, are charged to purchaser.

INTEGRITY OF GOODS

HAVING attained an enviable reputation for our products, our endeavor is to maintain the high standard of excellence and, with this constantly in mind, the greatest precaution is observed and care taken in the selection and test of quality of drugs used and in the methods employed. In fixing prices on our goods we give the purchaser the lowest price consistent with the use of the best material procurable, and the full quantity indicated in the formula, making no effort to compete with parties offering manufactured goods for less than the cost of crude materials.

REQUESTS FOR LOOSE LABELS

We have frequent requests for loose labels, but feel obliged to decline to furnish them as we cannot become responsible for goods not labeled under our own supervision. We recognize that in the large majority of cases the requests are made with the idea that our own interests will best be served, and in such instances we regret that we cannot comply, but for the protection at all times of ourselves and our customers we feel that no exceptions can be made.

A WORD OF CAUTION

We are informed that persons have secured loans by representing themselves as our agents, and we wish to caution our friends against advancing money to anyone on our account without direct authorization from us. Our salesmen are well supplied with money for their immediate requirements and, should additional funds be necessary, can always promptly acquaint us of their needs.

SPECIAL OR PRIVATE FORMULAE

OUR facilities for this class of work are unexcelled and we assure our friends of a superior and uniform product whenever entrusted with private formulæ. Our process of making pills is peculiarly well adapted to special formula work in that the goods do not undergo change with age. Our special coating is not affected by climatic changes or humid temperature. We also use this special coating on tablets with the same satisfactory results. We exercise great care in the selection of crude material for our manufacturing departments and have spared neither trouble nor expense in equipping every branch of our laboratory with modern approved appliances for the manufacture of fine pharmaceutical products.

We respectfully solicit the opportunity of quoting on private formula work in Pills, Tablets, Fluid Extracts, Elixirs, Syrups, Medicinal Wines, Granular Effervescent Salts, Ointments or any class of goods that we manufacture. In order to give our friends the advantage of close prices, requests for quotations should be for not less than 5000 pills, 3000 tablets or two gallons of fluids, and other lines in proportion.

All special formulæ submitted to us for quotation we treat confidentially and consider them as property held in trust.

PRICE LIST

FRIABLE PILLS

From the outset our aim has been to produce a line of pills that would meet the requirements of the profession and the trade and not be subject to the deteriorating influence of age. If the increased proportions of our business can be looked upon as an index to the measure of success attained, we certainly have ample assurance that our products have been highly acceptable; in fact, the business has long since outgrown our expectations, and we have been obliged, from time to time, to increase our equipment to meet the ever-increasing demand.

While we appreciate the fact that our "friable" pill has grown to occupy a position in the forefront of progressive pharmacy, still it may not be out of place to call attention to a few of the many advantages our pills possess over those made by methods employing some gummy excipient or agglutinating material.

TRITURATION AND SUBDIVISION. Upon the thorough and equal distribution of the ingredients entering into the formula, and the accurate subdivision of the mixed materials, depends the uniformity of action; therefore, these points have received much attention at our hands.

Our methods of manufacture insure a subdivision which is mathematically exact.

FRIABLE WHEN MADE—FRIABLE ALWAYS. By examining the physical condition of our pills it will be observed that most of them can readily be crushed and reduced to a powder by pressure under the thumb, showing a friable condition not found in pills made by any other process.

This distinguishing feature of our pills is permanent and, as they are all made without excipient or pressure, the process employed leaves the pills in a dry, powdery and porous condition, which does not harden by age, and insures their rapid disintegration by the digestive juices, leaving the drug in the same condition for absorption as when administered in powdered form.

PHYSICAL CONDITION. This condition of friability is, of necessity, subject to certain variations in

degree in the large number of formulae appearing on our list.

A pill may be extremely friable, admitting of being crushed by slight pressure under the thumb, a condition typical of a great majority of goods of our manufacture.

Again, a pill may be friable and still be broken with some difficulty by pressure under the thumb. In many such instances the firmer condition is accounted for by the necessity of a thicker, although not less soluble, coating.

COATING. In coating mass pills, it is necessary, in order to retain sufficient moisture to keep the mass soft, even for a short time, to use some impervious sub-coating. This is accomplished by using some insoluble material (frequently shellac) as a subcoat, and afterwards coating in the regular way with sugar or gelatin. It will be readily understood that while this does not prevent the pill from drying out and becoming hard after a little time, it does materially retard its solution and frequently prevents it entirely.

By our process the necessity for an impervious and insoluble coat is obviated, and we are enabled to use a coating that is simply protective to the dry drug inside and while concealing the taste, it dissolves immediately when taken into the stomach.

It will be noted that the coating is nearly as thin as gelatin and by allowing a pill to dissolve in the mouth the solubility of the coating may easily be demonstrated. Having somewhat the appearance of, and a finish superior to, that of gelatin goods, they would ordinarily be pronounced such.

SOLUBILITY. In the manufacture of so-called soluble pills the word soluble is in a measure misleading. By no manipulation can a chemist render insoluble material soluble by simple change of form. The word soluble has reference only to the coating and the excipient, in case pills are excipiated. With our pills the word soluble has reference only to the coating. It may be that the contents of the coating are soluble or insoluble, as the case may be. Illustrating this point: Quinine is freely soluble in an acid menstruum, but sparingly soluble in a neutral or alkaline menstruum. This is an occasional condition of the stomach in disease which, of course, may be readily counteracted by the administration of acid drinks. We do not claim to change the peculiarity of the drug by incasing it in

a coating. An insoluble material is still insoluble, although our pills being made without excipient and being permeable, the opportunity for solution is greatly increased as against the mass pill, which is impermeable to the natural solvent juices.

We invite critical tests as to the solubility of coating and therapeutic efficacy of our pills.

No.		PER BOTTLE OF 100	500
6	**ACETANILID and LUPULIN COMP.**, coated pink ..... (Acetanilid, 2 grs. / Powd. Camphor, 1-2 gr. / Lupulin, 1-2 gr.)	40	1 85
	ACETANILID and QUININE COMP., coated pink ..... [No. 122] (Acetanilid, 2 grs. / Camphor, 1-4 gr. / Quinine Sulph., 1-2 gr. / Capsicum, 1-4 gr. / Podophyllin, 1-80 gr. / Aconite Root, 1-20 gr. / Morphine Sulph., 1-120 gr)	45	2 10
	ACETPHENETIDIN, U. S. P. 2 grs. coated white ..... [No. 589]	19	73
	ACETPHENETIDIN, U. S. P. 5 grs. coated white ..... [No. 546] (Chemically identical with Phenacetine.)	36	1 55
	ACETPHENETIDIN, with CAFFEIN, coated white ..... [No. 547] (Acetphenetidin, U. S. P. 3 grs. / Caffein, 1 1-2 grs.)	36	1 55
	ACETPHENETIDIN and QUININE, coated white ..... [No. 549] (Acetphenetidin, U. S. P. 3 grs. / Quinine Sulphate, 2 grs.)	45	2 00
	ACETPHENETIDIN and QUININE COMP., coated white or pink ..... [No. 550] (Acetphenetidin, U. S. P. 3 grs. / Quinine Sulphate, 2 grs. / Aconite Root, 1-12 gr. / Dover's Powder, 1-2 gr.)	60	2 50
	ACETPHENETIDIN and SALICIN, coated white ..... [No. 551] (Acetphenetidin, U. S. P. 2 1-2 grs. / Salicin, 2 1-2 grs.)	45	2 00
	ACETPHENETIDIN and SALOL, coated white ..... [No. 552] (Acetphenetidin, U. S. P. 2 1-2 grs. / Salol, 2 1-2 grs.)	38	1 68

*Where several pills are listed under same name but differing in formula or amount of ingredient, those marked with a star will be sent where no specific instructions are given.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	ACETPHENETIDIN and SALOL, half strength, coated white ..... [No. 553] (Acetphenetidin, U. S. P. 1 1-4 grs. Salol, 1 1-4 grs.)	24	93
7	ACID, ARSENOUS, 1-100 gr. coated white..	20	60
8	*ACID, ARSENOUS, 1-60 gr., coated white or pink	20	60
9	ACID, ARSENOUS, 1-50 gr., coated white..	20	60
10	ACID, ARSENOUS, 1-40 gr., coated white..	20	60
11	ACID, ARSENOUS, 1-32 gr., coated white..	20	60
12	ACID, ARSENOUS, 1-30 gr., coated white..	20	60
13	ACID, ARSENOUS, 1-20 gr., coated white..	20	60
14	ACID, ARSENOUS, 1-16 gr., coated white..	20	60
15	ACID, ARSENOUS, 1-12 gr., coated white	20	60

In medicinal doses, Arsenic exerts a beneficial influence over nutrition, increasing muscular strength and general vigor. It has remarkable power in the treatment of certain chronic diseases with cachexia or anemia. It is of most signal benefit in long standing and obstinate cases.

Used in severe anemias, chlorosis and scaly forms of skin diseases. It is one of the most reliable curative agents in old malarial cachexias and for the treatment of chorea. Also employed with benefit for diseases marked by enlargement of lymphatic tissues, and in asthma, neuralgia, and chronic rheumatism.

Usually given in ascending doses with occasional intermissions.

Dose: 1-100 to 1-20 gr. given three times daily.

16	ACONITE ROOT, 1-20 gr., coated pink.....	20	60
17	ACONITE ROOT, 1-10 gr., coated pink.....	20	60
18	*ACONITE ROOT, 1-2 gr., coated pink.....	20	80
21	*ACONITINE, (Cryst.) 1-500 gr., coated white	25	1 10
22	ACONITINE, (Cryst.) 1-200 gr., coated white	25	1 10
23	ALOES, U. S. P., 2 grs. ..... (Purified Aloes, 1 gr. Powd. Soap, 1 gr.)	20	85
24	*ALOES, U. S. P., 3 grs. ..... (Purified Aloes, 1 1-2 grs. Powd. Soap, 1 1-2 grs.)	25	1 10

Aloes is stomachic and possesses a slow and moderate operation as a stimulating purgative, influencing the lower bowel more decidedly, and securing complete evacuation. It favors the menstrual flow.

Used in atonic constipation and that due to sedentary habits, rich diet, old age, etc. Used also as an emmenagogue.

In this official pill, its association with soap promotes solution.

Dose: 1 to 3 pills at night or after dinner.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
25	ALOES and ASAFETIDA, U. S. P. ..... (Purified Aloes, 1 1-3 grs. Powd. Asafetida, 1 1-3 grs. Powd. Soap, 1 1-3 grs.)	25	1 10
26	ALOES, HENBANE, NUX VOMICA and IPECAC ..... (Powd. Aloes, Soc., 2 grs. Ext. Henbane, 1 gr. Ext. Nux Vom., 4-15 gr. Powd. Ipecac, 1-6 gr.)	40	1 85
27	ALOES and IRON, 2 1-2 grs. ..... (Purified Aloes, 1 gr. Dried Iron, 1 gr. Aromatic Powder, 1-2 gr.)	25	1 10

Valuable in amenorrhea with anemia. Used also in hemorrhoids. This is the combination of Oppolzer, who was famous for his success in the treatment of hemorrhoids.

Dose: 1 to 3 pills three times daily.

28	ALOES and MASTICH, U. S. P.	25	1 10
29	ALOES and MYRRH, 2 grs. ..... (Purified Aloes, 1 1-4 grs. Myrrh, 3-4 gr. Aromatic Oils)	20	80
30	*ALOES and MYRRH, 3 1-2 grs. ..... (Purified Aloes, 2 grs. Myrrh, 1 gr. Aromatic Oils)	25	1 10

Used for slow and prolonged action of the Aloes on the large bowel to secure complete evacuation. For constipation in persons accustomed to a full and rich diet with deficient exercise.

Dose: 1 to 2 pills as needed.

31	ALOES, MYRRH and IRON ..... (Aloes, 2 grs. Myrrh, 1 gr. Iron Sulph., exsic., 1 gr.)	25	1 10
32	ALOES and NUX VOMICA ..... (Powd. Aloes, Soc., 1 1-2 grs. Ext. Nux Vomica, 1-2 gr.)	30	1 25
33	ALOES, NUX VOMICA and BELLADONNA, 1 1-8 grs. ..... (Aloes, 3-4 gr. Ext. Nux Vomica, 1-4 gr. Ext. Belladonna, 1-16 gr.)	20	80
34	*ALOES, NUX VOMICA and BELLADONNA, 2 1-4 grs. ..... (Purified Aloes, 1 1-2 grs. Ext. Nux Vomica, 1-2 gr. Ext. Belladonna, 1-8 gr.)	35	1 60

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

PILLS

No.		PER BOTTLE OF 100	500
39	*ALOIN, 1-4 gr., coated yellow	20	85

The active principle of Aloes. Its action is uniform and unattended by griping. May be used wherever aloes is indicated.
Dose: ¼ to 2 grs.

40	ALOIN, 1-2 gr., coated yellow	30	1 35
41	ALOIN, 1 gr., coated yellow or pink	35	1 60
42	ALOIN COMPOUND Aloin, 1-8 gr. Res. Podophyllum, 1-8 gr. Ext. Belladonna, 1-4 gr.	30	1 35
44	ALOIN, STRYCHNINE and BELLADONNA, 1st form Aloin, 1-5 gr. Strychnine, 1-120 gr. Ext. Belladonna, 1-8 gr.	35	1 50
45	*ALOIN, STRYCHNINE and BELLADONNA, 2d form Aloin, 1-5 gr. Strychnine, 1-60 gr. Ext. Belladonna, 1-8 gr.	35	1 50

Pills number 44 and 45 are useful in chronic constipation.
Dose: 1 or 2 pills night and morning.

46	ALOIN, STRYCHNINE and BELLADONNA, 3d form Aloin, 1-5 gr. Strychnine, 1-50 gr. Ext. Belladonna, 1-6 gr.	35	1 50
47	ALOIN, STRYCHNINE, BELLADONNA and CALOMEL Aloin, 1-5 gr. Strychnine, 1-40 gr. Ext. Belladonna, 1-8 gr. Calomel, 1-5 gr.	40	1 85
48	ALOIN, STRYCHNINE and BELLADONNA with CASCARA Aloin, 1-5 gr. Strychnine 1-60 gr. Ext. Belladonna, 1-8 gr. Ext. Cascara, 1 gr.	50	2 25
49	ALOIN, STRYCHNINE and BELLADONNA COMP. Aloin, 1-5 gr. Strychnine, 1-60 gr. Ext. Belladonna, 1-8 gr. Ext. Cascara, 1-2 gr.	40	1 85

Pills number 48 and 49 are used when it is desired to add the effect of Cascara to the other drugs of the formula.
Dose: 1 or 2 pills at night, or night and morning.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

PILLS

No.		PER BOTTLE OF 100	500
50	ALOIN, STRYCHNINE and BELLADONNA with IPECAC Aloin, 1-4 gr. Strychnine, 1-60 gr. Ext. Belladonna, 1-8 gr. Powd. Ipecac, 1-16 gr.	35	1 50

Is employed in chronic constipation. The powdered ipecac affords a stomachic, tonic, and slightly laxative influence.
Dose: 1 or 2 pills night and morning.

51	ALTERATIVE, (Dr. C. C. Cox) Blue Mass, 1 gr. Powd. Rhubarb, 1 gr. Soda Bicarbonate, 1 gr.	25	1 10
52	*ALTERATIVE, 1 1-4 grs. Blue Mass, 1 gr. Powd. Ipecac, 1-8 gr. Powd. Opium, 1-8 gr.	25	1 10
53	ALTERATIVE CATHARTIC, (Upjohn's) 2 grs. Purified Aloes, 1 gr. Powd. Gamboge, 1-6 gr. Powd. Soap, 1-6 gr. Blue Mass, 1-2 gr. Podophyllin, 1-16 gr. Powd. Capsicum, 1-16 gr.	25	1 10
57	ANODYNE, 1-4 gr. Camphor, 1-8 gr. Ext. Henbane, 1-8 gr. Morphine, 1-160 gr. Oleores. Capsic., 1-160 gr.	20	60
58	ANODYNE, 1 gr. Camphor, 1-2 gr. Ext. Henbane, 1-2 gr. Morphine, 1-40 gr. Oleores. Capsic., 1-40 gr.	30	1 35
59	*ANODYNE, 2 grs. Camphor, 1 gr. Ext. Henbane, 1 gr. Morphine, 1-20 gr. Oleores. Capsic., 1-20 gr.	45	2 10

Is largely used wherever mild and continued sedation is required. Particularly useful in conditions of nervous unrest, headache and abdominal pains attending indigestion, and for the relief of nausea or colic. The Capsicum acts as a stomachic and promotes absorption of the drugs.
Best given in frequently repeated doses.

60	ANTHELMINTIC, 1 gr., coated white or pink Santonin, 1-2 gr. Calomel, 1-2 gr.	30	1 35

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
61	ANTI-BILIOUS	40	1 85

Ext. Colocynth Comp., 2 1-2 grs.
Res. Podophyllum, 1-4 gr.

A safe and efficient purgative for cases of constipation caused by a lack of tone in the bowel.

Dose: 1 or 2 pills.

62	ANTI-BILIOUS, (Heineman)	50	2 35

Blue Mass, 1 gr.
Podophyllin, 1-8 gr.
Physostigma, 1-16 gr.
Ext. Colocynth Comp., 1 gr.
Ext. Henbane, 1-4 gr.

63	ANTI-CHILL, 1-4 gr.	20	60

Chinoidin, 1-16 gr.
Iron Ferrocyanide, 1-8 gr.
Arsenous Acid, 1-320 gr.
Oil Black Pepper, 1-16 gr.

NOTE.—Owing to similarity of title to Pill Anti-Constipation (Upjohn) 1-2 gr., the pill formerly listed as **Anti-Constipation 1-4 gr.**, will now be found as No. 448, Laxative Granules.

66 *ANTI-CONSTIPATION, (Upjohn's) 1-2 gr. coated black, pink, or chocolate.

Aloin, 1-8 gr.
Podophyllin, 1-8 gr.
Oleoresin Capsicum, 1-10 gr.
Strychnine, 1-80 gr.
Ext. Belladonna, 1-8 gr.

This formula is probably more used than any other in the treatment of habitual constipation. It is a true tonic laxative, producing normal movements of the bowels without griping and without causing intestinal atony.

Dose: 1 or 2 pills.

See description of this pill under specialties, page 129. Prices on page 139.

67	ANTI-CONSTIPATION, (Upjohn's) without Strychnine, coated black or pink	40	1 75

Aloin, 1-8 gr.
Podophyllin, 1-8 gr.
Ext. Belladonna, 1-8 gr.
Oleores. Capsic., 1-10 gr.

68	ANTI-CONSTIPATION, (Brundage)	40	1 85

Podophyllin, 1-10 gr.
Ext. Nux Vomica, 1-4 gr.
Powd. Capsic., 1-4 gr.
Ext. Belladonna, 1-10 gr.
Ext. Henbane, 1-4 gr.

*See footnote page 9
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
69	ANTI-CONSTIPATION, (Carson)	40	1 85

Ext. Cascara Sagrada, 1 gr.
Ext. Rhubarb, 1 gr.
Ext. Nux Vomica, 1-4 gr.
Aloin, 1-3 gr.

70	ANTI-CONSTIPATION, (Goss)	40	1 85

Podophyllin, 1-4 gr.
Ext. Colocynth, 1-4 gr.
Ext. Juglans, 1-2 gr.
Ext. Nux Vomica, 1-8 gr.
Ext. Henbane, 1-8 gr.
Ext. Gentian, 1-4 gr.
Ext. Cascara Sagrada, 1-4 gr
Powd. Cannabis Ind., 1-2 gr.

71	ANTI-CONSTIPATION, (Palmer) 2 1-2 grs.	35	1 60

Purified Aloes, 1 gr.
Ext. Henbane, 1 gr.
Ext. Nux Vom., 1-3 gr.
Powd. Ipecac, 1-10 gr.

ANTI-DYSPEPTIC, (Fothergill) .....
(See Carminative)

72	ANTI-DYSPEPTIC	35	1 60

Strychnine, 1-40 gr.
Ext. Belladonna, 1-10 gr.
Powd. Ipecac, 1-10 gr.
Blue Mass, 2 grs.
Ext. Colocynth Comp., 2 grs.

73	ANTI-EPILEPTIC	1 00	4 85

Iron Ferrocyanide, 1-2 gr.
Quinine Valerianate, 1 gr.
Zinc Valerianate, 1-2 gr.
Ext. Valerian, 1 gr.

74	*ANTI-MALARIAL, (McCaw)	40	1 85

Quinine Sulph., 1 gr.
Iron Sulph., 1-4 gr.
Gelsemium, 1-4 gr.
Arsenous Acid, 1-80 gr.
Podophyllin, 1-8 gr.
Oil Black Pepper, 1-16 gr.

A valuable tonic and alterative in chronic malaria and malarial cachexia.

Dose: 1 or 2 pills three times daily.

75	ANTI-MALARIAL, (Maddin) milder	40	1 85

Strychnine, 1-40 gr.
Arsenous Acid, 1-24 gr.
Iron by Hydrogen, 1 gr.
Quinine Sulphate, 1 gr.
Aloes, purified, 1-6 gr.

76	ANTI-MALARIAL, (Maddin) milder without Aloes	40	1 80

Strychnine, 1-40 gr.
Arsenous Acid, 1-24 gr.
Iron by Hydrogen, 1 gr.
Quinine Sulphate, 1 gr.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	ANTI-MALARIAL, (Maddin) stronger [No. 124]	45	2 10
	Strychnine, 3-100 gr. Arsenous Acid, 1-20 gr. Reduced Iron, 1 1-5 grs. Quinine Sulph., 1 1-5 grs. Aloes, purified, 1-5 gr.		
	ANTI-MALARIAL, (Maddin) stronger without Aloes [No. 125]	45	2 10
	Strychnine, 3-100 gr. Arsenous Acid, 1-20 gr. Reduced Iron, 1 1-5 grs. Quinine Sulph., 1 1-5 grs.		
77	**ANTIMONY COMP., U. S. P.**	25	1 10
	Antimony Oxysulph., 1-2 gr. Calomel, 1-2 gr. Pulv. Res. Guaiac, 1 gr.		
78	**ANTI-NERVOUS**	40	1 85
	Zinc Oxide, 2-3 gr. Ext. Valerian, 2-3 gr. Ext. Henbane, 2-3 gr.		

Sedative, antispasmodic and anodyne.
Used in hysteria, melancholia, headache and nervous irritability.
Dose: 1 or 2 pills, repeated every 6 to 8 hours as needed

79	**ANTI-PERIODIC**	35	1 60
	Cinchonidine Sulph., 1 gr. Ferri Sulph., exsic., 1-2 gr. Res. Podophyllum, 1-20 gr. Gelsemin, 1-20 gr. Strychnine Sulph., 1-32 gr. Oleores. Capsic., 1-10 gr.		
81	**ANTISEPTIC, INTESTINAL**	25	1 10
	Mercury Protiodide, 1-8 gr. Podophyllin, 1-16 gr. Aloin, 1-16 gr. Ext. Nux Vomica, 1-16 gr. Ext. Henbane, 1-16 gr		
82	**ANTI-SPASMODIC**	45	2 10
	Ext. Henbane, 1-2 gr. Morphine Acetate, 1-10 gr. Camphor Monobrom., 1-2 gr. Capsicum, 1-2 gr.		
83	***ANTI-SYPHILITIC, No. 1 (Dr. Castano) coated pink**	45	2 10
	Mercury Protiodide, 1-3 gr. Iron Sulph., exsic., 3-4 gr. Iodoform, 3-4 gr. Ext. Opium, 1-12 gr.		

Used in constitutional syphilis in the secondary stage.
Dose: 1 or 2 pills three times daily.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
84	**ANTI-SYPHILITIC, No. 2 (Dr. Castano) coated pink or yellow**	60	2 85
	Mercury Protiodide, 2-3 gr. Iodoform, 1 1-2 grs. Iron Sulphate, exsic., 3-4 gr. Ext. Opium, 1-12 gr.		
86	**APERIENT, No. 2, 4 grs.**	40	1 85
	Ext. Colocynth Comp., 1 gr. Jalap, 1-2 gr. Ext. Aloes, 2 grs. Soap Oleores. Ginger		
87	**APERIENT, No. 3, 4 grs.**	40	1 85
	Ext. Colocynth Comp., 1 gr. Jalap, 1-2 gr. Ext. Aloes, 2 grs. Calomel, 1-3 gr. Soap Oleores. Ginger		
88	**APERIENT, (Abernethy)**	45	2 10
	Pulv. Aloes, Soc., 1 gr. Pulv. Ipecac, 5-12 gr. Blue Mass, 1-2 gr. Ext. Henbane, 1 gr.		
90	**APERIENT, (Drysdale)**	35	1 60
	Pulv. Rhubarb, 1 1-4 grs. Pulv. Ipecac, 5-12 gr. Pulv. Aloes, Soc., 1 1-4 grs. Pulv. Nux Vomica, 1-4 gr.		
92	**APERIENT, Mild**	35	1 60
	Ext. Colocynth Comp., 1-2 gr. Ext. Henbane, 5-6 gr. Rhubarb, 2 grs. Oil Caraway, 1-30 gr.		
93	**APHRODISIAC, 2 1-2 grs., coated black or pink**	60	2 85
	Ext. Damiana, 2 grs. Zinc Phosphide, 1-10 gr. Ext. Nux Vom., 1-8 gr.		

Dose: 1 or 2 pills three times daily.

	APIOL and DIGITALIS COMP. coated light green [No. 127]	40	1 85
	Apiol, 1-4 m. Ext. Digitalis, 1-4 gr. Podophyllin, 1-10 gr. Potassium Nitrate, 1 gr. Ext. Buchu, 3-4 gr. Diuretin, 1-4 gr. Oil Juniper, 1-2 gtt.		

A valuable remedy in diseases of the urinary tract.
Dose: 2 pills three times daily, followed by a full glass of water.

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
94	APOCYNIN COMP. (Apocynin, 1-4 gr.; Leptandrin, 1-4 gr.; Podophyllin, 1-8 gr.; Ampelopsin, 1-16 gr.; Oil Capsicum, 1-16 gr.)	35	1 60
95	APOCYNUM EXTRACT, 2 grs.	40	1 85
	AROMATIC (See Placebo)		
	ARSENATE OF IRON, (See Iron Arsenate)		
96	ARSENIC IODIDE, 1-50 gr., coated yellow	20	85
97	ARSENIC SULPHIDE, 1-100 gr., coated yellow	20	60
98	*ARSENIC SULPHIDE, 1-60 gr., coated yellow	20	60
99	ARSENIC and MERCURIC IODIDE, coated pink (Arsenic Iodide, 1-50 gr.; Mercuric Iodide, 1-50 gr.)	20	85
	ARSENOUS ACID, (See Acid Arsenous)		
100	ARSENOUS ACID and STRYCHNINE, coated white (Arsenous Acid, 1-40 gr.; Strychnine, 1-60 gr.)	20	60
101	ASAFETIDA, 1 gr.	20	80
102	ASAFETIDA, 2 grs., coated black or pink	20	80
103	*ASAFETIDA, 3 grs., coated black, chocolate or pink	20	80
104	ASAFETIDA, 4 grs., coated black, chocolate or pink	25	1 10
105	ASAFETIDA, 5 grs.	35	1 60

Asafetida is antispasmodic, expectorant and carminative.

Useful in hysteria and other nervous affections, bronchitis, tympanites, and constipation with flatulence in the aged or feeble. Imparts its odor to the breath and secretions.

Dose: 3 to 15 grs.

106	ASAFETIDA, U. S. P., 2 grs.	20	85
107	ASAFETIDA, U. S. P., 3 grs.	20	85

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	ASAFETIDA and ALOES, (See Aloes and Asafetida)		
108	ASAFETIDA and HENBANE, 2 1-2 grs. (Asafetida, 2 grs.; Ext. Henbane, 1-2 gr.)	35	1 60

Calmative, anodyne, hypnotic.

Indicated in nervousness, insomnia, hysteria, delirium, nervous cough, neuralgia, dysmenorrhea. Useful in nervous and spasmodic affections of children, whooping cough, spasmodic laryngitis, enuresis, etc.; and in flatulence with colic.

Dose: Adults: 2 to 4 pills every 2 to 4 hours. Children: 1-3 to 1-2 the dose.

109	ASAFETIDA and IRON, 3 grs. (Asafetida, 2 grs.; Iron Sulphate, exsic., 1 gr.)	25	1 10

In anemia and neurasthenia with mild symptoms of irritability, headache, etc.

Dose: 1 pill 3 times daily.

110	ASAFETIDA and NUX VOMICA, 3 1-4 grs. (Asafetida, 3 grs.; Ext. Nux Vomica, 1-4 gr.)	35	1 60

Useful in mild forms of neurasthenia with depression. Indicated also as an intestinal tonic in slight constipation in nervous subjects when it is desired to avoid the usual cathartics.

Dose: 1 or 2, three times daily.

111	ASAFETIDA and RHUBARB (Asafetida, 1 gr.; Pulv. Rhubarb, 1 gr.; Iron Reduced, 1 gr.)	40	1 85
112	ASTRINGENT (Ext. Cranesbill, 2 grs.; Powd. Opium, 1-4 gr.; Oil Peppermint, 1-20 gtt.; Oleoresin Capsicum, 1-20 gr.)	35	1 60
118	ATROPINE and MORPHINE, "A", coated white (Atropine Sulphate, 1-250 gr.; Morphine Sulphate, 1-12 gr.)	40	1 85
119	ATROPINE and MORPHINE, "B", coated white (Atropine Sulphate 1-180 gr.; Morphine Sulphate 1-6 gr.)	45	2 10
120	*ATROPINE and MORPHINE, "C", coated white (Atropine Sulphate, 1-150 gr.; Morphine Sulphate, 1-4 gr.)	50	2 35

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No		PER BOTTLE OF 100	500
121	ATROPINE and MORPHINE, "D", coated white { Atropine Sulphate, 1-250 gr. { Morphine Sulphate, 1-8 gr.	40	1 85

Numbers 119 to 121 are useful combinations to avoid the nausea, depression, and constipation frequently caused by Morphine alone. These combinations are specially adapted for administration in spasmodic affections, as asthma, severe gastralgia, and intestinal, renal, or biliary colic; as a preliminary to general anesthesia, to lessen the danger of sudden cardiac or respiratory failure, and to subdue excitement or fear.

Dose: As for morphine.

122	See Acetanilid and Quinine Comp.	45	2 10
124	See Anti-Malarial, (Maddin) stronger	45	2 10
125	See Anti-Malarial, (Maddin) stronger without Aloes	45	2 10
127	See Apiol & Digitalis Comp.	40	1 85
136	BERBERINA and PODOPHYLLIN, 1-4 gr. coated yellow { Berberina Sulph., 1-4 gr. { Podophyllin, 1-20 gr.	50	2 35
137	BERBERIS COMPOUND { Ext. Berberis Aquifol., 2 grs. { Ext. Cascara Sagrada, 1 gr.	45	2 10
139	BISMUTH and IGNATIA, coated white { Bismuth Subnitrate, 4 grs. { Ext. Ignatia, 1-4 gr.	56	2 60
140	BISMUTH and NUX VOMICA, coated pink { Bismuth Subnitrate, 5 grs. { Ext. Nux Vomica, 1-2 gr.	63	2 90
145	BLACK HAW EXT., 3 grs.	35	1 60
146	BLACK HELLEBORE EXT., 1 gr.	40	1 85
	BLANCHARD'S FORMULA, (See Iron Iodide, U. S. P., 1 gr.)		
	BLANK (See Placebo)		
	BLAUD'S and STRYCHNINE COMP. (See Hematic Tonic, page 136)		
147	BLUE MASS, 1-2 gr.	20	60
148	BLUE MASS, 1 gr.	20	80
149	BLUE MASS, 2 grs.	20	80
150	*BLUE MASS, 3 grs.	20	85
151	BLUE MASS, 5 grs.	25	1 10

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No		PER BOTTLE OF 100	500

Much used as a mild Mercurial purgative. Employed in the treatment of syphilis as less liable than other mercurials to cause severe purgation. Produces constitutional effects without marked irritation of the bowels.

Dose: As an alterative, ½ to 2 grs. As a cathartic, 3 to 15 grs.

152	BLUE MASS COMPOUND { Blue Mass, 1 gr. { Pulv. Opium, 1-2 gr. { Pulv. Ipecac, 1-4 gr.	45	2 10

The combination of ipecac and opium is stomachic and diaphoretic, and favors the systemic action of the mercurial, and permits its use in frequent dosage without unpleasant symptoms. Especially adapted to the treatment of syphilis.

153	BLUE MASS and IRON { Blue Mass, 2 grs. { Iron Sulphate, exsic., 1 gr.	30	1 35
	BROWN-SEQUARD. (See Neuralgic Idiopathic)		
154	BUCHU COMPOUND, coated drab or chocolate { Buchu, 1 gr. { Uva Ursi, 1 gr. { Potassium Nitrate, 1 gr. { Digitalis, 1-8 gr. { Oil Juniper, 1-2 gtt.	35	1 60

Diuretic, tonic, antiseptic.

Increases flow of urine, relieves congestion and irritation of kidneys, bladder and urethra.

Indicated in mild chronic nephritis, pyelitis, dropsy, cystitis, gravel, lithemia, backache from congested kidneys, frequent or painful urination, and irritation of bladder or urethra from subacute or chronic inflammation of the genito-urinary tract.

Dose: 1 to 3 pills three to six times daily.

155	See Hematic Tonic, red.		
156	See Hematic Tonic, silver.		
158	CACTUS COMPOUND, (Heart Tonic) coated green or red { Cactus Grandiflora, 1-2 gr. { Glonoin C. P., 1-500 gr. { Sparteine Sulphate C. P., 1-40 gr. { Digitalin C. P., (German) 1-134 gr. { Strychnine Sulphate C. P., 1-500 gr. { Strophanthin C. P., 1-5000 gr.		

A useful combination of cardiac tonics. Stimulates the heart; reduces frequency of the pulse; increases flow of urine.

Indicated in functional or organic heart diseases, cardiac dropsy and palpitation. Particularly valuable in heart weakness from conditions of exhaustion.

Dose: 1 to 4 pills three times daily; or 1 pill every 30 to 60 minutes.

For prices, see Net List, page 139.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
159	See Camphor and Opium, 1-4 gr.		
161	*CAFFEINE CITRATE, 1 gr., coated white	40	1 85
162	CALCIUM SULPHIDE, 1-20 gr., coated pink	20	60
163	CALCIUM SULPHIDE, 1-10 gr., coated pink	20	60
164	CALCIUM SULPHIDE, 1-8 gr., coated pink	20	60
165	CALCIUM SULPHIDE, 1-6 gr., coated pink	20	60
166	CALCIUM SULPHIDE, 1-5 gr., coated pink	20	60
167	*CALCIUM SULPHIDE, 1-4 gr., coated pink	25	1 10
168	CALCIUM SULPHIDE, 1-2 gr., coated pink	25	1 10
169	CALCIUM SULPHIDE, 1 gr., coated pink	30	1 35
170	CALCIUM SULPHIDE, 2 grs., coated pink	40	1 85
171	CALCIUM SULPHIDE, 3 grs., coated pink	45	2 10

Calcium Sulphide is in growing favor as a systemic antiseptic. Useful in the treatment of suppurative diseases of the skin: boils, abscess, carbuncles, acne and in pulmonary tuberculosis.

Dose: ½ to 2 grs. three to four times daily.

174	CALOMEL, 1-10 gr., coated white or pink	20	60

In treatment of infantile diarrheas and cholera infantum, small doses frequently repeated (every 1 or 2 hours) are very valuable. Infants bear Calomel well and require proportionately much more than adults.

175	CALOMEL, 1-16 gr., coated white	20	60
176	CALOMEL, 1-8 gr., coated white or pink	20	60
177	CALOMEL, 1-4 gr., coated white or pink	20	60

As Calomel is frequently most beneficial in small doses repeated every ½ to 2 hrs., Pills number 176 and 177 will be found of advantage.

178	CALOMEL, 1-2 gr., coated white	20	85
179	CALOMEL, 1 gr., coated white	20	85

Dose: Given as ⅛ to 1 gr. laxative, and 5 to 15 grs. cathartic. In small repeated doses acts as intestinal antiseptic. Valuable as such in initial treatment of diarrhea and in "biliousness."

In cardiac dropsy, as a diuretic, 3 to 4 grs. three times daily, for three days or until diuresis begins.

For children see pill No. 174.

180	*CALOMEL, 2 grs., coated white	25	1 10
183	CALOMEL and COLOCYNTH COMP.	45	2 10

{ Calomel, 1 gr.
{ Ext. Colocynth Comp., 2 1-2 grs.

*See footnote page 9.
Where not otherwise stated, pills are dark coated
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
184	CALOMEL, COLOCYNTH COMP. and HENBANE	60	2 85

{ Calomel, 1 gr.
{ Ext. Colocynth Comp., 3 grs.
{ Ext. Henbane, 1 gr.

185	CALOMEL COMPOUND	30	1 35

{ Calomel, 3-4 gr.
{ Res. Guaiac, 1 1-2 grs.
{ Sulphurated Antimony, 3-4 gr.

186	CALOMEL and IPECAC, coated pink	20	60

{ Calomel, 1-4 gr.
{ Ipecac, 1-16 gr.

Useful in acute indigestion. The antiseptic and eliminative action of calomel is combined with the effect of ipecac as a stomachic and intestinal tonic.

Dose: 1 or 2 pills repeated at short intervals until 4 to 12 are taken, or until relieved.

187	CALOMEL and OPIUM., coated pink	25	1 10

{ Calomel, 1 1-2 grs.
{ Opium, 1-8 gr.

188	CALOMEL and RHUBARB	40	1 85

{ Calomel, 1-3 gr.
{ Ext. Rhubarb, 1-2 gr.
{ Ext. Colocynth Comp., 1-2 gr.
{ Ext. Henbane, 1-6 gr.

189	CALOMEL and SODA, coated pink	25	1 10

{ Calomel, 1-10 gr.
{ Soda Bicarbonate, 1 gr.

190	CAMPHOR, 1-20 gr., coated white	20	60
191	CAMPHOR COMPOUND	50	2 35

{ Camphor, 1 gr.
{ Powd. Opium, 1 gr.
{ Powd. Kino, 1 gr.
{ Ext. Capsicum, 1-16 gr.

192	CAMPHOR MONOBROMATED, 1 gr., coated white	30	1 35
193	*CAMPHOR MONOBROMATED, 2 grs., coated white	50	2 35
194	CAMPHOR MONOBROMATED, 3 grs., coated white	75	3 60
195	CAMPHOR MONOBROMATED, 5 grs., coated white	1 00	4 85
196	CAMPHOR and HENBANE	35	1 60

{ Powd. Camphor, 1 gr.
{ Ext. Henbane, 1 gr.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
197	CAMPHOR and LUPULIN, coated pink .... (Powd. Camphor, 1 1-2 grs. Lupulin, 1 gr.)	40	1 85
	CAMPHOR and OPIUM, 1-4 gr. ...[No. 159] (Camphor, 1-6 gr. Opium, 1-12 gr.)	20	60
198	CAMPHOR and OPIUM, 1 1-2 grs..... (Camphor, 1 gr. Powd. Opium, 1-2 gr.)	30	1 35

A valuable remedy in severe diarrhea and cholera morbus.
Dose: 1 pill every 2 hours until effects are seen.

199	CAMPHOR and OPIUM, 3 grs..... (Camphor, 2 grs. Powd. Opium, 1 gr.)	55	2 60

Dose: One pill, as needed.

200	CAMPHOR, OPIUM and HENBANE ..... (Camphor, 1 gr. Powd. Opium, 1-2 gr. Ext. Henbane, 1 gr.)	45	2 10

Effective in diarrhea, cholera morbus, etc., when accompanied by colic or tenesmus. The sedative action is enhanced by the Henbane and Camphor.

201	CAMPHOR, OPIUM and TANNIN ..... (Camphor, 1 gr. Opium, 1-4 gr. Tannin, 2 grs.)	40	1 85

Astringent and sedative to the bowel.
Used in diarrhea and in intestinal hemorrhage.

202	CAMPHOR, OPIUM and LEAD ACETATE.. (Camphor, 1 gr. Opium, 1 gr. Lead Acetate, 1 gr.)	40	1 85

An efficient astringent and sedative combination in diarrhea. May be used with advantage in hemorrhage from the bowels.
Dose: 1 pill every 2 or 3 hours.

203	CAMPHOR, VALERIAN and HENBANE... (Camphor, 1 gr. Powd. Valerian, 1-2 gr. Ext. Henbane, 1-2 gr.)	35	1 60

Useful in nervous and hysterical cases as a calmative and anodyne.
Dose: 2 to 4 pills three times daily.

208	CAPSICUM, 1-20 gr., coated pink.....	20	60
209	*CAPSICUM, 1 gr., coated pink	30	1 35

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	CARDIAC RENAL COMP.....[No. 300] (Powd. Digitalis, 1 1-2 grs. Potass. Nitrate, 1 1-2 grs. Calomel, 1-8 gr. Oil Juniper, 1 m.)	35	1 60

A valuable diuretic and mild heart tonic. Useful in weakness of the heart from functional or organic disease, with congestion of the kidneys, scanty urine, backache etc.
Dose: 1 to 3 pills three times daily.

CARIPEPTIC COMPOUND, coated violet [No. 301]
(See description of this pill on page 134)
(Prices on page 139)

210	CARMINATIVE, (Fothergill) 1 1-2 grs..... (Strychnine, 1-40 gr. Powd. Ipecac, 1-3 gr. Powd. Black Pepper, 1-2 gr. Powd. Gentian, 1-2 gr. Oleores Black Pepper,)	20	80
211	CARMINATIVE, Modified..... (Strychnine Sulph., 1-50 gr. Powd. Ipecac, 2-3 gr. Powd. Black Pepper, 1-4 gr. Ext. Gentian, 1 gr. Oil Cloves, 1-20 gr.)	35	1 60

CATHARTIC PILLS

Owing to the repugnant taste and odor of cathartic drugs, their administration is largely restricted to the use of pills. By reason of the uniformity and certainty of its action, our friable pill has long been recognized as the most elegant and satisfactory form in which this class of remedies can be offered. We invite careful attention to the selection of Cathartic Pills here presented, which, in composition of formulae and in range of dosage, affords appropriate means for the treatment of a wide diversity of pathological states. Specific indications for the use of various pills are mentioned in the descriptive notes.

We desire to mention particularly the smaller sizes of our pills and granules as supplying ready means for the graduation of dosage. These will further commend themselves to the thoughtful physician, as experience has shown that in many cases a small dose of a laxative will have as beneficent an effect as a large one, while the objectionable features of a large dose are avoided. This is particularly true in the case of aloes and of calomel. The reason for the favorable action of these small doses

may be found partly in the consideration that the digestive fluids can effect the necessary decomposition or solution of only a limited portion of the medicament at a time, (as, the conversion of a part of insoluble calomel to a more active form, or the gradual solution of the active principles of aloes) while the remaining larger portion is unaffected and therefore without action. For this reason also, often repeated minute doses insure a maximum effect with minimum danger, by providing successive small portions of material which may all become converted into an active form without danger of excessive absorption or irritation. To secure this mild, continuous action, it is essential that the pill used be completely disintegrated in the stomach so that all the drug may be subjected to the action of the digestive fluids through the entire length of the intestine. These physiological facts explain the practical superiority of our friable pill as demonstrated in actual use.

Other Cathartics will be found listed under, **ALOES** (and combinations), **ALOIN** (and combinations), **ALTERATIVE CATHARTIC, ANTI-BILIOUS, ANTI-CONSTIPATION, BLUE MASS, CALOMEL** (and combinations), **DINNER, LIVER VEGETABLE IMPROVED, RHUBARB** (and combinations).

212 CASCARA CATHARTIC, (Dr. Hinkle) coated pink, yellow, red, violet or chocolate 35 1 60

- Cascarin, 1-4 gr.
- Aloin, 1-4 gr.
- Podophyllin 1-6 gr.
- Ext. Belladonna, 1-8 gr.
- Strychnine, 1-60 gr.
- Gingerine, 1-8 gr.

A useful formula in the treatment of constipation, combining tonic, cholagogue and laxative principles. Useful also as a more active cathartic for children and at the onset of acute diseases.

Dose: 1 or 2 pills night and morning.

213 CASCARA COMP. PELLETS, (D'Ary) 35 1 60

- Ext. Cascara Sagrada, 4-15 gr.
- Ext. Nux Vomica, 1-30 gr.
- Ext. Belladonna, 1-60 gr.
- Euonymin, 1-5 gr.
- Xanthoxylin, 4-15 gr.
- Oleoresin Capsicum, 1-20 gr.

214 CASCARA and NUX VOMICA 40 1 85

- Ext. Cascara Sagrada, 2 grs.
- Ext. Nux Vomica, 1-5 gr.

215 CASCARA and PODOPHYLLIN 50 2 35

- Ext. Cascara Sagrada, 3 grs.
- Podophyllin, 1-4 gr.

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
216	CASCARA SAGRADA EXT., 1 gr.	30	1 35
217	*CASCARA SAGRADA EXT., 2 grs.	35	1 60
218	CASCARA SAGRADA EXT., 3 grs.	40	1 85
219	CASCARA SAGRADA EXT., 4 grs.	45	2 10
220	CASCARA SAGRADA EXT., 5 grs.	60	2 85

Largely used in the treatment of atonic constipation.
Dose: Adults: 5 to 15 grs.

221 CASCARA, NUX and BELLADONNA 50 2 35

- Ext. Cascara Sagrada, 2 grs.
- Ext. Nux Vomica, 1-8 gr.
- Ext. Belladonna, 1-16 gr.

222 CATARRH, (Hager) 35 1 60

- Quinidine Sulph., 3-8 gr.
- Cinchonidine Sulph., 3-8 gr.
- Althea, 1-4 gr.
- Gentian, 1-4 gr.
- Sandalwood, 1-12 gr.
- Hydrochloric Acid, 1-4 gr.

223 CATHARTIC, 1-4 gr., coated black or pink 20 60

- Podophyllin, 1-12 gr.
- Aloin, 1-20 gr.
- Capsicum, 1-40 gr.
- Ext. Nux Vomica, 1-32 gr.
- Ext. Belladonna, 1-32 gr.
- Oleoresin Tiglii, 1-60 gr.

CATHARTIC ALTERATIVE
(See Alterative Cath., Upjohn)

224 CATHARTIC COMP., Active 25 1 10

- Purified Aloes, 1 1-2 grs.,
- Gamboge, 3-16 gr.
- Podophyllin, 1-8 gr.
- Capsicum, 1-8 gr.
- Croton Oil, 1-50 gr.

225 CATHARTIC COMP., (Cholagogue) 30 1 35

- Res. Podophyllum, 1-2 gr.
- Blue Mass, 1-4 gr.
- Ext. Henbane, 1-8 gr.
- Ext. Nux Vomica, 1-16 gr.
- Oleores. Capsicum, 1-8 gr.

226 *CATHARTIC COMP. GRANULES, 1-2 gr. coated black, white, pink or chocolate 20 60
(Little Cathartic Granules)

- Aloin, 1-10 gr.
- Podophyllin, 1-5 gr.
- Ext. Henbane, 1-20 gr.
- Oleoresin Capsicum, 1-20 gr.
- Jalapin, 1-10 gr.
- Ext. Nux Vomica, 1-20 gr.

Laxative and hepatic stimulant, of moderate but certain action.

Dose: 1 to 3 pills.

*See footnote page 9
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
227	CATHARTIC COMP. GRANULES, 1-2 gr., with Calomel, coated white	20	60
	Aloin, 1-10 gr. Jalapin, 1-10 gr. Calomel, 1-10 gr. Ext. Henbane, 1-20 gr. Ext. Nux Vomica, 1-20 gr. Oleoresin Capsicum, 1-20 gr.		
228	CATHARTIC COMP. GRANULES, 3-4 gr. coated black or pink	25	1 10
	Jalapin, 1-16 gr. Leptandrin, 1-16 gr. Aloin, 1-8 gr. Podophyllin, 1-4 gr. Powd. Gamboge, 1-32 gr. Powd. Capsicum, 1-64 gr. Ext. Henbane, 1-8 gr. Oil Peppermint, q. s.		
230	CATHARTIC COMP., Imp., 1-2 gr.	20	60
231	CATHARTIC COMP., Imp., 1 1-4 grs. coated black, white or pink	20	80

For price in pound bottles see Net List, page 139.

CATHARTIC COMP. IMP. 2 grs. [No. 302]
(See Net List, page 139)

232	*CATHARTIC COMP., Imp., 2 1-2 grs., coated black, white or pink	25	1 10
	Ext. Colocynth Comp., 1 gr Leptandrin, 1-4 gr. Ext. Henbane, 1-4 gr. Aromatic Oils, 1-20 gr. Ext. Jalap, 1-2 gr. Res. Podophyllin, 1-4 gr. Ext. Gentian, 1-2 gr.		

For price in pound bottles see Net List, page 139

A useful cathartic when free bowel movements are required. Similar in action to the Cathartic Comp. U. S. P Has less tendency to cause griping and owing to the absence of Calomel may be used repeatedly.

Dose: 1 or 2 pills. As a hydragogue 3 pills, repeated as necessary.

233	CATHARTIC COMP., Mild	25	1 10
	Ext. Colocynth Comp., 1 gr. Res. Jalap, 1-2 gr. Calomel, 1-2 gr. Gamboge, 1-4 gr. Ext. Henbane, 1-2 gr. Oil Peppermint, q. s.		
234	CATHARTIC COMP., Modified	30	1 35
	Ext. Colocynth Comp., 1 gr. Ext. Jalap, 3-4 gr. Calomel, 3-4 gr. Gamboge, 1-6 gr. Rhubarb, 1-2 gr. Ginger, 1-4 gr.		

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
235	CATHARTIC COMP., U. S. P., 1-4 gr.	20	60
236	CATHARTIC COMP., U. S. P., 1-2 gr.	20	60
237	CATHARTIC COMP., U. S. P., 1 1-2 grs. coated black, white or pink	20	80

For price in pound bottles see Net List.

238	CATHARTIC COMP., U. S. P., 3 grs. coated black, white or pink	25	1 10
	Ext. Colocynth Comp., 1 1-4 grs. Resin Jalap, 1-3 gr. Calomel, 1 gr. Powd. Gamboge, 1-4 gr.		

For price in pound bottles see Net List.

An effective purgative, producing large watery stools used when it is desired to empty the entire bowels completely or to deplete the portal circulation.

Indicated in congestion of the liver from malaria, over eating, alcoholism or gastritis; in bilious attacks; in acute cerebral congestion as a derivative, and in dropsies

Owing to the Calomel in the formula, this pill is not intended for continued use.

Dose: 1 pill as a cathartic. 3 pills when drastic or hydragogue effect is desired.

240	*CATHARTIC GRANULES, 1-2 gr., coated white or pink	20	60
	Aloin Podophyllin Jalapin Res. Scammony		

For price in bottles of 5000 see Net List, page 139

An effective laxative granule, for general use

241	CATHARTIC GRANULES, Active, No. 2, coated black, white, pink or chocolate	20	60
	Aloin, 1-10 gr. Podophyllin, 1-5 gr. Ext. Nux Vomica, 1-10 gr. Ext. Colocynth Comp., 1-10 gr. Croton Oil, 1-15 gr. Oil Capsicum		

An active cathartic granule, often desirable on account of its small size and certainty of action.

Dose: 1 to 2 pills at night.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
242	CATHARTIC VEGETABLE, (Liver) 1 1-4 grs., coated black, pink, white or red	20	85

Powd. Aloes, 3-4 gr.
Jalap, 1-4 gr.
Podophyllin, 1-16 gr.
Ext. Belladonna, 1-16 gr.
Ol. Tiglii, 1-32 gr.
Oleores. Ginger.

For price in pound bottles see Net List, page 140.

A valuable purgative and hepatic pill, of certain, yet moderate and kindly action. Very useful where it is desired to induce a thorough evacuation short of free catharsis.

Especially indicated in bilious attacks with furred tongue, headache and muddy skin; at the onset of acute fevers, and in obstinate constipation.

Dose: 1 pill at night. In severe cases 2 pills.

	CATHARTIC VEGETABLE, U. S. P. [No. 772]	30	1 35

Ext. Colocynth Co., 1 gr.
Ext. Henbane, 1-2 gr.
Res. Jalap, 1-3 gr.
Ext. Leptandra, 1-4 gr.
Res. Podophyllum, 1-4 gr.
Oil Peppermint, 1-8 m.

	CHALYBEATE, coated black or pink..... (See Ferruginous, Blaud's)		
	CHALYBEATE COMP., (Jarvis)..... (See Ferruginous, Blaud's, with Nux Vomica)		
	CHLORODYNE, coated green or pink [No. 297]	45	2 10

Morphine Muriate, 1-6 gr.
Ext. Cannabis Indica, 1-4 gr.
Glonoin (Nitroglycerin), 1-300 gr.
Oil Peppermint, 1-10 m.
Ext. Henbane, 1-2 gr.
Oleoresin Capsicum, 1-10 m.

Valuable for emergency use or in many cases where it is necessary to "send some medicine." Relieves abdominal pain.

Indicated in intestinal colic, gastralgia, diarrhea or cholera morbus.

Dose: To be regulated by the amount of Morphine it is desired to use.

The effect of the morphine in small doses is enhanced by the other elements of the formula.

	CHLORODYNE, half strength, coated green [No. 299]	30	1 35

Morphine Muriate, 1-12 gr.
Ext. Cannabis Indica, 1-8 gr.
Nitroglycerin (Glonoin), 1-600 gr.
Oil Peppermint, 1-20 m.
Ext. Hyoscyamus, 1-4 gr.
Oleoresin Capsicum, 1-20 m.

For children. Use same as No. 297.
Dose: 1 every two hours until relieved.
Not to be used with infants.

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
246	CHOLAGOGUE, 3 grs.....	35	1 60

Podophyllin, 1-4 gr.
Ext. Henbane, 1-2 gr.
Powd. Capsicum, 1-4 gr.
Aloes, 1 gr.
Rhubarb, 1 gr.

248	CINCHONIDIA SULPH., 1-4 gr., coated white.....	20	60
249	CINCHONIDIA SULPH., 1-2 gr., coated white, pink or black		
250	CINCHONIDIA SULPH., 1 gr., coated white or pink		
251	*CINCHONIDIA SULPH., 2 grs., coated white, pink or black		
252	CINCHONIDIA SULPH., 3 grs., coated white, pink or black		
253	CINCHONIDIA SULPH., 4 grs., coated white, pink or black		
254	CINCHONIDIA SULPH., 5 grs., coated white, pink or black		

Slips issued giving net prices

255	CINCHONIDIA and ARSENIC, coated white	35	1 60

Cinchonidia Sulph., 3-4 gr.
Arsenic, 1-100 gr.

256	CINCHONIDIA and CAPSICUM, coated pink	45	2 10

Cinchonidia Sulphate, 2 grs.
Capsicum, 1-4 gr.

257	COCAINE HYDROCHLORATE, 1-20 gr., coated white	45	2 10
258	*COCAINE HYDROCHLORATE, 1-10 gr., coated white.....	60	2 85
261	CODEINE, 1-8 gr., coated white.....	60	2 85
262	*CODEINE, 1-4 gr., coated white.....	1 00	4 85
263	CODEINE, 1-2 gr., coated white	1 85	9 10

Similar to Morphine but weaker. Less apt to constipate. Used chiefly in dry cough, (bronchitis, laryngitis, phthisis), painful abdominal diseases and to relieve symptoms in diabetes. Somewhat variable in action.

Dose: ½ to 2 grs. according to effect.

267	CODEINE SULPH., 1-8 gr., coated white...	55	2 60
269	*CODEINE SULPH., 1-4 gr., coated white...	90	4 35
271	CODEINE SULPH., 1-2 gr., coated white...	1 80	8 88

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	COLD, Laxative, (Upjohn) coated pink [No. 298]	47	2 13
	Acetanilid, 2 grs. Quinine Sulphate., 1-2 gr. Camphor, 1-4 gr. Aloin, 1-16 gr. Podophyllin, 1-40 gr. Aconite Root, 1-20 gr. Capsicum, powd., 1-4 gr. Morphine Sulphate, 1-100 gr. Atropine Sulphate, 1-2000 gr.		

A reliable preparation for the treatment of common colds, and influenza. The formula includes remedies adapted to meet the indications common to the majority of cases. Lessens nasal secretions, diminishes reflex irritation and sneezing, relieves headache and aching pains and allays feverishness. Slightly diaphoretic and laxative; a stimulant to the appetite and digestion.

Dose: 1 pill every one-half hour until 4 or 6 are taken; then one every two to four hours according to severity and duration of attack.

COLD PILL, (Dr. Whelan) .....
(See Quinine, Arsenic and Atropia)

273	COLOCYNTH COMP., BELLADONNA and NUX VOMICA Ext. Colocynth Comp., 3 grs. Ext. Belladonna Leaves, 1-4 gr. Ext. Nux Vomica, 1-2 gr.	50	2 35
274	COLOCYNTH COMP. EXTRACT, U. S. P., 3 grs.	40	1 85
275	COLOCYNTH COMP. and BLUE MASS Ext. Colocynth Comp., 1 1-2 grs. Blue Mass, 1 1-2 grs.	50	2 35
	COLOCYNTH COMP. and PODOPHYLLIN (See Anti-Bilious)		
276	COLOCYNTH and HENBANE, 3 grs. Ext. Colocynth Comp., 2 grs. Ext. Henbane, 1 gr.	45	2 10
277	COLOCYNTH, IPECAC and BLUE MASS Ext. Colocynth Comp., 2 grs. Powd. Ipecac, 1-6 gr. Blue Mass, 2 grs.	45	2 10
280	COOK'S Pulv. Aloes, Soc., 1 gr. Pulv. Rhubarb, 1 gr. Calomel, 1-2 gr. Powd. Soap, 1-2 gr.	25	1 10
281	COPPER ARSENITE, 1-5000 gr., coated white	20	60

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
282	COPPER ARSENITE, 1-3000 gr., coated white	20	60
283	*COPPER ARSENITE, 1-100 gr., coated white	20	60
284	COPPER ARSENITE, 1-50 gr., coated white	20	60

Has been used as an intestinal antiseptic in cholera infantum and dysentery; also as a tonic in the treatment of anemia and chlorosis.

Dose: 1-100 gr. every one-half hour. In anemia, 1-100 to 1-50 gr. three to four times daily.

285	CORROSIVE SUBLIMATE, 1-100 gr., coated white	20	60
286	*CORROSIVE SUBLIMATE, 1-60 gr., coated white	20	60
287	CORROSIVE SUBLIMATE, 1-50 gr., coated white	20	60
288	CORROSIVE SUBLIMATE, 1-40 gr., coated white	20	60
289	CORROSIVE SUBLIMATE, 1-30 gr., coated white	20	60
290	CORROSIVE SUBLIMATE, 1-20 gr., coated white	20	60
291	CORROSIVE SUBLIMATE, 1-16 gr., coated white	20	60
292	CREOSOTE, (from Beechwood) 1-4 gr.	25	1 10
293	CREOSOTE, (from Beechwood) 1-2 gr.	30	1 35
294	*CREOSOTE, (from Beechwood) 1 gr.	40	1 85
295	CREOSOTE, (from Beechwood) 2 grs.	50	2 35
296	CREOSOTE, (from Beechwood) 3 grs.	60	2 85

Stimulant expectorant, and intestinal antiseptic.

Useful in bronchitis and tuberculosis or to check intestinal putrefaction and to improve digestion. Best results from large doses when they are well borne. The pill form is an admirable method of administration.

Dose: 1 to 3 minims, gradually increased to the limit of tolerance.

297 See Chlorodyne.

298 See Cold Laxative.

299 See Chlorodyne, 1-2 strength.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
300	See Cardiac Renal Comp.		
301	See Caripeptic Comp. pages 134 and 139		
302	See Cathartic Comp. Imp., 2 grs. page 139		
310	DAMIANA EXTRACT, 3 grs.	55	2 60
	DAMIANA and NUX VOMICA (See Aphrodisiab)		
311	DIAPHORETIC Morphine Acetate, 1-25 gr. Powd. Ipecac, 1-4 gr. Potassium Nitrate, 1 gr. Camphor, 1-4 gr.	35	1 60
	DIARRHEA PELLETS, (Dr. Drossner) coated pink [No. 331]	25	1 10
	Hydro. Chlo. Mite., 1-20 gr. Pulv. Ipecac. 1-32 gr. Morphine Sulph., 1-16 gr. Capsicum, 1-16 gr. Camphora, 1-16 gr.		
312	DIARRHEA PELLETS, coated brick pink Calomel, 1-8 gr. Morphine Sulphate 1-16 gr. Powd. Capsicum, 1-16 gr. Powd. Ipecac, 1-32 gr. Powd. Camphor, 1-16 gr.	25	1 10

Nos. 331 and 312 are useful in the treatment of ordinary forms of diarrhea.
Dose: 1 every one-half hour for four doses, then 1 every one or two hours as needed.

313	DIGESTIVE, coated white Pepsin, 1 gr. Nux Vomica, 1-4 gr. Gingerine, 1-16 gr. Sulphur, 1-8 gr.	40	1 85
314	DIGESTIVE PELLETS, (Hager) Cinchonidia Sulph., 1-5 gr. Pepsin, 1 1-5 grs. Powd. Ginger, 3-25 gr. Powd. Cardamom, 3-25 gr. Powd. Pimenta, 3-25 gr. Powd. Gentian, 6-25 gr. Hydrochloric Acid, 6-25 gr.	40	1 85
315	DIGITALIN, 1-60 gr., coated white	30	1 35
317	DIGITALIS COMPOUND, 2 grs. Powd. Digitalis, 1-2 gr. Potass. Nitrate, 1 gr. Powd. Squill, 1-2 gr.	20	85

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
[illegible]	DIGITALIS COMPOUND, 4 grs. Powd. Digitalis, 1 gr. Potass. Nitrate, 2 grs. Powd. Squill, 1 gr.	30	1 35

Useful as a mild heart tonic and diuretic in enfeebled cardiac action with congestion of the kidneys.
Dose: 1 to 3 pills three times daily.

[illegible]	DINNER, (Chapman) Pulv. Aloes, Soc., 1 gr. Pulv. Rhubarb, 1 gr. Res. Mastich, 1 gr.	30	1 35
[illegible]	DINNER, (Cole) Blue Mass, 1 1-5 grs. Purified Aloes, 1 1-5 grs. Pulv. Jalap, 1 1-5 grs. Ant. and Potass. Tart., 1-50 gr.	40	1 85
[illegible]	DINNER, (Lady Webster) 3 grs. Purified Aloes, 2 grs. Gum Mastich, 1-2 gr. Powd. Licorice, 1-2 gr.	25	1 10

Mastich retards the solution of the aloes and insures its action on the large bowel.
Dose: 1 to 2 pills.

324	DIPSOMANIA Gold and Sodium Chloride, 1-24 gr. Strychnine Nitrate, 1-60 gr. Glonoin (Nitroglycerin), 1-200 gr. Atropine Sulph., 1-200 gr. Tinct. Digitalis, 3 m. Oleoresin Capsicum, 1-8 m.	50	2 35
325	DIURETIC, (Delafield) Squill, 1 gr. Digitalis, 1 gr. Corrosive Sublimate, 1-20 gr.	25	1 10
	DOVER'S POWDER (See Ipecac and Opium.)		
	DOVER'S POWDER, AROMATIC, 1-2 gr., for children. (See Net List, page 140.)		
328	DYSMENORRHEA, (Alvord) Morphine Sulph., 1-10 gr. Cimicifugin, 2-3 gr. Quinine Sulph., 2-3 gr.	60	2 85
330	DYSPEPTIC, (Dr. E. B. Haworth) Strychnine Sulphate, 1-40 gr. Pulv. Ipecac, 1-8 gr. Pulv. Rhubarb, 1-4 gr. Capsicum, 1-8 gr.	30	1 35

A useful stomachic for those who suffer from retarded and imperfect digestion as a result of bad habits in eating.
Dose: 1 to 2 pills after meals.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
331	See Diarrhea Pellets.		
336	ELATERIN, 1-20 gr., coated white	1 00	4 85
337	ELATERIUM, (Clutterbuck) 1-10 gr., coated white	40	1 85
338	*ELATERIUM, (Clutterbuck) 1-8 gr., coated white	45	2 10

A powerful hydragogue cathartic. Used in dropsy and ascites.

Dose: ⅛ gr. repeated at intervals of 2 or 3 hours until free watery evacuations are induced. Use cautiously and give supporting stimulants when necessary.

339 EMMENAGOGUE, Improved 60 2 85
- Ergotin, 1 gr.
- Purif. Aloes, 1 gr.
- Oil Savin, 1-2 gr.
- Ext. Black Hellebore, 1 gr.
- Iron Sulphate, exsic., 1 gr.

An efficient emmenagogue combination. Largely used in the treatment of suppression of the menses from anemia or debility.

Dose: 1 to 2 pills three times daily.

340 EMMENAGOGUE, Imp., 1-2 size 35 1 65
- Ergotin, 1-2 gr.
- Purified Aloes, 1-2 gr.
- Oil Savin, 1-4 gr.
- Ext. Black Hellebore, 1-2 gr.
- Iron Sulphate, exsic., 1-2 gr.

341 EMMENAGOGUE, No. 4, coated black or pink 60 2 85
- Ergotin, 1 gr.
- Ext. Cotton Root, 1 gr.
- Purified Aloes, 1 gr.
- Iron Sulphrte, exsic., 1 gr.
- Oil Savin, 1-2 gr.

Uterine tonic and emmenagogue.

Largely used in subinvolution, dysmenorrhea, acute suppression of the menses from cold, and chronic suppression from anemia and debility.

Dose: 1 or 2 pills three times daily.

342 EMMENAGOGUE, (Mutter) 25 1 10
- Dried Iron Sulphate, 1 1-2 grs.
- Aloes, purif., 1-2 gr.
- Turpentine, U. S. P., 1 1-2 grs.

Useful in amenorrhea with anemia.

Dose: 3 to 6 pills, daily, in divided doses.

343 EMMENAGOGUE, (Rigaud) 25 1 10
- Aloes, purified, 1 1-2 grs.
- Rue, 3-4 gr.
- Saffron, 3-4 gr.
- Savin, 3-4 gr.

Used in functional or atonic amenorrhea.

Dose: 1 to 3 pills.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
[illegible]	ERGOTIN, 1 gr.	40	1 85
[illegible]	ERGOTIN, 3 grs.	80	3 85

Constricts blood vessels and stimulates involuntary muscle generally. Used in pill form in internal hemorrhage, purpura, and night sweats. Has also been used in congestive headache and to reduce frequency of epileptic attacks.

Dose: 2 to 10 grs. three times daily.

349 *ERGOTIN and CANNABIS INDICA 90 4 35
- Ergotin, 1 gr.
- Ext. Cannabis Indica, 1-2 gr.

350 ERGOTIN and CANNABIS INDICA, half strength 50 2 35
- Ergotin, 1-2 gr.
- Ext. Cannabis Indica, 1-4 gr.

351 ERGOTIN COMPOUND 1 00 4 85
- Ergotin, 3 grs.
- Ext. Cannabis Ind., 1-6 gr.
- Strychnine, 1-60 gr.

356 FEMALE, AMENORRHEA 55 2 60
- Ext. Cimicifuga, 1 gr.
- Dried Ferrous Sulph., 1 gr.
- Ext. Cotton Root Bark, 1 gr.
- Purified Aloes, 1 gr.

357 *FEMALE, (Hooper) 2 1-2 grs. 20 85
- Purif. Aloes, Soc., 1 gr.
- Iron Sulphate, exsic., 1-2 gr.
- Jamaica Ginger, 1-8 gr.
- Ext. Blk. Hellebore., 1-4 gr.
- Gum Myrrh, 1-4 gr.
- Castile Soap, 1-8 gr.
- Powd. Canella, 1-8 gr.

A successful formula in the treatment of amenorrhea.

Dose: 1 to 2 pills three times daily.

358 FEMALE, LEUCORRHEA, (Dr. Drossner's). 55 2 60
- Hamamelin, 2 grs.
- Senecin, 1-2 gr.
- Hydrastin, 1-2 gr.

FERROUS IODIDE, U. S. P., 1 gr. .....
(See Iron Iodide, U. S. P., 1 gr.)

359 FERRUGINOUS, (Blaud's) 3 grs., coated black, pink, chocolate or white. 20 85
- Iron Sulphate, exsic., 1 1-2 grs.
- Potassium Carbonate, 1 1-2 grs.

For prices in bulk packages, see Net List.

Dose: Usually given in ascending doses, beginning with one pill three times daily after meals, increasing dose to two pills during second week, and to three pills in the third week. This course is to be repeated with intermissions of a few days, until a cure results.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
361	*FERRUGINOUS, (Blaud's) 5 grs., coated black, pink, chocolate, white or red..	25	1 10

Iron Sulphate, exsic., 2 1-2 grs.
Potassium Carbonate, 2 1-2 grs.

For prices in bulk packages, page 140.

Dose: Same as for No. 359. The larger sizes will be found of advantage during the latter part of treatment.

Our Ferruginous Pills present Blaud's Mass in permanent form, and contain 27 to 30 per cent of Ferrous Carbonate, protected from oxidation. They do not undergo the usual chemical changes with age.

See description under Specialties, page 132

362	FERRUGINOUS, ARSENIC and STRYCHNINE	35	1 65

Iron Sulphate, exsic., 2 1-2 grs.
Potassium Carbonate, 2 1-2 grs.
Strychnine, 1-60 gr.
Arsenous Acid, 1-40 gr.

Indicated in anemia particularly when accompanied by cachexia, as in chronic malaria.
Dose: 1 pill three or four times daily.

363	FERRUGINOUS, CASCARA and NUX VOMICA	35	1 65

Iron Sulphate, exsic., 2 1-2 grs.
Potassium Carbonate, 2 1-2 grs.
Ext. Cascara Sagrada, 1 gr.
Ext. Nux Vomica, 1-4 gr.

Indicated in anemia and debility, accompanied by a tendency to constipation.
Dose: 1 to 3 pills, two or three times daily.

364	*FERRUGINOUS COMP., 3 1-2 grs., coated black or pink	35	1 65

Iron Sulphate, exsic., 1 1-2 grs.
Potassium Carbonate, 1 1-2 grs.
Ext. Nux Vomica, 1-10 gr.
Quinine Sulphate, 1-2 gr.

Combining Blaud's Mass with tonics.
Indicated in anemia with debility and in convalescence.
Dose: 1 to 2 pills three or four times daily.

365	FERRUGINOUS COMP., with ALOIN, 3 1-2 grs., coated black or pink	35	1 65

Iron Sulphate, exsic., 1 1-2 grs.
Potassium Carbonate, 1 1-2 grs.
Quinine Sulphate, 1-2 gr.
Ext. Nux Vomica, 1-10 gr.
Aloin, 1-10 gr.

Indicated in anemia, convalescence, etc., with sluggishness of the bowels.
Dose: 1 to 2 pills three or four times daily.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
366	FERRUGINOUS COMP., with ALOIN, 2d form, coated black or pink	35	1 65

Iron Sulphate, exsic., 1 1-2 grs.
Potassium Carbonate, 1 1-2 grs.
Ext. Nux Vomica, 1-8 gr.
Arsenous Acid, 1-60 gr.
Aloin, 1-40 gr.

A useful modification of the above.
Dose: 1 to 2 pills three or four times daily.

367	FERRUGINOUS, (Blaud's) Modified, 3 grs. coated black or pink	25	1 10

Iron Sulphate, exsic., 1 1-2 grs.
Potassium Carbonate, 1 1-2 grs.
Arsenous Acid, 1-60 gr.

For prices in bulk packages, page 140.

368	FERRUGINOUS, (Blaud's) Modified, 5 grs. coated black or pink	35	1 65

Iron Sulphate, exsic., 2 1-2 grs.
Potassium Carbonate, 2 1-2 grs.
Arsenous Acid, 1-40 gr.

Indicated in chlorosis and other forms of anemia.
Dose: 1 pill three times daily.
For prices in bulk packages, page 140.

369	FERRUGINOUS, Modified, with NUX VOMICA, coated black or pink	35	1 65

Iron Sulphate, exsic., 2 1-2 grs.
Potassium Carbonate 2 1-2 grs.
Ext. Nux Vomica, 1-10 gr.
Arsenous Acid, 1-50 gr.

370	FERRUGINOUS with NUX VOMICA, coated black or pink	35	1 65

Iron Sulphate, exsic., 1 1-2 grs.
Potassium Carbonate, 1 1-2 grs.
Ext. Nux Vomica, 1-10 gr.

371	FERRUGINOUS, (Blaud's) with STRYCHNINE, coated black or pink	35	1 65

Iron Sulphate, exsic., 2 1-2 grs.
Potassium Carbonate, 2 1-2 grs.
Strychnine, 1-60 gr.

Pills Nos. 369 to 371 are indicated in chlorosis or secondary anemias with loss of appetite and indigestion.
Dose: 1 pill three or four times daily.

See also Hematic Tonic, page 136.
See also Restonal, page 131.

372	FEVER and AGUE	40	1 85

Ext. Eucalyptus, 1-4 gr.
Chinoidin, 1 gr.
Iron Ferrocyanide, 1-2 gr.
Capsicum, 1-4 gr.
Arsenous Acid, 1-200 gr.

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	FLINT'S SALINE & CHALYBEATE TONIC (See Saline and Chalybeate Tonic)		
377	GAMBOGE, 1-32 gr., coated yellow	20	60
378	GELSEMIUM ROOT, 1-50 gr., coated pink	20	60
379	*GELSEMIUM ROOT, 1-10 gr., coated pink	20	60
380	GENTIAN COMPOUND Ext. Gentian, 2-3 gr. Purified Aloes, 2-3 gr. Powd. Rhubarb, 1 1-3 grs. Oil Caraway, 1-10 gr.	30	1 35
381	See Gonorrhea.		
382	See Gonorrhea, 1-2 strength.		
	GLONOIN (See Nitroglycerin)		
385	GOLD and SODIUM CHLORIDE, 1-40 gr., coated golden yellow	50	2 35
386	GOLD and SODIUM CHLORIDE, 1-30 gr., coated golden yellow	55	2 60
	GOLD and SODIUM CHLORIDE, 1-20 gr., coated golden yellow [No. 397]	60	2 85
	GONORRHEA [No. 381] Powd. Cubebs, 1 1-4 grs. Iron Sulphate, exsic., 1-4 gr. Ven. Turpentine, 1-4 gr. Copaiba, 1 1-4 grs.	30	1 35
	GONORRHEA, half strength [No. 382] Powd. Cubebs, 3-4 gr. Copaiba, 3-4 gr. Iron Sulphate, exsic., 1-8 gr. Ven. Turpentine, 1-8 gr.	20	80
	HEADACHE (See Migraine.)		
388	HEART STIMULANT, (Prof. DaCosta) Tinct. Digitalis, 2 m. Tinct. Strophanthus, 2 m. Tinct. Belladonna, 1-4 m. Nitroglycerin, 1-100 gr.	20	72

A formula well adapted for continued use. Useful as a mild heart tonic in nervous palpitation, cardiac distress from hypertrophy, smoker's heart, for the relief of cardiac dyspnoea and cardiac asthma, in simple weakness of the heart muscle, and in all affections of the heart accompanied by atheroma, or wherever it is important that the work of the heart should not be increased by additional resistance in the arteries.

Dose: 1 to 2 pills, three to six times daily.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
389	HELONIAS COMPOUND Helonin, 1-8 gr. Viburnin, 1-8 gr. Caulophyllin, 1-4 gr. Squaw Vine, 1 1-2 grs.	60	2 85
	HEMATIC TONIC, coated red. [No. 155]		
	HEMATIC TONIC, coated silver. [No. 156] Iron Sulphate, exsic. 1 1-2 grs. Potassium Carbonate, 1 1-2 grs. Manganese Binoxide, 1-24 gr. Strychnine Sulphate, 1-60 gr. Arsenous Acid, 1-100 gr. Mercuric Chloride, 1-80 gr. Aloin, 1-20 gr. Zinc Phosphide, 1-16 gr.		

Hematinic; Tonic; Alterative; Laxative. Useful in anemias, general debility, neurasthenia, senile weakness, etc.
Dose: 1 or 2 pills after each meal.
Listed in pounds, only. For price, see Net List, page 140.

390	HENBANE EXTRACT, 1-8 gr.	20	60
391	HEPATIC, 3 1-2 grs. Blue Mass, 2 grs. Ext. Henbane, 2-3 gr. Ext. Colocynth Comp., 2-3 gr.	45	2 10
392	HEPATIC, (Eclectic) 1 gr. Podophyllin, 1-4 gr. Leptandrin, 1-2 gr. Irisin, 1-4 gr. Ext. Nux Vomica, 1-16 gr. Powd. Capsicum, 1-8 gr.	55	2 60

Indicated in torpidity of the liver.
Dose: 1 pill.

393	HUBBARD'S MILDER Quinine Sulph., 1 gr. Aloes, Soc., 1-2 gr. Piperine, 1-2 gr. Strychnine Sulph., 1-50 gr.	50	2 35
394	HUBBARD'S STRONGER Quinine Sulph., 1 1-2 grs. Aloes, purif., 2-3 gr. Piperine, 2-3 gr. Strychnine Sulph., 1-40 gr.	65	3 10
395	HYDRARGYRI COMP., (McGuire) Blue Mass, 1 gr. Pulv. Rhubarb, 1 gr. Ext. Colocynth Comp., 1 gr. Pulv. Aloes, 1 gr.	40	1 85
	HYDRASTIA SULPH. and PODOPHYLLIN (See Berberina and Podophyllin)		

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
396	HYOSCYAMUS and CAMPHOR MONO-BROMATED ..... (Ext. Henbane, 1 gr. / Camphor Monobromated, 1 gr.)	40	1 85
397	See Gold and Sodium Chloride, 1-20 gr.		
400	ICHTHYOL, 1 1-2 grs.	75	3 60
	INCONTINENCE, coated pink ....[No. 430] (Ergotin, 1-2 gr. / Strychnine Sulphate, 1-200 gr. / Ext. Belladonna, 1-64 gr.)	30	1 35

For treatment of incontinence of urine in children.
Dose: 1 pill three to four times daily, gradually increased.

	INTESTINAL ANTISEPTIC ..... (See Antiseptic, Intestinal)		
403	IODOFORM, 1 gr., coated yellow	60	2 85
407	IPECAC and OPIUM, 1-2 gr. ..... (Equal to 2 1-2 grs. Dover's Powd.) (Powd. Ipecac, 1-4 gr. / Powd. Opium, 1-4 gr.)	25	1 00
408	*IPECAC and OPIUM, 1 gr. ..... (Equal to 5 grs. Dover's Powd.) (Powd. Ipecac, 1-2 gr. / Powd. Opium, 1-2 gr.)	35	1 60
409	IPECAC and OPIUM, 2 grs. ..... (Equal to 10 grs. Dover's Powd.) (Powd. Ipecac, 1 gr. / Powd. Opium, 1 gr.)	50	2 35

Causes sleep and diaphoresis. Used in the early stages of muscular rheumatism, chills, grip, sore throat, bronchitis, pneumonia, pleurisy, etc.
Dose: 5 to 15 grs. Children 1-3 to 1-2 the dose. Give hot drinks.

	IRON and ALOES ..... (See Aloes and Iron)		
411	*IRON ARSENATE, 1-50 gr., coated pink ..	20	60
412	IRON ARSENATE, 1-20 gr., coated pink ...	20	60
413	IRON BY HYDROGEN, 1-10 gr.	20	60
414	*IRON BY HYDROGEN, (Quevenne's) 1 gr.	25	1 10
415	IRON BY HYDROGEN, (Quevenne's) 2 grs.	40	1 85

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	IRON CARBONATE ..... (See Ferruginous, Blaud's)		
416	IRON CITRATE, 2 grs.	30	1 35
417	IRON IODIDE, U. S. P., 1 gr.	40	1 85

Particularly recommended in the treatment of anemia in children with so called "scrofulous" condition,—a tendency to enlarged glands, skin affections, and malnutrition.
Dose: 1 to 8 grs. three times daily with plenty of water or milk.

419	IRON and MANGANESE ..... (Ferrous Carbonate, 2 grs. / Manganese Carbonate, 1 gr.)	45	2 10
420	IRON PROTO-CARB., (Vallet) 2 grs.	25	1 10
421	*IRON PROTO-CARB., (Vallet) 3 grs.	25	1 10
422	IRON PROTO-CARB., (Vallet) 5 grs.	30	1 35
427	IRON, QUININE and ZINC VALERIANATES, 1 1-2 grs., coated pink ..... (Iron Valerianate, 1-2 gr. / Zinc Valerianate, 1-2 gr. / Quinine Valerianate, 1-2 gr.)	50	2 35
428	*IRON, QUININE and ZINC VALERIANATES, 3 grs., coated pink or brown .. (Iron Valerianate, 1 gr. / Quinine Valerianate, 1 gr. / Zinc Valerianate, 1 gr.)	95	4 60

Tonic and mild nerve stimulant. Advised in chlorosis with neurasthenia and in hysterical conditions.
Dose: 1 to 4 pills, after meals.

430	See Incontinence.		
435	JABORANDI EXT., 3 grs.	50	2 35
436	JALAPIN, 1-16 gr.	20	60
	LADY WEBSTER ..... (See Dinner, Lady Webster)		
440	LAXATIVE ..... (Purif. Aloes, 1 gr. / Sulphur, 1-5 gr. / Podophyllin, 1-3 gr. / Res. Guaiac, 1-2 gr. / Syrup Buckthorn, q. s.)	35	1 60
441	LAXATIVE, (Cole) ..... (Podophyllin, 1-10 gr. / Calomel, 1 gr. / Ext. Colocynth Comp., 3 grs.)	40	1 85

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	LAXATIVE GRANULES .....[No. 448]	20	60
	Podophyllin, 1-40 gr. Ext. Belladonna, 1-40 gr. Ext. Nux Vomica, 1-16 gr. Ext. Henbane, 1-16 gr. Powd. Capsicum, 1-16 gr.		
	LAXATIVE LUNCHEON.(Dr. Eliza M. Mosher) coated pink .....[No. 738]	40	1 85
	(See Tonic Laxative)		
	Ext. Cascara Sagrada, 1-4 gr. Ext. Colocynth Comp., 1-4 gr. Ext. Nux Vomica, 1-15 gr. Ext. Henbane, 1-15 gr. Powd. Capsicum, 1-10 gr. Powd. Ipecac, 1-10 gr.		
	They should be taken after luncheon.		
442	LAXATIVE SPECIAL	45	2 10
	Ext. Henbane, 1 1-4 grs. Soc. Aloes, 5-6 gr. Ext. Nux Vomica, 5-12 gr. Ext. Colocynth Comp., 1 2-3 grs. Podophyllin, 1-12 gr. Powd. Ipecac, 1-12 gr.		
	LAXATONIC GRANULES.....[No. 999]		
	A true tonic laxative treatment, adapted to all ages, and a wide range of cases.		
	(See Net List, page 140)		
443	LEPTANDRIN, 1-16 gr.....	20	60
444	LEPTANDRIN, 1-4 gr.....	20	85
445	*LEPTANDRIN, 1-2 gr.....	25	1 10
446	LEPTANDRIN COMPOUND, 1 3-8 grs.....	50	2 35
	Leptandrin, 1 gr. Podophyllin, 1-8 gr. Irisin, 1-4 gr.		
	LIME SULPHURATED		
	(See Calcium Sulphide)		
	LIVER.....		
	(See Cathartic Vegetable)		
	LIVER GRANULES, Active, No. 2.....		
	(See Cathartic Granules, Active, No. 2)		
	LIVER GRANULES.....		
	(See Cathartic Comp. Granules, 1-2 gr.)		
447	LIVER, Vegetable, Improved.....	25	1 10
	Aloes, Soc., 1 gr. Pulv. Jalap, 1 gr. Pulv. Gamboge, 1-8 gr. Tinct. Veratrum Viride, 1-4 gtt. Leptandrin, 1-8 gr. Podophyllin, 1-8 gr. Oil Capsicum, 1-48 gtt.		
	A valuable hepatic and purgative combination.		
	Dose: 1 to 3 pills, at night.		

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
448	See Laxative Granules.		
450	MANGANESE BINOX., 1-2 gr.....	20	85
451	MANGANESE BINOX., 1 gr.....	25	1 10
452	*MANGANESE BINOX., 2 grs.....	30	1 35
453	MANGANESE BINOX., 3 grs.....	40	1 85
	Has an established reputation as having almost a specific action in amenorrhea. Also used in chlorosis, gastralgia and irritability of the stomach. Does not constipate and is less irritating than Potassium Permanganate.		
	Dose: 1 to 2 grains, gradually increased.		
	MANGANESE and IRON.....		
	(See Iron and Manganese)		
	MERCURIC IODIDE.....		
	(See Mercury Biniodide)		
	MERCUROUS IODIDE.....		
	(See Mercury Protiodide)		
454	MERCURY BINIODIDE, 1-100 gr., coated red	20	60
459	*MERCURY BINIODIDE, 1-8 gr., coated red	20	60
	Used in constitutional syphilis. Dose: 1-16 to ¼ gr.		
	MERCURY BINIODIDE, 1-5 gr., [No. 503] coated red.....	20	60
460	MERCURY BINIODIDE, 1-4 gr., coated red	20	60
463	MERCURY with CHALK, No. 3, coated pink or black	65	3 10
	Mercury with Chalk, 1 gr. Ext. Nux Vomica, 1-4 gr. Iron by Hydrogen, 2 grs. Ext. Gentian, q. s.		
468	MERCURY PROTIODIDE, 1-8 gr., coated yellow or pink.....	20	60
469	MERCURY PROTIODIDE, 1-6 gr., coated yellow or pink.....	20	85
470	MERCURY PROTIODIDE, 1-5 gr., coated yellow.....	20	85
471	*MERCURY PROTIODIDE, 1-4 gr., coated yellow or pink	20	85

*See footnote page 9.
Where not otherwise stated, pills are dark coated
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
472	MERCURY PROTIODIDE, 1-3 gr., coated yellow	25	1 10
473	MERCURY PROTIODIDE, 1-2 gr., coated yellow or pink	25	1 10

A mild mercurial of great value and efficiency in the treatment of syphilis.

Dose: ¼ to 1 gr. three times daily after meals.

MERCURY PROTIODIDE, AROMATIC,
1-8 gr., coated pink, black or chocolate

MERCURY PROTIODIDE, AROMATIC,
1-4 gr., coated pink, black or chocolate

These pills are made to our standard 1 gr. size, pleasantly flavored, and may be crushed with slight pressure to an aromatic powder, convenient for administration to children.

(See Net List, page 141.)

474	MERCURY PROTIODIDE and HENBANE coated yellow { Mercury Protiodide, 1-6 gr. { Ext. Henbane, 1-20 gr.	25	1 10
475	*MERCURY PROTIODIDEU and OPIM, 1st form, coated yellow { Mercury Protiodide, 1-2 gr. { Powd. Opium, 1-6 gr.	30	1 35
476	MERCURY PROTIODIDE and OPIUM, 2d form, coated yellow { Mercury Protiodide, 1 gr. { Powd. Opium, 1-3 gr.	45	2 10
477	MERCURY TANNATE, 1-2 gr.	35	1 60
478	*MERCURY TANNATE, 1 gr.	50	2 35
	METHYLENE BLUE C. P., 1 gr. [No. 500]	35	1 60
	METHYLENE BLUE COMP., (Upjohn) [No. 504]		

For description see page 130. Prices page 141.

479	MIGRAINE, coated white { Acetanilid, 2 grs. { Camphor Monobrom., 1-2 gr.	30	1 35
	MORPHINE and ATROPINE (See Atropine and Morphine)		
480	MORPHINE ACETATE, 1-8 gr., coated white	35	1 60

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No		PER BOTTLE OF 100	500
481	*MORPHINE ACETATE, 1-4 gr. coated white	55	2 60
482	MORPHINE and BELLADONNA, 1st form { Morphine Sulphate 1-8 gr. { Ext. Belladonna, 1-8 gr.	45	2 10
483	*MORPHINE and BELLADONNA, 2d form { Morphine Sulphate, 1-4 gr. { Ext. Belladonna, 1-8 gr.	55	2 60
484	MORPHINE and BELLADONNA, 3d form { Morphine Sulphate, 1-4 gr. { Ext. Belladonna, 1-4 gr.	75	3 60
485	MORPHINE COMP., "A" (Dr. Hubbard) { Morphine Sulphate, 1-8 gr. { Ext. Henbane, 2 grs. { Camphor, 1 gr.	70	3 25
486	MORPHINE COMP., "B" (Dr. Hubbard) { Morphine Sulphate, 1-6 gr. { Ext. Henbane, 2 grs. { Camphor, 1 gr.	75	3 50
487	MORPHINE COMP., "C" (Dr. Hubbard) { Morphine Sulphate, 1-4 gr. { Ext. Henbane, 2 grs. { Camphor, 1 gr.	80	3 75
488	MORPHINE SULPH., 1-100 gr., coated white	20	60
489	MORPHINE SULPH., 1-50 gr., coated white	20	60
490	+MORPHINE SULPH., 1-32 gr., coated white	20	85
491	+MORPHINE SULPH., 1-20 gr., coated white	20	85
492	+MORPHINE SULPH., 1-16 gr., coated white	25	1 10
493	+MORPHINE SULPH., 1-10 gr., coated white	30	1 35
494	+MORPHINE SULPH., 1-8 gr., coated white	30	1 35

*See footnote page 9.

+MORPHINE PILLS

are sold without protection, and we do not render credit memorandum in the event of decline in price after purchase is made.

Where not otherwise stated, pills are dark coated,
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
495	†MORPHINE SULPH., 1-6 gr., coated white or pink	35	1 60
496	*†MORPHINE SULPH., 1-4 gr., coated white or pink	50	2 35
497	†MORPHINE SULPH., 1-3 gr., coated white	70	3 35
498	†MORPHINE SULPH., 1-2 gr., coated white	95	4 60

Dose: ⅙ to ½ gr.

Morphine acts more quickly, and is less constipating than opium, but is less diaphoretic.

499	MORPHINE and TARTAR EMETIC, coated white	20	60

{ Morphine Sulphate, 1-50 gr.
{ Tart. Emetic, 1-50 gr.

A highly useful combination for early stages of bronchial affections. The minute dose of Morphine is rendered very efficient by its combination with the sedative expectorant, for allaying cough and promoting bronchial and cutaneous secretions.

Dose: 1 granule every fifteen to sixty minutes.

500 See Methylene Blue C. P., 1 gr.

503 See Mercury Biniodide, 1-5 gr.

504 See Methylene Blue Comp.

510	*NEURALGIC, (Dr. Gross) 2 1-2 grs., coated pink	80	3 85

{ Quinine Sulphate, 2 grs.
{ Arsenous Acid, 1-20 gr.
{ Morphine Sulph., 1-20 gr.
{ Ext. Aconite, 1-2 gr.
{ Strychnine, 1-30 gr.

Indicated particularly in neuralgia affections of a periodic or malarial nature.

Dose: 1 to 2 pills three times daily.

511	NEURALGIC without MORPHINE, (Dr. Gross) coated pink	75	3 60

Uses same as last when Morphine is contraindicated.

512	NEURALGIC IDIOPATHIC, (Brown-Sequard) full size, 3 1-2 grs.	90	4 35

{ Ext. Henbane, 2-3 gr.
{ Ext. Ignatia, 1-2 gr.
{ Ext. Stramonium Seed., 1-5 gr.
{ Ext. Conium, 2-3 gr.
{ Ext. Aconite Lvs., 1-3 gr.
{ Ext. Belladonna Lvs., 1-6 gr.
{ Ext. Opium, 1-2 gr.
{ Ext. Cannabis Indica, 1-4 gr.

Dose: 1 pill, three or four times daily.

*See footnote page 9.

†MORPHINE PILLS

are sold without protection, and we do not render credit memorandum in the event of decline in price after purchase is made.

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
513	NEURALGIC IDIOPATHIC, (Brown-Sequard) 1-2 size, 1 3-4 grs.	50	2 35
514	NIGHT SWEAT	65	3 10

{ Zinc Oxide, 1-2 gr.
{ Salicin, 1 gr
{ Ext. Belladonna, 1-25 gr.
{ Hydrastin, 1 gr.
{ Lactated Pepsin, 1-2 gr.

A formula long in use in the treatment of night sweats.

Dose: 1 to 2 pills every one-half or one hour until relieved.

515	NITROGLYCERIN, 1-200 gr., coated white	30	1 35
516	*NITROGLYCERIN, 1-100 gr., coated white	30	1 35
517	NITROGLYCERIN, 1-50 gr., coated white	30	1 35

To relieve arterial tension in cardiac weakness, Bright's disease, etc. Has thus the effect of a heart tonic, by diminishing resistance to blood flow.

Dose: 1-100 to 1-50 gr. every four to six hours.

518	NITROGLYCERIN, 1-33 gr., coated white	35	1 60

NITROGLYCERIN COMPOUND
(See Heart Stimulant, Prof. DaCosta)

519	NUX VOMICA, 1-50 gr.	20	60
520	NUX VOMICA EXT., 1-8 gr.	20	60
521	*NUX VOMICA EXT., 1-4 gr.	20	85
522	NUX VOMICA EXT., 1-2 gr.	25	1 10

Action similar to Strychnine, which see.

Used in treatment of neurasthenia, dyspepsia and atonic constipation. Specially valuable in full doses, as a stomachic tonic, as its action is slower than that of Strychnine with a more pronounced local effect.

Dose: ⅙ to ½ gr.

NUX VOMICA and DAMIANA, 2 1-2 grs.
(See Aphrodisiac)

526	OPIUM, 1-40 gr.	20	60
527	OPIUM, 1-2 gr.	25	1 10
528	*OPIUM, U. S. P., 1½ gr.	40	1 85

OPIUM and CAMPHOR
(See Camphor and Opium)

529	OPIUM EXTRACT, 1-4 gr.	40	1 85
530	*OPIUM EXTRACT, 1-2 gr.	55	2 60

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
531	OPIUM EXTRACT, 1 gr.	75	3 60
532	OPIUM and LEAD ACETATE, aa 1-12 gr.	20	60
533	OPIUM and LEAD ACETATE, 1 gr.	30	1 35
	Opium, 1-2 gr. Lead Acetate, 1-2 gr.		
534	OX GALL	35	1 60
	Ox Gall, 2 grs. Ginger, 1 gr.		
535	OX GALL COMPOUND	55	2 60
	Inspissated Ox Gall, 2 grs. Ext. Stramonium Seed, 1-6 gr. Purif. Aloes, 1-10 gr. Berberine Hydrochlor., 1-12 gr.		
545	PLACEBO. (Aromatic) 1 1-2 grs., coated white, pink, yellow, black or chocolate	20	38

Prepared with aromatics and carminatives. Excellent for dispensing as a psychic adjunct to our smaller sized pills and granules.

PHENACETINE, and Combinations, Nos. 546 547, 549, 550, 551, 552, 553, 589.

(See under "Acetphenetidin, U.S.P." chemically identical with Phenacetine.)

PLUMMER'S PILL

(See Antimony Comp., U. S. P.)

560	PODOPHYLLIN, 1-8 gr., coated black or pink	20	60
563	*PODOPHYLLIN, 1-4 gr., coated black or white	20	60
564	PODOPHYLLIN, 1-2 gr.	25	1 10
565	PODOPHYLLIN, 1 gr.	40	1 85

A slow acting purgative inducing thorough evacuation. Used in torpidity of the liver and as a vermifuge.
Active in doses of ¼ gr.

PODOPHYLLIN and BERBERINA

(See Berberina and Podophyllin)

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
570	PODOPHYLLIN COMP., (Dr. Janeway)	40	1 85
	Res. Podophyllum, 1-2 gr. Pulv. Aloes, Soc., 1 gr. Ext. Belladonna Leaves, 1-4 gr. Ext. Nux Vomica, 1-4 gr.		
571	PODOPHYLLIN COMP., (Eclectic)	35	1 60
	Podophyllin, 1-8 gr. Juglandin, 1-16 gr. Leptandrin, 1-16 gr. Macrotin, 1-32 gr. Oil Capsicum, 1-32 gr.		
572	PODOPHYLLIN and LEPTANDRIN	45	2 10
	Podophyllin, 1-2 gr. Leptandrin, 1 gr.		
573	POST-PARTUM, (Dr. Fordyce Barker)	55	2 60
	Ext. Colocynth Comp., 1 1-2 grs. Calomel, 1 1-2 grs. Ext. Henbane, 1-3 gr. Ext. Nux Vomica, 1-6 gr. Pulv. Aloes, 1-6 gr. Pulv. Ipecac, 1-6 gr.		
574	POTASSIUM BROMIDE, 1-4 gr.	20	60
575	POTASSIUM BROMIDE, 1-2 gr.	20	60
576	POTASSIUM BROMIDE, 2 grs.	30	1 35
577	*POTASSIUM BROMIDE, 5 grs.	50	2 35
578	POTASSIUM IODIDE, 2 grs.	55	2 60
579	POTASSIUM IODIDE, 3 grs.	65	3 10
580	*POTASSIUM IODIDE, 5 grs.	85	4 10
581	POTASSIUM NITRATE, 1-10 gr., coated white	20	60
582	POTASSIUM NITRATE 1-4 gr., coated white	20	60
583	*POTASSIUM NITRATE, 1-2 gr., coated white	20	60
584	POTASSIUM PERMANG., 1-4 gr., coated kaolin	20	60
585	POTASSIUM PERMANG., 1-2 gr., coated kaolin	25	1 10

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
586	*POTASSIUM PERMANG., 1 gr., coated kaolin	25	1 10
587	POTASSIUM PERMANG., 2 grs. coated kaolin	30	1 35

Has been recommended as a antidote for poisoning by Morphine and by Phosphorous. Used also in amenorrhea dysmenorrhea and as an intestinal antiseptic.
Dose: 1 to 3 grains every three to six hours, taken with plenty of water.

588	POTASSIUM PERMANG., 1 gr., Salol coated white	55	2 60

As an enteric pill, this is to be preferred over the preceding, as the Salol coating serves to retard the solution of the pill until it reaches the intestine, and there acts as an adjunct to the Potassium Permanganate in preventing fermentation. The experience of Prof. B. K. Rachford seems to have demonstrated that pills thus prepared do not cause irritation and in cases of chronic intestinal fermentation accompanied by the formation of leukomains which produce such symptoms as migraine, hysteria, hystero-epilepsy, neurasthenia, neuralgia and other neuroses. they exert a most salutary influence and in many cases may effect a cure.
Dose: 1 to 3 pills after meals.

589 See Acetphenetidin, 2 grs.

PSYCHIC.
(See Placebo)

QUININE and ALOES COMP.
(See Hubbard's Milder)

QUININE and ALOES COMP.
(See Hubbard's Stronger)

592	QUININE, ARSENIC and ATROPIA (Dr. Whelan Cold Pill)	50	2 35

Quinine Sulph., 1 1-2 grs.
Liquor Arsenalis, 1 m.
Liquor Atropia, 1-12 m.
Ext. Gentian, 1 2-3 grs.

593	QUININE BISULPHATE, 1 gr., coated white, pink or chocolate	Net prices on application
594	QUININE BISULPHATE, 2 grs., coated white, pink or chocolate	
595	QUININE BISULPHATE, 3 grs., coated white or pink	
596	QUININE BISULPHATE, 5 grs., coated white	

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
597	QUININE and BLUE MASS	50	2 35

Quinine Sulph., 1 1-2 grs.
Blue Mass, 1 1-2 grs.

598	QUININE BROMIDE, 1 gr., coated white	50	2 35
599	*QUININE BROMIDE, 2 grs., coated white	75	3 60
600	QUININE BROMIDE, 5 grs., coated white	1 50	7 35

601	QUININE and CAPSICUM, 1 1-4 grs., coated brick pink (Quinine Sulphide, 1 gr.; Capsicum, 1-4 gr)	Net Prices on application
602	*QUININE and CAPSICUM, 2 1-4 grs., coated brick pink (Quinine Sulphate, 2 grs.; Capsicum, 1-4 gr.)	
603	QUININE and CAPSICUM 2 1-2 grs., coated brick pink (Quinine Sulphate, 2 grs.; Capsicum, 1-2 gr.)	
	QUININE and CAPSICUM, (Dr. Wm. F. Kier) coated blood red [No. 635] (Quinine Bisulph., 3 grs.; Capsicum, Powd., 1-4 gr.)	

A stimulating antiperiodic. This combination affords one of the best means of insuring the action of Quinine in obstinate cases of malarial cachexia, where Quinine alone proves ineffective. Also valuable as a systemic tonic and stomachic.

605	QUININE COMPOUND	35	1 60

Quinine Sulph., 1 gr.
Iron by Hydrogen, 1 gr.
Arsenous Acid, 1-32 gr.

606	QUININE COMP. and STRYCHNINE, "A"	40	1 85

Quinine Sulph., 1 gr.
Arsenous Acid, 1-20 gr.
Iron by Hydrogen, 1 gr.
Strychnine, 1-40 gr.

607	QUININE and DOVER'S POWDER	60	2 85

Quinine Sulph., 2 grs.
Dover's Powder, 3 grs.

608	QUININE and IRON FERROCYANIDE	40	1 85

Ferrocyanide Iron, 1 1-2 grs.
Quinine, 1 1-2 grs.
Arsenic, 1-50 gr.

A valuable tonic in anemia, debility and convalescence
Dose: 1 to 2 pills three times daily.

*See footn te page 9
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
609	QUININE, IRON and STRYCHNINE ..... (Quinine Sulphate, 1 gr. / Reduced Iron, 1 gr. / Strychnine, 1-60 gr.)	30	135
	QUININE, IRON and STRYCHNINE, 2d form ..... [No. 634]	30	1 35
	(Quinine Sulphate, 1 gr. / Iron Proto-carb., (Vallet) 2 grs. / Strychnine, 1-60 gr.)		
610	QUININE, IRON and STRYCHNINE PHOSPHATES (I), 2 grs. ..... (Quinine Phos., 1 gr. / Iron Phos., 1 gr. / Strychnine Phos., 1-60 gr.)	40	1 85
611	QUININE, IRON and STRYCHNINE PHOSPHATES (II), 3 grs. ..... (Quinine Phos., 2 grs. / Iron Phos., 1 gr. / Strychnine Phos., 1-60 gr.)	70	3 35
612	QUININE, IRON and STRYCHNINE VALERIANATES, coated pink ..... (Quinine Valerianate, 1 gr. / Iron Valerianate, 1 gr. / Strychnine Valerianate, 1-60 gr.)	1 00	4 85
	QUININE, IRON and ZINC VALERIANATES ..... (See Iron, Quinine and Zinc Val.)		
613	QUININE and STRYCHNINE, coated white (Quinine Sulph., 1 gr. / Strychnine, 1-60 gr.)	40	1 85
614	QUININE MURIATE, 1 gr., coated white...	40	1 85
615	*QUININE MURIATE, 2 grs., coated white..	75	3 60
620	QUININE SULPHATE, 1-10 gr., coated white or pink	20	60
621	†QUININE SULPHATE, 1-4 gr., coated white or pink	20	60

*See footnote page 9.

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
622	†QUININE SULPHATE, 1-2 gr., coated white or pink	Net Prices on application. See footnote	
623	†QUININE SULPHATE, 1 gr., coated white, pink or chocolate		
624	*†QUININE SULPHATE, 2 grs., coated white, pink, chocolate or yellow		
625	†QUININE SULPHATE, 15 Centigrammes, (about 2 1-3 grains), coated white.....		
626	†QUININE SULPHATE, 3 grs., coated white or pink		
627	†QUININE SULPHATE, 4 grs., coated white, pink or chocolate		
628	†QUININE SULPHATE, 5 grs., coated white, pink or chocolate.....		
629	QUININE TANNATE, 1 gr., coated pink...	40	1 85
630	*QUININE TANNATE, 2 grs., coated pink..	75	3 60
631	QUININE VALERIANATE, 1 gr., coated white	60	2 85
632	*QUININE VALERIANATE, 2 grs., coated white	1 00	4 85
633	QUININE, ZINC and NUX VOMICA..... (Quinine Sulph., 2 grs. / Zinc Phosphide, 1-16 gr. / Ext. Nux Vomica, 1-4 gr.)	50	2 35
634	See Quinine, Iron and Strychnine, 2d form.		
635	See Quinine and Capsicum (Kier).		

*See footnote page 9.

†QUININE PILLS

are sold without protection and we do not render credit memorandum in the event of decline in price after purchase is made.

Special prices made on application.

For Quinine Pills in bottles of 5 ozs. see page 56.

For Quinine Pills in pasteboard boxes with perforated diaphragm, or in handsomely lacquered metal boxes, see page 56

Where not otherwise stated, pills are dark coated.

Please specify color when ordering.

FRIABLE QUININE PILLS

Quinine, when administered in the form of Friable Pills, has practically the same value as when given in the form of powder or solution, as our pills are simply the pure, dry Quinine encased in a very thin coating of pure sugar which is applied without heat and is intended only as a covering to disguise the bitter taste of the Quinine, and also to prevent the pill crumbling when in transit or when dispensed. No subcoating is used and we guarantee the pills to remain unchanged by age. The ready solubility of the coating and the fact that there is no subcoating may be easily demonstrated by placing one of the pills in the mouth, when, in less than a minute, the coating will completely dissolve, leaving the pure Quinine, which must quickly break down and dissolve when brought in contact with the solvent fluids of the stomach.

While we bottle Quinine Sulphate and Bisulphate Pills in 100's, 500's and 1000's, we would call especial attention to our 5 oz. package as possessing many desirable features. While varying in number of pills according to size, each bottle contains 5 ozs., full weight, of the salt **at uniform price**—an advantage readily seen by reference to the following table:

	No. of Pills in 5 oz. package
5 ounces Quinine in ½ gr. Pills	4,375
5 ounces Quinine in 1 gr. Pills	2,185
5 ounces Quinine in 2 gr. Pills	1,092
5 ounces Quinine in 3 gr. Pills	728
5 ounces Quinine in 4 gr. Pills	546
5 ounces Quinine in 5 gr. Pills	437

For price, see special slip accompanying list. Please write for quotations in 5,000, 10,000 or larger bulk.

QUININE PILLS ONE DOZEN IN BOX

We put up 2 gr. Quinine Pills in slide boxes, either metal or pasteboard, each holding one dozen pills ready for dispensing. The pasteboard slides have a perforated diaphragm, each pill having separate compartment. Put up only in one size package holding one gross of slides containing one dozen pills each, $5.00 per gross net.

The metal slides are handsomely lettered and enameled, and put up in attractive counter display boxes holding one gross of slides containing one dozen pills each, $5.00 per gross net.

Box of ¼ gross of slides, $1.40 per box net.

NOTE:—Owing to the fluctuation in price of Quinine, we have found it more satisfactory to issue special slips from time to time, giving net prices on Quinine Sulphate and Bisulphate Pills. These slips we aim to distribute as issued but will be glad, at any time, to mail upon application.

No.		PER BOTTLE OF 100	500
641	†RESTONAL, (Upjohn) coated pink (Restorative Tonic Alterative)		
	Blaud's Mass, 2 1-2 grs. Potassium Iodide, 1-2 gr. Mercury Biniodide, 1-40 gr. Arsenic, 1-60 gr. Quinine Sulphate, 1-2 gr.		

Indicated in anemia, chlorosis, amenorrhea, convalescence and debility.

See description of this pill under Specialties, page 131. For prices, see page 141

Dose: 1 to 2 pills three or four times daily.

642	*RHEUMATIC	55	2 60
	Ext. Colocynth Comp., 1 1-2 grs. Ext. Colchicum, acetic, 1 gr. Ext. Henbane, 1-3 gr. Calomel, 1-3 gr.		
	RHEUMATIC, (Loesch) [No. 649]	55	2 60
	Sodium Salicylate, 3 grs. Ext. Colchicum, 1-2 gr. Ext. Phytolacca Root, 1-2 gr.		
643	RHEUMATIC, without Mercury	60	2 85
	Ext. Colocynth, 1 1-2 grs. Ext. Colchicum, acetic, 1-2 gr. Podophyllin, 1-4 gr. Capsicum, 1-4 gr. Ext. Belladonna, 1-10 gr. Ext. Nux Vomica, 1-10 gr.		
644	RHINITIS, half strength	20	85
	Camphor, 1-4 gr. Fld. Ext. Belladonna, 1-8 m. Quinine Sulph., 1-4 gr.		
645	RHUBARB and BLUE MASS	40	1 85
	Blue Mass, 1 3-4 grs. Soda Bicarb., 1-2 gr. Powd. Rhubarb, 1 gr.		
646	RHUBARB COMP., 3 1-2 grs.	35	1 60
	Aloes, Purif., 1 1-8 grs. Powd. Rhubarb, 1 1-2 grs. Oil Peppermint, q. s. Powd. Myrrh, 3-4 gr.		
647	RHUBARB and CARBONATE OF SODA	30	1 35
	Rhubarb, 2 grs. Soda Carb., exsic., 1 gr.		

*See footnote page 9.

†PILL RESTONAL. This pill was formerly listed as Restorative Tonic Alterative (Upjohn), change being made for the sake of brevity and consequent convenience in prescribing. We have also discontinued Pill Restorative Tonic (Upjohn) as such and now list under title Ferruginous, with Quinine and Potassium Iodide.

Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
648	RHUBARB, U. S. P., 3 grs.	35	1 60

Useful in the treatment of hemorrhoids attended with constipation; also in catarrhal or fermentative diarrhea from dietetic errors.
Dose: 1 to 5 pills.

649 See Rheumatic (Loesch).

655	SALICIN, 1 gr., coated white	40	1 85
656	*SALICIN, 2 grs., coated white	60	2 85
657	SALICIN, 3 grs., coated white or pink	80	3 85
658	SALICIN, 5 grs., coated white	1 15	5 60
664	SALICYLIC ACID and MORPHINE, "A" coated white	70	3 35

Salicylic Acid, 2 1-2 grs.
Morphine Sulph., 1-12 gr.

665	SALICYLIC ACID and MORPHINE, "B" coated white	1 25	6 10

Salicylic Acid, 5 grs.
Morphine Sulph., 1-8 gr.

666	SALINE and CHALYBEATE TONIC, (Flint)	40	1 85

Sodium Chloride, 3 grs.
Potassium Chloride, 3-20 gr.
Potassium Sulph., 1-10 gr.
Potassium Carb., 1-20 gr.
Sodium Carb., 3-5 gr.
Magnesium Carb., 1-20 gr.
Calcium Phos., precip., 1-2 gr.
Calcium Carb., precip., 1-20 gr.
Reduced Iron, 9-20 gr.
Iron Proto-carb., (Vallet) 1-20 gr.

669	SALOL, 2 1-2 grs., coated white	45	2 10
670	SALOL, 5 grs., coated white	65	3 10

Intestinal antiseptic, antipyretic, and antirheumatic.
Used in tonsillitis, grip, diarrhea, typhoid, and cystitis.
Dose: Adults; 5 to 15 grs. every three to six hours. Children: 1-3 to ½ the dose.

671	SALOL COMPOUND	60	2 85

Salol, 2 grs.
Cubebs, 1 1-2 grs.
Copaiba, 1-2 gr.

672	SANTONIN, 1-10 gr., coated white	20	60

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
673	*SANTONIN, 1-2 gr., coated white	40	1 85
674	SANTONIN, 1 gr., coated white	70	3 35

Indispensable as an anthelmintic; the most certain agent against lumbricoid worms. Used also in diseases of the retina.
Dose: For children, ¼ to ½ grain to be followed by a purgative; Adults, 1 to 3 grains.

675	SANTONIN and CALOMEL, aa 1-10 gr., coated white	20	60

Combines the anthelmintic with the laxative, cholagogue, and vermifuge properties of Calomel. Insures prompt results and prevents toxic effects.

676	SANTONIN and PODOPHYLLIN, coated pink	45	2 10

Santonin, 1-2 gr.
Podophyllin, 1-20 gr.

677	SEDATIVE	45	2 10

Ext. Musk Root, 1-2 gr.
Ext. Henbane, 1-2 gr.
Ext. Valerian, 1-2 gr.
Ext. Cannabis Indica, 1-10 gr.

Sedative, hypnotic and anodyne.
Used in nervous affections.
Dose: 1 to 2 pills every four to six hours.

678	SILVER NITRATE, 1-8 gr.	35	1 60
679	*SILVER NITRATE, 1-4 gr.	40	1 85
680	SODIUM ARSENATE, 1-60 gr., coated white	20	60
681	SODIUM SALICYLATE, 2 grs., coated pink	45	2 10
682	SODIUM SALICYLATE, 5 grs., coated pink	60	2 85
683	STROPHANTHUS COMP.	80	3 85

Tinct. Strophanthus, 2 m.
Tinct. Digitalis, 3 m.

684	STROPHANTHUS SEED, 1-20 gr., coated white	50	2 35
685	STROPHANTHUS SEED, 1-4 gr., coated white	80	3 85
686	STRYCHNINE, 1-200 gr., coated white	20	60
687	STRYCHNINE, 1-100 gr., coated white	20	60
688	*STRYCHNINE, 1-60 gr., coated white or pink	20	60
689	STRYCHNINE, 1-50 gr., coated white	20	60

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
690	STRYCHNINE, 1-40 gr., coated white and pink	20	60
691	STRYCHNINE, 1-32 gr., coated white or pink	20	60
692	STRYCHNINE, 1-30 gr., coated white or pink	20	60
693	STRYCHNINE 1-20 gr. coated white or pink	20	60
695	STRYCHNINE ARSENITE, 1-150 gr., coated white or pink	20	60
696	*STRYCHNINE ARSENITE, 1-100 gr., coated white or pink	20	60
697	STRYCHNINE ARSENITE, 1-50 gr., coated white or pink	20	60
698	STRYCHNINE NITRATE, 1-100 gr., coated white or pink	20	60
699	STRYCHNINE NITRATE, 1-60 gr., coated white and pink	20	60
700	STRYCHNINE NITRATE, 1-50 gr., coated white or pink	20	60
701	STRYCHNINE NITRATE, 1-40 gr., coated white or pink	20	60
702	STRYCHNINE NITRATE, 1-30 gr., coated white and pink	20	60

Employed particularly in the treatment of chronic alcoholism and severe acute alcohol poisoning.

704	STRYCHNINE SULPHATE, 1-200 gr., coated white and pink	20	60
705	STRYCHNINE SULPHATE 1-100 gr., coated white or pink	20	60
706	*STRYCHNINE SULPHATE, 1-60 gr., coated white and pink	20	60

In small therapeutic doses strychnine increases the bodily functions, stimulating chiefly the nervous and vascular systems and through them improving the activity and nutrition of muscular and glandular tissues. Stomachic; respiratory stimulant; heart tonic by reducing frequency of pulse and increasing blood pressure.

Indicated in many conditions of cachexia, weakness and general "loss of tone."

Dose: 1-60 to 1-15 gr.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
707	STRYCHNINE SULPHATE, 1-50 gr., coated white or pink	20	60
708	STRYCHNINE SULPHATE, 1-40 gr., coated white or pink	20	60
709	STRYCHNINE SULPHATE, 1-32 gr., coated white or pink	20	60
710	STRYCHNINE SULPHATE, 1-30 gr., coated white or pink	20	60
711	STRYCHNINE SULPHATE, 1-20 gr., coated white and pink	20	60
712	SUMBUL COMPOUND	50	2 35

Ext. Sumbul, 1 gr.
Dried Iron, 1 gr.
Asafetida, 2 grs.
Arsenous Acid, 1-40 gr.

Antispasmodic, nerve tonic. A combination largely used in treatment of nervous states in women, particularly those reflex disturbances with headache, nausea, etc., due to disordered conditions of the reproductive system.

Dose: 1 pill three to four times daily.

713	SUMBUL COMP., (Boswell)	50	2 35

Ext. Sumbul, 1 gr.
Purif. Aloes, 1-6 gr.
Arsen. Acid, 1-40 gr.
Strychnine Sulphate, 1-40 gr.
Asafetida, 2 grs.
Iron Sulphate, exsic., 1 gr.

Action, use and dose similar to No. 712. The addition of aloes and strychnine in the doses given tend to overcome constipation and improve the nutrition of the nerve tissues.

714	SYPHILITIC, (Ricord) Modified	1 00	4 85

Mercury Protiodide, 1-2 gr.
Lactucarium, 1-2 gr.
Ext. Opium, 1-10 gr.
Ext. Conium Seed, 1 1-2 grs.

720	TARTAR EMETIC, 1-100 gr., coated white	20	60
721	TARTAR EMETIC, 1-50 gr., coated white	20	60
722	TARTAR EMETIC, 1-20 gr., coated white	20	60
723	*TARTAR EMETIC, 1-16 gr., coated white	20	60
724	TARTAR EMETIC, 1-8 gr., coated white	20	60
728	*TERPIN HYDRATE and CODEINE, 1st form, coated white	80	3 85

Terpin Hydrate, 2 grs.
Codeine, 1-8 gr.

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
729	TERPIN HYDRATE and CODEINE, 2d form, coated white (Terpin Hydrate, 5 grs. Codeine, 1-4 gr.)	1 30	6 35
	TERPIN HYDRATE and CREOSOTE COMP., (Dr. Drossner) coated chocolate [No. 771] (Creosote, 1 gtt. Strychnine Sulph., 1-60 gr. Terpin Hydrate, 1-2 gtt. Eucalyptol, 1-2 gtt.)	25	1 00
731	THREE VALERIANATES and SUMBUL, (Manton) (Zinc Valerianate, 1 gr. Quinine Valerianate, 1-2 gr. Iron Valerianate, 1-2 gr. Ext. Musk Root, 2 grs.)	1 40	6 85
732	TONIC, (Aiken) 2 grs. (Quinine Sulph., 1 gr. Arsenous Acid, 1-50 gr. Iron by Hydrogen, 2-3 gr. Strychnine, 1-50 gr.)	36	1 65
	TONIC DIGESTIVE, (Dr. Dana) coated pink [No. 737] (Strychnine Sulph., 1-40 gr. Arsenous Acid, 1-60 gr. Iron Pyrophosphate, 1 gr. Quinine Bisulphate, 1 1-2 grs. Pepsin, 1-2 gr. Cascarin, 1-10 gr.)	40	1 85
733	TONIC, (Williford) (Quinine Sulph., 2 grs. Reduced Iron, 2 grs. Ext. Nux Vomica, 1-3 gr. Res. Podophyllum, 1-15 gr. Arsenous Acid, 1-30 gr.)	50	2 35
	TRIPLE VALERIANATES (See Quinine, Iron and Zinc Valerianates)		
735	*TRIPLEX (Purified Aloes, 2 grs. Blue Mass, 1 gr. Res. Podophyllum, 1-4 gr.)	40	1 85
737	See Tonic Digestive (Dana).		
738	See Laxative Luncheon (Dr. Mosher).		
742	*VALERIAN EXT., 2 grs.	45	2 10
743	VALERIAN EXT., 3 grs.	55	2 60
744	VERATRINE, 1-128 gr., coated white	20	60

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

No.		PER BOTTLE OF 100	500
	VIBURNUM COMPOUND (See Helonias Comp.)		
	VIBURNUM PRUNIFOLIUM (See Black Haw Extract)		
748	WARBURG TINCTURE Representing 1-2 drachm each.	30	1 35
749	*WARBURG TINCTURE Representing 1 drachm each.	40	1 85
	WARBURG TINCTURE [No. 752] Representing 2 drachms each.	55	2 60
750	WARBURG TINCTURE, without Aloes Representing 1-2 drachm each.	30	1 35
751	*WARBURG TINCTURE, without Aloes Representing 1 drachm each.	40	1 85

Often successful in malaria where quinine fails. Used also in fevers, shock and collapse.
Should be preceded by a brisk purgative, as pill No. 242 or No. 238.
Dose: 2 to 4 pills, repeated in three hours.

752 See Warburg Tincture, 2 drs.

753	WARBURG TINCTURE, without Aloes Representing 2 drachms each.	55	2 60

Dose: 1 to 2 pills, repeated in three hours.

756	ZINC OXIDE, 1 gr., coated white	30	1 35
757	ZINC PHOSPHIDE, 1-10 gr.	25	1 10
758	*ZINC PHOSPHIDE, 1-8 gr.	25	1 10
759	ZINC PHOSPHIDE, 1-6 gr.	30	1 35
760	ZINC PHOSPHIDE, 1-4 gr.	35	1 60

Used in nervous disorders attributed to defective nutrition of the brain and spinal cord, particularly for sexual exhaustion, locomotor ataxia, and paresis.
Dose: 1-16 to 1-4 gr. three times daily.

761	ZINC PHOSPHIDE, 1-2 gr.	40	1 85
762	ZINC PHOSPHIDE COMP. (Zinc Phosphide, 1-8 gr. Ext. Cannabis Ind., 1-8 gr. Ext. Nux Vomica, 1-8 gr.)	65	3 10

Used as a nerve tonic and aphrodisiac.

763	ZINC PHOSPHIDE and NUX VOMICA, 1-2 gr. (Zinc Phosphide, 1-10 gr. Ext. Nux Vomica, 1-4 gr.)	35	1 60

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

PILLS

No.		PER BOTTLE OF 100	500
766	ZINC SULPHOCARBOLATE, 1 gr., coated pink	25	1 10
767	*ZINC SULPHOCARBOLATE, 2 1-2 grs. coated pink	50	2 35
768	ZINC SULPHOCARBOLATE, 5 grs., coated pink	75	3 60

From the experience of eminent physicians we have reason to believe that zinc sulphocarbolate is a valuable intestinal antiseptic in typhoid fever, infantile diarrhea cholera infantum and allied diseases.
Dose: 2½ to 5 grs. often repeated.

769 ZINC VALERIANATE, 1 gr., coated white 40 1 85

Used for neuralgia and headache in hysterical persons and in the treatment of diabetes insipidus.
Dose: 1 to 3 grs

771 See Terpin Hydrate and Creosote Comp., (Drossner).

772 See Cathartic Vegetable, U. S. P.

773 See Hypophosphites Comp., Hematic. Net List, page 140.

774 See Mercury Protiodide, 1-8 gr., Arom. pink

775 " " " " " " choc.

776 " " " " " " black

For description and prices of Pills 774-5-6, see Net List pages 138 and 141.

777 See Dover's Powder, 1-2 gr., Aromatic. (See Net List, Page 140).

778 See Mercury Protiodide, 1-4 gr., Arom. pink

779 " " " " " " choc.

780 " " " " " " black

For description and prices of Pills 778-9-80, see Net List pages 138 and 141.

999 See Laxatonic Granules. (Net List, pages 137 and 140).

*See footnote page 9.
Where not otherwise stated, pills are dark coated.
Please specify color when ordering.

FLUID EXTRACTS

We exercise the greatest care in the selection of crude drugs and every safeguard possible is thrown around their manufacture into fluid extracts. We have adopted the latest approved methods in the preparation of these goods, aiming for the highest degree of perfection by avoiding all abridged and objectionable methods. These drugs having been carefully selected and tested by physiological and chemical means, and assayed wherever possible to apply such test, we can give assurance that the fluids are true to label.

The standards of assay have been modified to conform to the eighth decennial revision of the United States Pharmacopoeia.

There are a number of drugs which, on account of their nature and solubility, it is impossible to supply in fluid form of the strength of one gram (1) to each c. c. Among such will be found Aloes, Benzoin, Catechu, Guaiac Resin, Kino, Myrrh, etc. As there is a demand for these in fluid form stronger than the regular tincture, we list them for convenience, and to conform to general custom, among our Fluid Extracts. Unless otherwise specified they are made 0.5 gram to each c. c., or one-half the strength of the usual Fluid Extract.

Any special sample desired we will be pleased to furnish on application.

The prices given apply only to pint bottles.
For price in 5 pint bottles, deduct 10 cents per pint from list
For price in 1-2 pint bottles, add 10 cents per pint to list.
For price in 1-4 pint bottles, add 20 cents per pint to list.
Prices for gallons on application.

No charge for containers.

No.		PER PINT
1	ACONITE LEAVES (Aconitum Napellus)	1 50

Action similar to that of the root but much weaker
Dose: ½ to 3 minims.
Tincture: Alcohol, 13; Water, 4½; Fld. Ext., 2.
Dose of tincture, 3 to 6 min., cautiously increased.

2 ACONITE ROOT, U.S.P. assayed. Standard 0.4 per cent 1 75
(Aconitum Napellus)

Sedative to the circulation by slowing the pulse and reducing the force of the heart beat; antipyretic, diaphoretic, locally irritant and antiseptic.
Uses: fevers, particularly in children, as a mild antipyretic and to reduce pulse rate; for palpitation in cardiac hypertrophy; locally, neuralgia, and rheumatism Contraindicated in heart weakness and all states of marked depression.
Dose: ½ to 1 minim.
Tincture U. S. P.: Alcohol, 13½; Water, 4½; Fld. Ext., 2
Dose of tincture, 5 to 10 minims.

AGRIMONY (Agrimonia Eupatoria) .....[No. 17] 1 25

ALETRIS (See Unicorn Root) .....[No. 350] 2 50

No. PER PINT

3 **ALOES** (Aloe Perryi) 1 65

Each pint represents, Aloes, 8 ozs.

Cathartic, emmenagogue. Is regarded as having a particularly thorough action on the lower bowel. Produces its purgative effect slowly but completely and without much griping.

Uses: chronic constipation; amenorrhea, particularly those cases due to anemia and chronic constipation.

Dose: 5 to 20 minims.

Tincture U. S. P.: Diluted Alcohol, 12; Fld. Ext. Licorice Rt., 4; Fld. Ext. Aloes, 4. Dose, Laxative, 30 to 60 min. Purgative 1 to 4 fluidrachms.

ALOES, BARBADOES (Aloe vera) .....[No. 18] 1 65

4 **ALOES and MYRRH** 2 00

For making Tinct. Aloes and Myrrh, U. S. P.

ALTHÆA (See Marshmallow) .....[No 240] 1 50

5 **AMERICAN HELLEBORE** (Veratrum viride)..... 1 50

Sedative to the circulation by reducing the frequency and force of the heart beat and lowering arterial tension, diaphoretic and locally irritant and anesthetic. Action similar to that of Aconite but somewhat less poisonous is regarded as the safest of the cardiac depressants.

Uses: as sedative and antipyretic in acute fevers, particularly in children; for the irritable heart of hypertrophy; locally, in neuralgia and rheumatism. Has been largely employed in the treatment of pneumonia.

Contraindicated in diseases of the heart.

Dose: 1 to 4 minims, cautiously used.

Tincture U. S. P.: Alcohol, 18; Fld. Ext., 2. Dose 10 to 30 minims.

6 **AMERICAN IVY** (Ampelopsis quinquefolia)..... 1 40

7 **AMERICAN SARSAPARILLA**..... 1 50

(Aralia nudicaulis)

AMERICAN WORMSEED .....[No. 22] 1 75

(Chenopodium anthelminticum)

8 **ANGELICA ROOT** (Angelica atropurpurea) 2 00

9 **ANGELICA SEED** (Angelica atropurpurea) 2 25

10 **ANISE SEED** (Pimpinella Anisum)..... ..... 2 00

APOCYNUM CANNABINUM U. S. P. ..... [No. 43] 1 75

A nauseating diaphoretic, expectorant, and diuretic. Powerful emetic and cathartic in large doses. A heart tonic resembling Digitalis in its action.

Uses: chiefly as an efficient agent in the removal of dropsical effusions. Is employed for dropsy either of cardiac or renal origin.

Dose: 1 to 5 minims. As a hydragogue, cathartic, 10 to 20 minims. Use cautiously.

No. PER PINT

11 **ARALIA COMPOUND**..... 1 50

Each fluid ounce represents:

Spikenard, 66 2-3 grs.
Yellow Dock, 66 2-3 grs.
Burdock, 66 2-3 grs.
Guaiac Wood, 66 2-3 grs.
Sassafras, 53 1-3 grs.
Prickly Ash, 53 1-3 grs.
Elder Flowers, 53 1-3 grs.
Blue Flag, 53 1-3 grs.

ARBOR VITAE (Thuja occidentalis) .... [No. 19] 2 00

Local irritant, stimulant, diuretic, emmenagogue, anthelmintic.

Uses: internally in amenorrhea, fevers, bronchitis, cough, dropsy; locally, as the ointment, for ulcers, warts, chronic rheumatism. Said to be valuable in scurvy.

Dose: 30 to 60 minims.

12 **ARECA NUT** (Areca Catechu)..... 2 25

13 **ARNICA FLOWERS** (Arnica montana) 1 50

Stimulant, carminative, diuretic, emmenagogue. More powerful than the root. Irritant and depressant poison in overdose.

Uses: said to be an efficient stimulant in diseases presenting the typhoid state. Locally, for sprains, bruises, slight wounds, pains, stiffness of muscles, etc.

Dose: 5 to 10 minims.

Tincture U. S P: Diluted Alcohol, 16; Fld. Ext., 4. Dose, 15 to 30 min. Poultice: Fld. Ext., 1; Vinegar, 3; Linseed meal, q. s.

14 **ARNICA ROOT** (Arnica montana)..... 2 00

Stimulant, diaphoretic, diuretic. In overdose an irritant and depressant poison.

Uses: In small doses of the tincture for fevers or dysentery, when attended by marked depression; that is, in the typhoid state.

Dose: Fluid Extract, 5 to 10 minims. Tincture, 20 to 30 minims.

Tincture: Diluted Alcohol, 18; Fld. Ext., 2. Dose, 20 to 30 minims.

15 **AROMATIC POWDER, U. S. P.**..... 2 50

16 See Avena Sativa 1 50

17 See Agrimony 1 25

18 See Aloes, Barbadoes 1 65

19 See Arbor Vitae 2 00

20 **ASAFETIDA** (Ferula foetida) 2 00

Each pint represents, Asafetida, 8 ounces.

Stimulant, antispasmodic, nervine, expectorant, carminative, emmenagogue, laxative.

Uses: functional nervous disorders, hysteria, nervous depression, bronchitis, asthma, whooping cough, constipation with flatulence, tympanites. Imparts its odor to the breath and discharges.

Dose: 5 to 20 minims.

Tincture U. S. P.: Alcohol, 16; Fld. Asafetida, 8. Dose, 15 to 60 min.

No. PER PINT

21 ASPARAGUS ROOT (Asparagus officinalis)..... 2 00

22 See American Wormseed 1 75

AVENA SATIVA.....[No. 16] 1 50

25 BALM OF GILEAD BUDS (Populus candicans).... 2 75

26 BALMONY (Chelone glabra)..... 1 25

27 BAMBOO BRIER (Smilax lanceolata) 1 50

28 BARBERRY BARK (Berberis vulgaris)..... 1 50

29 BAY LAUREL, concentrated 3 00

For making Bay Rum.

Permits of the extemporaneous preparation at a small cost, of a superior quality of Bay Rum. For this purpose. dilute 2 ounces fluid Bay Laurel with one gallon of diluted alcohol.

30 BELLADONNA LEAVES, assayed. Standard, 0.35 per cent Atropine (Atropa Belladonna) 2 00

Stimulant to circulation and respiration. Checks nearly all secretions, dilates pupil and paralyzes the ocular muscles of accommodation.

Uses: to check secretions in salivation and lactation, to relieve spasm in colic, whooping cough, asthma; as stimulant in shock, collapse and opium poisoning; in ophthalmology as a mydriatic; convenient for preparing the U. S P. Tincture.

Dose: 1 to 3 minims.

Tincture U. S. P.: Alcohol, 13½; Water, 4½; Fld. Ext., 2. Dose, 5 to 30 min.

31 BELLADONNA ROOT, U.S.P. assayed. Standard, 0.5 per cent Atropine..... 2 25

(Atropa Belladonna)

Medicinal properties and uses same as those of Belladonna Leaves. Convenient for preparing the U. S. P Liniment.

Dose: ½ to 2 minims.

32 BENZOIN (Styrax Benzoin) 2 25

Each pint represents, Gum Benzoin, 8 oz.

Balsamic tonic to mucous membranes and wound surfaces.

Uses: In form of tincture, as stimulating expectorant in bronchitis. Externally in ulcers, bed sores, chapped skin, etc.

Dose: 5 to 10 minims.

Tincture U. S. P.: Alcohol, 12; Fluid Benzoin, 8. Dose. 30 to 30 minims.

33 BENZOIN COMPOUND..... 2 25

Four times the strength of U. S. P. tincture.

A stimulating expectorant in doses of 30 to 60 minims. Locally is an antiseptic and vulnerary, and its chief use is as a healing and protective application for bed sores, wounds and ulcers. Useful also as an inhalant in bronchitis and acute laryngitis.

No. PER PINT

34 BERBERIS AQUIFOLIUM, U. S. P..... 2 50

Tonic, diuretic, diaphoretic. Has been advised in fevers and dyspeptic disorders with constipation, and in skin diseases.

Dose: 20 to 40 minims.

Tincture: Diluted Alcohol, 14; Fld. Ext., 2. Dose, 60 to 120 minims.

BETH ROOT (Trillium erectum) .....[No. 62] 1 50

35 BITTER BUGLEWEED (Lycopus Europaeus) 2 00

BITTER ORANGE PEEL .....[No. 251] 1 75

36 BITTER ROOT (Apocynum androsaemifolium)... 2 00

37 BITTER-SWEET (Solanum Dulcamara) 1 40

Mode of action not fully known but is diuretic, diaphoretic and sedative in large doses.

Uses: scaly skin diseases, especially psoriasis; also for pustular and eczematous skin diseases. Employed in chronic bronchitis and chronic rheumatism and as an aanaphrodiac when continuously used. The curative effects of Dulcamara are most apparent after prolonged use.

Dose: ½ to 2 fluid drachms. 60 to 120 minims.

BLACK ALDER (Prinos verticillatus)....[No. 63] 1 50

38 BLACKBERRY ROOT (Rubus villosus)..... 1 40

Astringent and tonic.

Uses: Summer complaint and infantile diarrhea. Useful in chronic diarrhea.

Dose: 30 to 60 minims. Syrup: Fld. Ext., 4; Syrup, 12. Dose, 1 to 2 fluidrachms.

BLACKBERRY COMPOUND .....[No. 64] 1 40

Each pint represents:
- Blackberry Root, 14 ozs.
- Cloves, 1 1-2 ozs.
- Cassia, 1 1-2 ozs.

39 BLACK COHOSH (Cimicifuga racemosa)..... 1 75

Antispasmodic, sedative to circulation.

Uses: chronic bronchitis with profuse secretion, chorea, dysmenorrhea, amenorrhea, ovarian neuralgia, and chronic rheumatism.

Dose: 30 to 60 minims.

Tincture U. S. P.: Alcohol, 12; Water, 4; Fld. Ext., 4. Dose, 1 to 4 fluidrachms.

40 BLACK COHOSH COMPOUND..... 2 00

Each pint represents:
- Black Cohosh, 6 ozs.
- Blood Root, 2 ozs.
- Cherry Bark, 4 ozs.
- Licorice, 4 ozs.

41 BLACK HAW (Viburnum prunifolium) 2 00

Uterine sedative. Has been recommended by high authority for prevention of threatened abortion. Used also as uterine sedative in the disorders of pregnancy, for the relief of after pains, and in dysmenorrhea.

Dose: 15 to 60 minims.

Tincture: Alcohol, 6; Water, 2; Fld. Ext., 8. Dose, 1 to 2 fluidrachms.

No. PER PINT

42 BLACK HELLEBORE (Helleborus niger)..... 1 50

43 BLACK INDIAN HEMP..... 1 75
(See Apocynum cannabinum, U. S. P.)

44 BLACK PEPPER (Piper nigrum)..... 2 00

45 BLACK WALNUT HULLS (Juglans nigra)..... 2 00

BLACK WALNUT LEAVES.....[No. 65] 2 00
(Juglans nigra)

46 BLACK WILLOW BARK (Salix nigra)..... 1 50
Stomachic, astringent, aphrodisiac. Its action upon the reproductive system is said to resemble that of the Bromides.
Dose: 30 to 60 minims.

47 BLACK WILLOW BUDS (Salix nigra)..... 1 75
Properties, uses and dose same as last.

48 BLADDER WRACK (Fucus vesiculosus)..... 1 50
Employed internally as a harmless remedy in obesity and locally to reduce glandular swellings.
Dose: 10 to 60 minims.

49 BLOOD ROOT, assayed. Standard, 2.5 per cent
Sanguinarin (Sanguinaria Canadensis)..... 2 00
Expectorant, local irritant and stimulant.
Uses: In cough mixtures, and in small doses for dyspepsia and gastric catarrh.
Dose: 2 to 5 minims.
Tincture U. S. P.: Fld. Ext., 2; Acetic Acid, ⅜; Diluted Alcohol, q. s. to make 20 parts. Dose, expectorant, 15 to 30 min. Emetic, 3 to 4 fluidrachms.

50 BLUE COHOSH (Caulophyllum thalictroides)..... 1 25

51 BLUE COHOSH COMPOUND..... 1 75
Each fluid ounce represents:
{ Blue Cohosh, 240 grs.
{ Ergot, 120 grs.
{ Water Pepper, 120 grs.
{ Oil Savin, 60 grs.

52 BLUE FLAG ROOT (Iris versicolor)..... 1 50

53 BONESET (Eupatorium perfoliatum)..... 1 25
Stimulant tonic in small doses. Laxative in full doses. Diaphoretic or emetic in warm infusion.
Uses: as an efficient remedy in the early stages of colds, bronchitis, grip and muscular rheumatism. Used also in mild intermittent fevers, and in atonic dyspepsia.
Dose: Fluid Ext. ½ to 2 fluid drachms. Infusion, 1 to 2 ounces.

54 BROOM-CORN SEED (Sorghum Saccharatum).... 1 25

BRYONY (Bryonia Alba).....[No. 388] 2 00

BROOM TOP (See Scoparius).....[No. 328] 1 35

No. PER PINT

55 BUCHU, U. S. P..... 2 25
(Barosma betulina and Barosma crenulata)
Stomachic tonic, carminative, diuretic and genito-urinary antiseptic. Imparts a characteristic aromatic odor to the urine.
Uses: chiefly valuable for its bland and soothing diuretic properties. Exerts a markedly salutary influence in many cases of catarrhal inflammation of the urinary organs, chronic pyelitis, cystitis, hematuria, urethritis; also used in enfeebled digestion with flatulence, as a stomachic and carminative.
Dose: 15 to 60 minims. Full doses are advised, three or four times daily.

56 BUCHU COMPOUND..... 2 00
Each pint represents:
{ Cubebs, 2 ozs.
{ Juniper Berries, 2 ozs.
{ Buchu, 10 ozs.
{ Uva Ursi, 2 ozs.
Diuretic, diaphoretic and genito-urinary antiseptic.
Uses: catarrhal diseases of the genito-urinary tract. May be employed in all cases where the Fluid Extract of Buchu is applicable.
Dose: 20 to 60 minims.

57 BUCHU, JUNIPER and POTASSIUM ACETATE.... 2 00
Each pint represents:
{ Buchu, 12 ozs.
{ Juniper Berries, 8 ozs.
{ Potassium Acetate, 1 oz.

58 BUCHU and PAREIRA BRAVA..... 2 00
Each fluid ounce represents:
{ Buchu, 240 grs.
{ Pareira Brava, 240 grs.

59 BUCKTHORN, U. S. P. (Rhamnus Frangula)..... 1 25
Mildly laxative. Of value in habitual constipation and particularly in those cases complicated by hemorrhoids.
Dose: 15 to 60 minims.

60 BURDOCK ROOT, U. S. P. (Arctium Lappa)..... 1 40
(See Lappa U. S. P.)
Diaphoretic, diuretic, mildly laxative.
Uses: chronic rheumatism and gouty affections, chronic catarrh, chronic skin diseases and syphilitic affections.
Dose: 30 to 120 minims.

61 See Butternut Bark..... 1 25

62 See Beth Root..... 1 50

63 See Black Alder..... 1 50

64 See Blackberry Compound..... 1 40

65 See Black Walnut Leaves..... 2 00

66 BURDOCK SEED (Arctium Lappa)..... 1 50

BUTTERNUT BARK (Juglans cinerea)....[No. 61] 1 25

No. PER PINT

74 CACTUS GRANDIFLORA (Cereus Grandiflorus) .. 4 00
Made from fresh green drug.

Said to be a heart tonic, slowing pulse rate and increasing arterial tension.

Uses: functional disorders of the heart with irregularity, and palpitation, from alcohol, tobacco and sexual excess; in mild angina pectoris; valvular diseases, and cardiac dropsy.

Dose: ½ to 5 min.

Tincture: Alcohol, 12; Fld. Ext., 4. Dose, 2 to 15 min

75 CALABAR BEAN, assayed. Standard, 0.2 per cent ether soluble alkaloid (physostigmine) 2 70
(Physostigma venenosum)

CALAMUS, U.S. P. (See Sweet Flag) ..... [No. 326] 1 75

77 CALENDULA FLOWERS (Calendula officinalis) 3 00

Mild local and general stimulant.

Uses: internally as an emmenagogue and diuretic. Locally, in the form of the lotion is used to promote healing of wounds, contusions and ulcers. Is considered by some to be a valuable application to cancerous ulcers.

Dose: 30 to 60 min.

Tincture U. S. P.: Alcohol, 8; Water, 8; Fld. Ext., 4 Dose, 2 to 4 fluidrachms.

Lotion: Fld. Ext., 4; Diluted Alcohol, 11; Glycerin, 1

78 CALENDULA (non-alcoholic) 2 75
(Calendula officinalis)

CALUMBA (See Colombo Root) ..... [No. 114] 1 50

79 CANADA SNAKEROOT (Asarum Canadense) 1 60

CANADIAN HEMP ..... [No. 43] 1 75
(See Black Indian Hemp)

81 CANNABIS INDICA, U.S. P. (Cannabis sativa) 5 00

Analgesic and hypnotic after a preliminary period of exhilaration.

Used to induce sleep and to relieve pain where opium is contraindicated. Of value in neuralgia, gastralia, headache, inertia-uteri, and as a curative measure for migraine when given continuously in moderate daily doses.

Dose: 1 to 5 min.

Tincture U. S. P.: Fld. Fxt., 2; Alcohol, 18. Dose 10 to 30 minims.

82 CANTHARIDES (Cantharis vesicatoria) 6 50

83 CAPSICUM, U. S. P. (Capsicum fastigiatum 2 00

Irritant and local stimulant, stomachic tonic, carminative. Largely employed as a carminative adjunct to cathartic preparations and as a gastric stimulant in atonic dyspepsia and chronic gastritis of drunkards; as a tonic in intermittents when combined with Quinine, and in functional impotence. Is locally applied as a stimulant to mucous membranes in tonsillitis, the angina of scarlet fever and as a counter irritant and rubefacient in liniments.

Dose: ½ to 5 min.

Tincture U. S. P.: Fld. Ext., 2; Alcohol, 18. Dose, 5 to 10 minims.

No. PER PINT

84 CARAWAY SEED (Carum Carui) 1 75

85 CARDAMOM SEED (Elettaria repens) 3 00

86 CARDAMOM COMPOUND 2 00
8 times the strength of U. S. P. tincture.

An agreeable stomachic and carminative.

Uses: in the form of a tincture, for flatulent colic; as an agreeable aromatic addition to cordials, tonics, and purgative mixtures; useful also as a slightly stimulating placebo.

Tincture: Fluid Cardamon Comp., 3; Glycerin, 1; Diluted Alcohol, 20.

Dose of the tincture, 15 to 120 min.

87 CASCARA AMARGA (Picramnia) 3 00

89 CASCARA SAGRADA (Rhamnus Purshiana) 2 00

A remedy which has obtained popular favor as a laxative possessing more than ordinary merit in the treatment of chronic constipation. It is credited with the properties of stimulating the glandular and muscular activities of the intestine, promoting normal peristalsis without producing atony.

Dose: 15 to 40 min. night and morning.

88 CASCARA SAGRADA, AROMATIC 2 00

An elegant preparation of aromatized Cascara, rendered palatable and free from bitterness, without sacrificing its medicinal efficacy.

Dose: 15 to 60 min. night and morning.

strength ..... [No. 129]

CASCARA AROMATIC with PODOPHYLLIN
[No. 130] 2 20

Each fluidrachm represents:
Cascara, 60 grs.
Podophyllin, 1-16 gr. with Aromatics.

90 CASSIA BUDS (Cinnamomum Cassia) 2 25

91 CATECHU (Acacia Catechu) 1 50

92 CATECHU COMPOUND 1 75

Each pint represents:
Catechu, 10 1-2 ozs.
Cinnamon, 5 1-2 ozs.

93 CATNIP (Napeta Cataria) 1 25

CELERY COMPOUND ..... [No. 127] 2 00

Each fluidrachm represents:
Celery Seed, 5 grs.
Coca Leaves, 5 grs.
Kola Nuts, 5 grs.
Black Haw, 5 grs.

General tonic, stimulant and uterine sedative.

Uses: languor, nervous depression, neurasthenia, functional impotence, dysmenorrhea.

Dose: 60 to 120 min.

No. PER PINT

94 CELERY SEED (Apium graveolens) 2 00

Carminative and flavoring agent. Said to be sedative and diuretic.
Dose: 15 to 30 min.
Infusion: Fld. Ext., 1; Hot Water, 15. Dose, 1 to 2 fluid ounces.

95 CHAMOMILE (German) (Matricaria Chamomilla) 2 00

Chamomile is stimulant, tonic and diaphoretic. Emetic in large doses of the warm effusion—(1 pint).
Uses: to improve the appetite and digestion in convalescence; in diarrhea, severe colds, mild intermittents, amenorrhea and dysmenorrhea.
Dose: 30 to 60 min.
Tincture: Fld. Ext., 2; Diluted Alcohol, 14. Dose, ¼ to ½ ounce.
Infusion: Fld. Ext., 1; Hot Water, 15. Dose, 1 to 2 oz.

96 CHAMOMILE (Roman) (Anthemis nobilis)..... 2 00

97 CHEKAN (Eugenia Chequen)..... 4 00

98 CHESTNUT LEAVES (Castanea dentata)..... 1 25

Said to possess remarkable power in controlling the paroxysms of whooping cough. Has been recommended for diarrhea on account of its astringent properties.
Dose: Ad. lib. To be used freely in large doses.

CHIMAPHILA U. S. P. ..... [No. 269] 1 50
(See Pipsissewa)

CHIRATA (Swertia Chirata)..... [No. 128] 1 80

CIMICIFUGA (See Black Cohosh)..... [No. 39] 1 75

99 CINCHONA, DETANNATED, assayed. From bark containing not less than 2 per cent anhydrous quinine..... 2 25

100 CINCHONA, RED, assayed. Standard, 5 per cent total alkaloids (Cinchona succirubra)..... 2 25

Tonic, antiperiodic.
Uses: ingredient of tonic mixtures and prescriptions
Dose: 15 to 60 min.

101 CINCHONA, RED, COMPOUND, assayed. From Cinchona Bark containing not less than 5 per cent total alkaloids 2 00

For making Tincture Cinchona Comp. U. S. P. (Huxham's Tincture).

Each pint represents:
- Cinchona Red Bark, 8 ozs.
- Bitter Orange Peel, 6 ozs.
- Serpentaria, 1 1-2 ozs.

Uses: same as preceding.
Dose: 30 to 120 min.
Tincture U. S. P. (Huxham's Tincture): Alcohol, 8, Water, 6¾, Glycerine, 1¼; Fld. Ext., 4. Dose, 1 to 4 fluidrachms, before meals.
As a general tonic, Huxham's Tincture of bark has been long regarded as the best of the Cinchona preparations, and offers an elegant remedy in convalescence, anorexia, or debility.

No. PER PINT

102 CINCHONA, YELLOW, assayed. Standard, 5 per cent total alkaloids (Cinchona Calisaya) 2 25

For making Tincture Cinchona, U. S. P.
Antiperiodic, bitter tonic.
Used chiefly in malarial diseases, anorexia, debility, etc.
Dose: tonic 15 to 60 min. before meals. Antiperiodic, ½ to 2 fluid drachms.
Tincture Cinchona U. S. P.: Alcohol, 8; Glycerine, 1¼; Water, 6¾; Fld. Ext., 4. Dose, 2 to 4 fluidrachms.
Infusion Cinchona U. S. P.: Fld. Ext., 1; Aromatic Sulphuric Acid, 1-6; Water, 15. Dose, ½ to 2 fluid ounces.

104 CINCHONA COMPOUND, DETANNATED, assayed. From bark containing not less than 2 per cent anhydrous quinine 2 25

105 CINNAMON, CEYLON 2 25
(Cinnamomum Zeylanicum)

106 CLOVES (Eugenia aromatica) 2 25

107 COCA LEAVES, assayed. Standard, 0.5 per cent ether soluble alkaloid (Cocaine) 2 25
(Erythroxylon Coca)

Nerve and heart tonic; relieves fatigue and hunger and increases physical strength and endurance. Acts as a local anesthetic.
Dose: 30 to 60 min.

108 COFFEE, GREEN (Coffea Arabica)..... 1 75

109 COFFEE, ROASTED (Coffea Arabica) 1 50

110 COLCHICUM ROOT, assayed. Standard, 0.5 per cent Colchicine (Colchici autumnale) 1 75

A drastic purgative in large doses. Occasionally, an emetic, and acts indirectly as a sedative to the circulation.
Uses: has been long regarded as a specific in gout, and is also used largely in chronic rheumatic affections.
Dose: 2 to 5 min.
Wine: Alcohol, 3; White Wine, 15; Fld. Ext., 2. Dose, 10 to 60 minims.

111 COLCHICUM SEED, U. S. P. assayed. Standard, 0.5 per cent Colchicine..... 3 00
(Colchici autumnale)

Action, medicinal properties, uses and dose, same as preceding.
Tincture U. S. P.: Alcohol, 12; Water, 6; Fld. Ext., 2 Dose, 10 to 30 minims.
Wine U. S. P.: White Wine, 15; Alcohol, 3; Fld. Ext., 2 Dose, 10 to 30 minims.

No. PER PINT

112 COLOCYNTH (Citrullus Colocynthis) 6 00

A powerful, rapidly active purgative producing copious watery discharges. Dangerous in overdose. On account of its harshness is employed usually in combination with other purgatives.

Uses: Colocynth is a very valuable remedy in obstinate constipation with fecal accumulation, in dropsy, amenorrhea and as a revulsive in coma or apoplexy when these symptoms are due to acute cerebral congestion.

Dose: As a laxative in combination, 2 to 5 min. As a hydragogue for the removal of dropsical effusions, 5 to 10 min. three to four times daily.

Tincture: Diluted Alcohol, 14; Fld. Ext., 2. Dose, 30 to 60 minims.

113 COLTSFOOT (Tussilago Farfara) 1 25

114 COLOMBO ROOT (Jateorhiza palmata 1 50

One of the best of simple bitters, acting efficiently as a stomachic tonic, improving appetite and digestion without causing constipation.

Is used in general debility, anorexia, dyspepsia, flatulence, and as a tonic in convalescence. As Colombo contains little or no Tannin, it is suitable for mixtures containing iron.

Dose: 15 to 60 min.

Tincture U. S. P.: Fld. Ext., 4; Diluted Alcohol, 16. Dose 1 to 4 fluidrachms.

115 COMFREY (Symphytum officinale) 1 50

CONDURANGO ..... [No. 131] 2 50
(Gonolobus Condurango)

Mildly bitter stomachic tonic: has local sedative effect, relieving nausea and pain in gastric diseases. Used in cancer of the stomach to mitigate symptoms and lessen catarrh; also as alterative in Syphilis.

Dose: 1 fluidrachm.

116 CONIUM LEAVES (Conium maculatum) 1 40

Medicinal properties, dose and uses similar to that of the seed.

Dose: 2 to 15 minims.

Tincture: Fld. Ext., 2; Diluted Alcohol, 14. Dose, 20 to 60 minims. Used with caution.

117 CONIUM SEED, U. S. P. assayed. Standard 0.45 per cent Coniine (Conium maculatum) 1 75

Antispasmodic and motor depressant. In sufficient doses produces complete motor paralysis without affecting consciousness.

Uses: chorea, whooping cough and other spasmodic diseases. Also in mania and hysterical excitement. The fluid extract is probably the best of the preparations of Conium.

Dose: 2 to 15 min. cautiously increased until the physiological effect is seen.

CONVALLARIA ..... [No. 217] 2 00
(See Lily of the Valley)

118 CORIANDER SEED (Coriandrum sativum) 2 00

CORN ERGOT (See Ustilago Maydis).. [No. 351] 1 75

No. PER PINT

119 CORN SILK (Zea Mays) 2 00
Made from fresh green drug.

Diuretic.

Uses: cardiac and renal dropsy and inflammation of the genito-urinary tract. This remedy has grown in favor as a demulcent and antiseptic diuretic. It is especially valuable to allay cystic irritation.

Dose: 60 to 120 min.

120 COTO BARK 4 00

121 COTTON ROOT BARK Gossypium herbaceum) . 2 50

Emmenagogue, oxytocic. Action on the uterus similar to that of Ergot but less powerful.

Uses: dysmenorrhea, suppression of the menses, subinvolution of the uterus. Is considered by some to be more safe than Ergot.

Infusion: Fld. Ext., 2; Hot Water, 14. Dose, ½ to 1 oz

122 COUCH GRASS, U. S. P. (Triticum repens) 1 25

Forms a demulcent and diuretic preparation exerting a bland and salutary influence upon inflamed and irritated mucous membranes of the genito-urinary tract, and is much esteemed in the treatment of irritable bladder and cystic affections. Being less stimulating than other remedies of this class, it can be freely used.

May be given in doses of 1 to 2 fluid drachms frequently repeated, but its beneficial effects are most quickly secured when given in doses of ½ to 1 ounce, taken in 8 to 16 ounces of water.

123 CRAMP BARK, U. S. P. (Viburnum Opulus) 1 50

124 CRANESBILL (Geranium maculatum) 1 35

125 CUBEBS, U. S. P. (Piper Cubeba) 2 50

Locally, stimulant to the mucous membranes, particularly towards those of the bronchial and genito-urinary tracts. Expectorant.

Uses: gonorrhea, cystitis, and chronic bronchitis. Locally in pharyngitis.

Dose: 10 to 30 min.

Tincture: Fld. Ext., 4; Alcohol, 12. Dose, 60 to 120 min.

126 CULVER'S ROOT, U. S. P. (Veronica Virginica) .. 1 75
(See Leptandra, U. S. P.)

Cathartic. Has been employed largely by the Eclectic School as a cholagogue cathartic and as a substitute for the mercurials.

Dose: 20 to 40 min.

Tincture: Alcohol, 10½; Water, 3½; Fld. Ext., 2. Dose, 1 to 6 fluidrachms.

Syrup: Fld. Ext., 4; Syrup, 12. Dose, 1 to 3 fluidrachms

127 See Celery Compound 2 00

128 See Chirata 1 80

130 See Cascara Aromatic with Podophyllin 2 20

131 See Condurango 2 50

No. PER PINT

CYPRIPEDIUM (See Ladies' Slipper) ..[No. 212] 2 25

136 DAMIANA (Turnera microphylla) 2 25

137 DANDELION (Taraxacum officinale) 1 25

Laxative, hepatic stimulant.

Uses: dyspepsia with torpor of the liver and costiveness.

Dose: 1 to 3 fluidrachms after meals.

138 DANDELION COMPOUND 1 25

Each pint represents:
- Dandelion, 8 ozs.
- Pipsissewa, 4 ozs.
- Uva Ursi, 2 ozs.
- Angelica Root, 2 ozs.

139 DIGITALIS, U. S. P. (Digitalis purpurea)..... 2 00

Heart tonic. Slows pulse rate, and stimulates heart muscle so that the beat is stronger and the output of blood is increased. Heightens arterial tone and blood pressure and produces a marked increase in the flow of urine owing to the improved condition of the circulation in the kidneys.

Uses: the prime indication for Digitalis is acute failure of compensation in valvular diseases of the heart. Is also employed as a useful diuretic in cardiac dropsy.

Dose: of the fluid extract, ½ to 3 min.

Tincture, U. S. P. Diluted Alcohol, Fld. Ext., 2. Dose, 5 to 30 minims.

Infusion, U. S. P.: Alcohol, 6⅔; Cinnamon Water, 10; mix and add Fld. Ext. 1, then add, Water, 49. Dose, 2 to 4 fluidrachms.

140 DOGWOOD (Cornus florida)..... 1 25

DULCAMARA (See Bitter-Sweet).....[No. 37] 1 40

141 DWARF ELDER (Aralia hispida) 1 60

144 ECHINACEA (Echinacea angustifolia)..... 3 00

Made from fresh green drug.

Said to possess remarkable curative powers in all diseases due to contamination of the blood with bacterial or excrementitious poisons. Recommended in fevers, blood poisoning, erysipelas, boils, ulceration with sloughing etc.; valuable also as a local antiseptic and healing application to chronic ulcers, to sloughing or gangrenous surfaces, and as an antidote to bites or stings.

Dose: 10 to 60 min.

145 ELDER FLOWERS (Sambucus Canadensis) 1 50

146 ELECAMPANE (Inula Helenium) 1 50

147 ERGOT (Physiologically tested)..... 2 50

(Claviceps purpurea)

Causes general constriction of blood vessels, particularly those of smaller size; stimulates contraction of involuntary muscles, especially those of the uterus; emmenagogue, oxytocic, hemostatic.

Uses: in obstetrics to prevent postpartum hemorrhage, in chronic metritis, subinvolution of the uterus, internal hemorrhage, night sweats, and chronic diarrhea; used also in epilepsy to increase the efficiency of the Bromides and in diabetes mellitus and diabetes insipidus.

Dose: ½ to 2 fluidrachms.

No. PER PINT

ERIODICTYON, U. S. P. ....[No. 396] 2 50

(See Yerba Santa)

ERYTHROXYLON (See Coca)..... .[No. 107] 2 25

148 EUCALYPTUS, U. S. P. (Eucalyptus globulus) 1 50

Antiseptic and stimulant. Is also regarded as an antiperiodic, especially valuable as an adjuvant to the Cinchona Alkaloids. Has been found of great value and is largely used in catarrhal diseases of mucous membranes, particularly those of the bronchial and genito-urinary tracts.

Dose: 15 to 60 min.

Tincture: Alcohol, 9; Water, 3; Fld. Ext., 4. Dose, 1 to 4 fluidrachms.

EUONYMUS (See Wahoo) .....[No. 371] 3 25

EUPATORIUM (See Boneset).....[No. 53] 1 25

149 EUPHORBIA PILULIFERA 4 00

155 FALSE BITTER-SWEET (Celastrus scandens).. 1 50

156 FALSE UNICORN (Chamaelirium luteum) 2 50

FENNEL SEED (Foeniculum capillaceum) [No. 159] 2 00

157 FIGWORT 2 00

(Scrophularia nodosa var. Marilandica)

FOXGLOVE (See Digitalis).....[No. 139] 2 00

FRANGULA, U. S. P. (See Buckthorn) [No. 59] 1 25

158 FRINGE-TREE BARK (Chionanthus Virginica) 1 75

Laxative and diuretic. Regarded as a tonic and febrifuge. Improves appetite and digestion. Chiefly valued in the treatment of hepatic congestions, and for all varieties of jaundice not dependent on gallstones.

Dose: 15 to 60 minims.

159 See Fennel Seed 2 00

162 GALANGAL (Alpinia officinarum)..... 2 00

163 GARLIC (Allium sativum) 2 00

164 GELSEMIUM, U. S. P. assayed. Standard, 0.5 per cent total alkaloids..... 2 00

(Gelsemium sempervirens)

Depressant to sensory and motor nerves. Large doses reduce the frequency and force of the pulse and intensify the muscular relaxation.

Uses: chiefly to relieve pain in neuralgia of the face or in ovarian neuralgia.

Dose: 2 to 5 min. cautiously increased.

Tincture: U. S. P. Fld. Ext., 2; Alcohol, 18. Dose, 5 to 15 min.

165 GENTIAN, U. S. P. (Gentiana lutea) 1 25

One of the most valuable of simple bitters. An efficient stomachic tonic, increasing appetite and promoting normal digestive processes.

Uses: atonic dyspepsia, and the various forms of chronic gastritis. Much used in combination with other remedies, as Nux Vomica, Iron, etc. See our Elixir list for other valuable preparations of Gentian. Our Fluid Extract Gentian Detannated will be found useful in preparing mixtures containing Iron.

Dose: 10 to 30 minims.

No. PER PINT

166 GENTIAN COMPOUND, For U. S. P. Tincture.... 1 50

Each pint represents:
Gentian, 11 ozs.
Cardamom Seed, 1 oz.
Bitter Orange Peel, 4 ozs.

This U. S. P. tincture is an agreeable bitter and stomachic.

Uses: particularly applicable as a gastric tonic and restorative in the chronic gastritis of drunkards.

Tincture U. S. P.: Fld. Gentian Comp., 3; Dilute Alcohol, 17. Dose, of the tincture, 1 to 4 fluidrachms.

167 GENTIAN, DETANNATED..... 1 50

Bitter tonic. Designed for use in preparing the various Gentian Compounds and for mixtures containing Iron Salts with which it forms clear mixtures, without an inky precipitate.

Dose: 10 to 30 minims.

GERANIUM (See Cranesbill).....[No. 124] 1 35

GERMAN CHAMOMILE.....[No. 95] 2 00
(See Chamomile, German)

168 GINGER, U. S. P., (Zingiber officinale)..... 2 00

Stomachic, carminative, flavoring agent.

Uses: flatulence, colic, diarrhea and dyspepsia. Is a valuable adjunct to bitter tonic mixtures and infusions imparting an agreeable, warming and stomachic quality.

Dose: 10 to 30 min.

169 GINGER, Soluble..... 1 25

Carefully prepared from the best Jamaica Ginger by a process that retains in the finished preparation all the pungent properties of the drug. Makes clear mixtures with water, syrup or wine and will be found convenient for preparing the U. S. P. Syrup, Ginger Ale, etc.

Syrup U. S. P.: Fld. Ginger Soluble, 1; Syrup, 15

GLYCYRRHIZA (See Licorice Root) ..[No. 214] 1 25

GOAT'S RUE (Galega officinalis)..... [No. 398] 2 50

170 GOLDEN ROD (Solidago odora)..... 1 60

171 GOLDEN SEAL, U. S. P. assayed. Standard, 2.0 per cent Hydrastine 7 00
(Hydrastis Canadensis)

Golden Seal possesses general tonic properties but is most highly recommended for its salutary influence on relaxed, congested, or inflamed mucous surfaces.

Used in catarrhal affections generally, particularly those of the genital tract.

For local application we call attention to our Fluid Golden Seal, Colorless, as being free from the tendency to stain which may be annoying in the use of other preparations.

Dose: ½ to 1 fluidrachm.

Tincture: Fld. Ext., 4; Diluted Alcohol, 16. Dose, 30 to 60 minims.

NO. PER PINT

172 GOLDEN SEAL (colorless)..... 3 00

Each pint contains 20 grs. of Hydrastine White Alkaloid, is free from the bitter taste of fluid extract of Golden Seal and is without the tendency to stain which is so frequently annoying in the use of the ordinary preparation. It represents the same tonic and alterative virtues possessed by Hydrastis and is used chiefly in the treatment of catarrhal and inflamed diseases of mucous surfaces.

Employed internally in stomatitis, dyspepsia, intestinal catarrh and chronic diarrhea. Locally, in gonorrhea, leucorrhea, etc.

Dose: 10 to 60 minims.

173 GOLDEN SEAL (non-alcoholic)..... 6 00

General properties and uses same as preceding. This is an elegant preparation made by a process that renders the finished product free from resin and other inert matter while retaining the Alkaloids, Hydrastine, Hydrastinine and Berberine in their natural combinations.

It will make a clear mixture with water, wine or syrup.

Dose: 30 to 60 min.

Injection or Lotion: Fld. Golden Seal, non-alcoholic, 1. Water, 7.

174 GOLD THREAD (Coptis trifolia)..... 2 50

175 GRINDELIA, U. S. P. (Grindelia robusta)..... 2 00

Uses: asthma, chronic bronchitis, whooping cough and catarrh of the bladder. Locally, in ivy poisoning.

Dose: 30 to 60 min.

Tincture: Alcohol, 9; Water, 3; Fld. Ext., 4. Dose, 1 to 2 fluidrachms.

Infusion: Fld. Ext., 2; Hot Water, 14. Dose, 2 to 4 fluidrachms.

176 GRINDELIA COMPOUND..... 2 00

Each pint represents:
Grindelia robusta, 10 ozs.
Senna, 3 ozs.
Rhubarb, 3 ozs.

177 GRINDELIA, Soluble..... 2 00

For making Syrup

178 GUAIAC RESIN (Guaiacum officinale)..... 2 00

Each pint represents, Guaiac Resin, 8 oz.

Diaphoretic, expectorant and laxative. Largely used as an efficient remedy in early stages of tonsillitis in 30 min doses of the tincture in mucilage or syrup. Guaiac Resin is also employed in syphilis, particularly in connection with Sarsaparilla, in neuralgic dysmenorrhea, amenorrhea and in chronic rheumatism.

Dose: 10 to 30 min.

179 GUAIAC WOOD (Guaiacum officinale)..... 1 50

180 GUARANA, U. S. P. (Paullinia Cupana)..... 6 00

184 HAIRCAP MOSS (Polytrichum juniperinum.... 1 50

HAMAMELIS (See Witch Hazel)..... [No. 385] 1 25

HELONIAS (See False Unicorn).....[No 156] 2 50

No. PER PINT

HELONIAS COMPOUND ..... [No. 318] 1 70
(See Squaw Vine Compound)

186 HEMLOCK (Pinus Canadensis) 1 25

187 HENBANE, U. S. P., assayed. Standard, 0.075 per cent alkaloids (Hyoscyamus niger) 2 00

Medicinal properties similar to Belladonna but more distinctly anodyne.

Chiefly used to relieve pain and to lessen nervous irritability; also used as a cerebral depressant and sedative in insomnia, and the manias of insanity and of alcoholism, also as an antispasmodic in asthma, chorea and nervous palpitation. Henbane is an anaphrodisiac of great value in subduing sexual excitement and irritability, as in nymphomania, seminal emissions, spermatorrhea, etc.

Dose: 5 to 10 min.

Tincture U. S. P.: Alcohol, 13½; Water, 4½; Fld. Ext., 2. Dose, 30 to 60 minims.

188 HOPS (Humulus Lupulus) 2 50

189 HOREHOUND (Marrubium vulgare) 1 25

Carminative and expectorant.

Used in the form of a syrup for coughs, colds, asthma and bronchitis. Horehound is also used as a bitter tonic and stomachic.

Dose: 30 to 60 min.

Syrup: Fld. Ext. 4; Syrup, 12. Dose, 2 to 4 fluidrachms

190 HOREHOUND COMPOUND 1 50

Each pint represents:
- Horehound, 2 1-2 ozs.
- Jersey Tea, 2 1-2 ozs.
- Elecampane, 2 1-2 ozs.
- Spikenard, 2 1-2 ozs.
- Comfrey, 2 1-2 ozs.
- Cherry Bark, 2 1-2 ozs.
- Blood Root, 1 1-4 ozs.

HORSE NETTLE ..... [No. 329] 2 00
(Solanum Carolinensis)

191 HYDRANGEA (Hydrangea arborescens) 1 50

Uses: in urinary disorders generally, as gravel, lithemia, renal calculi.

Dose: 30 to 60 min.

Elixir: Fld. Ext., 1; Aromatic Elixir, 4. Dose, 1 to 4 fluidrachms.

HYOSCYAMUS, assayed (See Henbane) [No. 187] 2 00

HYDRASTIS, assayed ..... [No. 171] 7 00
(See Golden Seal)

195 IGNATIA BEAN, assayed. Standard, 2 per cent alkaloids (Strychnos Ignatia) 2 50

No. PER PINT

196 IPECAC, assayed, U. S. P. Standard, 1.75 per cent alkaloids (Cephaelis Ipecacuanha) 8 00
Expectorant, diaphoretic, stomachic, emetic, slightly laxative.

Uses: Expectorant (preferably as syrup for child, wine for adult): In acute and chronic bronchitis or laryngitis is one of the safest of expectorants, specially adapted for children.

Emetic (preferably as syrup for children, fluid extract for adults): Acts with but little depression. Used to empty the stomach in poisoning, indigestion, acute gastritis; in spasmodic affections in children, as whooping cough, spasmodic laryngitis, asthma, and to clear the passages in croup, severe bronchitis or pneumonia.

Dysentery: Acts almost as a specific, particularly in tropical forms, when given in full doses. Used also in chronic diarrhea.

Dosage: Fluid Extract—Diaphoretic or Expectorant, ½ to 5 minims. Emetic—30 minims (for adult).

Syrup or Wine (for children)—Expectorant, 5 to 15 minims every one-half to two hours. For adults, double the dose. Emetic (syrup only)—30 to 60 minims every ten minutes until vomiting occurs.

Wine U. S. P.: Alcohol, 8; White Wine, 16; Fld. Ext., 2

Syrup U. S. P.: Glycerin, 1½; Syrup, 12; Acetic Acid, ½; Fld. Ext., 1.

197 IPECAC and OPIUM, assayed "Fluid Dover's Powder" 3 00
(See Tincture Ipecac and Opium)

198 IPECAC and SENEGA 7 50
Each fluid ounce represents:
- Ipecac, 160 grs.
- Senega, 320 grs.

IRIS (See Blue Flag Root) ..... [No. 52] 1 50

200 JABORANDI, assayed. Standard, 0.4 per cent alkaloids (Pilocarpus Jaborandi) 2 50

Jaborandi increases the secretions of nearly all glands; it is the most powerful of diaphoretics; is physiologically antagonistic to Belladonna and Atropine.

It is used to remove dropsical accumulations of both cardiac and renal origin; as an eliminant in uraemia. Also used in diseases of the ear; and both internally and locally in alopecia. Contraindicated by heart weakness or marked exhaustion.

Dose: 10 to 30 minims to be used with caution.

Tincture, (for local use): Fld. Ext., 2; Diluted Alcohol 14.

201 JALAP ROOT, assayed. Standard, 8 per cent alcohol soluble resin (Ipomoea Jalapa) 2 25

202 JAMAICA DOGWOOD (Piscidia Erythrina) 3 00

Diminishes pain, relaxes spasm, promotes sleep.

May be used as a substitute for Opium, although somewhat less certain in action. Has no objectionable after-effects. Used chiefly in neuralgia, toothache, insomnia, nervous cough, dysmenorrhea and functional nervous diseases.

Dose: 30 to 120 minims.

Tincture: Alcohol, 8; Water, 4; Fld. Ext., 4. Dose, ½ to 1 fluidrachms.

No. PER PINT

JUGLANS (See Butternut Bark).....[No. 61] 1 25

203 JUNIPER BERRIES (Juniperus communis)..... 1 25
Stimulant, diuretic, carminative, emmenagogue.
Uses: as a diuretic and local stimulant in dropsical diseases, catarrhal affections of the urinary passages.
Dose: 30 to 120 minims.

206 KAVA KAVA (Piper methysticum)..... 2 00
Stomachic, diuretic, genito-urinary disinfectant.
Uses: vesical and urethral inflammation, particularly in gonorrhea. Like other remedies of its class, it is also employed in chronic bronchitis and rheumatism.
Dose: 20 to 30 minims three or four times daily.
Tincture: Alcohol, 10; Water, 4; Fld. Ext., 2. Dose, 1 to 4 fluidrachms.

207 KINO, will not gelatinize..... 2 00
(Pterocarpus Marsupium)

208 KOLA NUT, assayed. Standard, 1 per cent pure alkaloids (Kola acuminata)..... 2 00
Stimulant tonic and diuretic. Sustains strength and relieves fatigue.
Uses: as a heart tonic and for general debility or muscular fatigue.
Dose: 15 to 60 minims repeated frequently until the therapeutic effects are secured.

KRAMERIA (See Rhatany Root).....[No. 289] 1 50

212 LADIES' SLIPPER (Cypripedium pubescens).... 2 25

LAPPA, U. S. P. (See Burdock Root).... [No. 60] 1 40

213 LAVENDER COMPOUND..... 2 00
8 times the strength of U. S. P tincture.
Stimulant and carminative.
Uses: nausea, flatulent colic and gastric distress.
Dose: ¼ to 1 ounce.
Tincture U. S. P.: Alcohol, 10; Water, 4; Fld. Ext., 2 Dose, ½ to 1 fluidrachm.

LEPTANDRA, U. S. P. .....[No. 126] 1 75
(See Culver's Root)

LETTUCE, WILD (See Wild Lettuce)..[No. 383] 1 25

214 LICORICE ROOT (Glycyrrhiza glabra)..... 1 25
Demulcent and laxative.
Uses: chiefly as an adjuvant in cough mixtures; also as a mild laxative in combination, and as a flavor to disguise the bitter or acrid taste of other drugs, as Quinine, Aloes, Senega, Ammonium Chloride, etc.
Dose: 1 to 4 fluidrachms.

215 LICORICE FOR QUININE..... 1 50
Contains the sweet principle of the root free from other constituents, preserved in Saccharine solution.

216 LIFE ROOT (Senecio aureus)..... 1 25

217 LILY OF THE VALLEY (Convallaria majalis)... 2 00

No. PER PINT

218 LOBELIA (Lobelia inflata)..... 1 50
Antispasmodic, diaphoretic, respiratory depressant, emetic.
Uses: as an antispasmodic in asthma and bronchitis with bronchial spasm, whooping cough, spasmodic laryngitis, etc. Dangerous in overdose.
Dose: Expectorant, 1 to 5 minims.
For asthma, 10 to 20 minims every 15 to 20 minutes during the attack until relieved. To be used with caution and to be discontinued if emesis or depression occurs. Between attacks and for bronchitic asthma, 10 drops three times daily as a prophylactic.
Tincture: Fld. Ext., 2; Diluted Alcohol, 18. Dose, Expectorant, 10 to 30 minims. Emetic, 1 fluidrachm.

219 LOBELIA COMPOUND..... 1 50
Each pint represents:
- Lobelia Herb, 8 ozs.
- Skunk Cabbage, 4 ozs.
- Blood Root, 4 ozs.

220 LOGWOOD (Haematoxylon Campechianum).... 1 25

LUNGWORT (Pulmonaria officinalis)..[No. 399] 2 00

221 LUPULIN (Humulus Lupulus)..... 2 50

222 LUPULIN COMPOUND..... 2 00
Each pint represents:
- Lupulin, 5 1-3 ozs.
- Lettuce, 5 1-3 ozs.
- Scullcap, 5 1-3 ozs.

228 MALE FERN (Dryopteris Filix-mas)..... 2 00

229 MANACA (Brunfelsia Hopeana)..... 4 00
Cathartic, diuretic, diaphoretic, emmenagogue.
Largely used as an antirheumatic.
Dose: 10 to 60 minims. See also our Elixir Manaca with Salicylates.

230 MANDRAKE, U. S. P. assayed. Standard, 4.25 per cent resin (Podophyllum peltatum)..... 2 00
Cathartic, inducing thorough evacuation. Action slow and mild in small doses. In large doses, irritant and drastic. Is largely esteemed as a chologogue.
Dose: 5 to 20 minims.

231 MANDRAKE COMPOUND..... 1 75
Each pint represents:
- Mandrake, 6 ozs.
- Jalap, 6 ozs.
- Senna, 4 ozs.
- Potassium Carbonate, 120 grs.
- Aromatics

MARSHMALLOW (Althæa officinalis).[No. 240] 1 50

232 MEZEREUM, U. S. P. (Daphne Mezereum)..... 2 00

MOTHERWORT (Leonurus Cardiaca)..[No. 238] 1 50

MUIRA-PUAMA.....[No. 239] 4 00
(Liriosma ovata, Miers)

No.		PER PINT
233	MULLEIN LEAVES (Verbascum Thapsus)	1 25
234	MUSK ROOT (Ferula Sumbul)	3 25
235	MUSTARD SEED (Sinapis nigra)	1 50
236	MYRRH (Commiphora Myrrha)	2 50
237	MYRRH and CAPSICUM Each pint represents: { Myrrh, 12 ozs. { Capsicum, 3 ozs.	2 50
	NIGHT BLOOMING CEREUS (See Cactus Grandiflora) [No. 74]	4 00
238	See Motherwort	1 50
239	See Muira Puama	4 00
240	See Marshmallow	1 50
214	NUTMEGS (Myristica fragrans)	3 00
242	NUX VOMICA, U. S. P. assayed. Standard, 1.0 per cent Strychnine (Strychnos Nux Vomica)	1 60

In therapeutics increases the bodily functions generally. Stimulates chiefly the nervous and vascular systems and through them improving the activity and the nutrition of all other tissues. Stomachic, increasing appetite and improving digestion; respiratory stimulant; heart tonic, by reducing frequency of pulse and increasing blood pressure.

Uses: In conditions of general weakness, mal-nutrition, loss of tone," and particularly in atonic dyspepsia and chronic gastritis. Used chiefly in the form of the tincture. In some individuals a tolerance is acquired and ascending doses may be indicated.

Dose: 1 to 5 minims.

Tincture U. S. P.: Alcohol, 13½; Water, 4½; Fld. Ext 2 Dose, 5 to 20 minims, to be increased if necessary.

	OATS (See Avena sativa) [No. 16]	1 50
248	OPIUM, CAMPHORATED, assayed. Standard, 1.76 grains Morphine Alkaloid in each fluid ounce.	3 00

For making the U. S. P. Tincture (Paregoric).

Uses: for the relief of abdominal pain from flatus or for cough. Chiefly used for infants.

Tincture U. S. P.: (Paregoric.) Fluid Opium Camph., 2. Diluted Alcohol, 14.

Dose: Of the tincture, 5 to 10 minims for infants. 1 to 4 fluidrachms for adults.

249	OPIUM, CONCENTRATED assayed. Standard, 22 grains Crystallized Morphine, (equal to 27 1-2 grs. Morphine Sulphate,) to each fluid ounce For making laudanum.	12 00

Tincture U. S. P.: Fluid Opium Conc., 4; Diluted Alcohol, 12.

The Tincture thus made contains in solution in each fluid ounce, 6 grs. of pure crystallized Morphine (equal to 7½ grs. Morphine Sulph).

Dose: 5 to 15 minims.

No.		PER PINT
250	OPIUM, AQUEOUS, DEODORIZED, U. S. P. assayed. See Tinctures.	3 00
251	ORANGE PEEL, BITTER, [U. S. P.] (Citrus vulgaris)	1 75
252	ORANGE PEEL COMPOUND Each pint represents: { Sweet Orange Peel, 12 ozs. { Coriander, 2 ozs. { Cardamom, 2-3 oz. { Cinnamon, 1 oz. { Anise, 1-3 oz.	1 75
253	ORANGE PEEL, SWEET, for Syrup (Citrus Aurantina)	1 75
254	ORRIS ROOT (Iris Florentina)	2 00
260	PANSY (Viola tricolor)	1 50
261	PAREIRA BRAVA, U. S. P. (Chondodendron tomentosum)	2 00
262	PARSLEY ROOT (Carum Petroselinum)	1 50
263	PASSION FLOWER (Passiflora incarnata)	2 00

Said to be nerve sedative, anodyne and antispasmodic.

Uses: Insomnia, nervous headache, neuralgic affections, nervous diseases of women and children, suppressed menstruation, and dymenorrhea.

Dose: 15 to 60 minims.

Elixir: Fld. Ext., 1; Aromatic Elixir, 4. Dose, 1 to 4 fluidrachms.

264	PENNYROYAL (Hedeoma pulegioides)	1 50
265	PEPPERMINT (Mentha piperita)	2 00
	PHYSOSTIGMA (See Calabar Bean) [No. 75]	2 70
	PHYTOLACCA, U. S. P. (See Poke Root) [No. 274]	1 50
266	PICHI (Fabiana imbricata)	3 50
	PILOCARPUS (See Jaborandi) [No. 200]	2 50
267	PINK ROOT, U. S. P. (Spigelia Marilandica)	2 75
268	PINK ROOT and SENNA Each pint represents: { Pink Root, 10 ozs. { Oil Anise, 20 m. { Senna, 5 ozs. { Oil Caraway, 20 m. { Potassium Carb., 1-4 oz.	2 25

Anthelmintic and cathartic.

Used to effect the expulsion of lumbricoid worms and thread worms.

Dose: 30 to 60 minims for children 2 years old; 2 to 4 fluidrachms for adults.

No. PER PINT

PINUS CANADENSIS COMPOUND. (Colorless) [No. 400] 1 25

Each fluid ounce represents:
- Pinus Canadensis, 1 oz.
- Zinc Sulphate, 5 grs
- Thymol, 3-8 gr.
- Alum, 5 grs.
- Eucalyptol, 3-8 m.

For external use only.

A tonic and astringent lotion for local application.

269 PIPSISSEWA, U. S. P. (Chimaphila umbellata) 1 50

270 PLANTAIN LEAVES (Plantago major) 1 25

271 PLEURISY ROOT (Asclepias tuberosa)..... 1 50

PODOPHYLLUM, U. S. P..... .....[No. 230] 2 00
(See Mandrake)

272 POISON OAK (Rhus radicans)..... ..... 2 00

Stimulant to digestion, diaphoretic, diuretic and irritant.

Dose: 2 to 10 minims.

273 POKE BERRIES (Phytolacca decandra)..... 1 50

274 POKE ROOT, U. S. P. (Phytolacca decandra) ... 1 50

Emetic, cathartic and narcotic.

Used in rheumatism, especially when connected with syphilis; in sore throat; both locally and internally in parasitic skin diseases, as scabies, favus, ring-worm, sycosis, etc.; and to relieve mammary congestion with threatened inflammation.

Dose: 2 to 10 minims.

275 PRICKLY ASH BARK..... ..... 2 00
(Xanthoxylum Americanum)

Acrid stimulant, carminative, diaphoretic.

Uses: for allaying rheumatic pains, as a constituent of mixtures for the treatment of syphilis, and as an emmenagogue.

Dose: 10 to 30 minims.

276 PULSATILLA (Anemone Pulsatilla) 2 00

277 PUMPKIN SEEDS (Curcurbita Pepo) 1 80

280 QUASSIA, U. S. P. (Picraena excelsa)..... 1 25

A powerful stomachic bitter.

Uses: a valuable tonic in derangement of digestion, invigorating the digestive organs without affecting circulation or temperature. Also useful in atonic diarrhea. In the form of the infusion given as an enema, Quassia is one of the most efficient of remedies against seat-worms.

Tincture U. S. P.: Alcohol, 5; Water, 11; Fld. Ext., 4. Dose, ½ to 1 fluid ounce.

Infusion: Fld. Ext., 2; Hot Water, 14. Dose, 1 fluid ounce.

281 QUEBRACHO (Aspidosperma Quebracho)..... 2 50

No. PER PINT

282 QUEEN OF THE MEADOW..... 1 25
(Eupatorium purpureum)

Stimulant and diuretic. Chiefly employed in dropsical effusions. Is also regarded as exerting a soothing influence on inflamed mucous surfaces hence its use in catarrhal affections, leucorrhea, gleet, and cystitis.

Dose: 30 to 120 minims.

QUILLAJA (See Soap-Tree Bark)..... [No. 315] 1 50

286 RAGWEED (Ambrosia artemisiaefolia) 2 00

287 RED CLOVER TOPS (Trifolium pratense) 1 40

RED GUM (Eucalyptus rostrata) .....[No. 297] 3 00

288 RED OAK BARK (Quercus rubra). 2 00

289 RHATANY ROOT (Krameria triandra)..... 1 50

Each pint represents Rhatany Root, 8 oz.

A powerful astringent and haemostatic.

Uses: internally for hemorrhage, diarrheal diseases, leucorrhea, enuresis. Locally, as an injection in dysentery, or leucorrhea, and for application to anal fissure.

Dose: 15 to 60 minims.

Tincture U. S. P.: Fld. Ext., 8; Diluted Alcohol, 12. Dose, 2 to 4 fluidrachms.

Syrup U. S. P.: Fld. Ext., 9; Sugar, 4. Dose, 1 to 2 fluidrachms.

290 RHUBARB, U. S. P. (Rheum officinale) 2 25

Mild cathartic, and astringent.

Uses: Rhubarb is particularly applicable to summer diarrheas caused by indiscretions in diet and for those characterized by profuse watery discharges. By its mildly cathartic action, it empties the bowel of fermenting material and by its secondary astringent quality, it lessens the secretions and overcomes the diarrhea.

Dose: As a gentle laxative, 5 to 15 minims. As a cathartic, 20 to 40 minims.

Syrup U. S. P.: Fld. Ext., 12; Spt. Cinnamon, ½; Potassium Carbonate, 1¼; Water, 6; Syrup, 102. Dose, 1 to 4 fldrm

Tincture U. S. P.: Diluted Alcohol, 1⁸; Glycerin, 2; Fld Ext. Cardamom, 1; Fld. Ext. Rhubarb, 4. Dose, 1 to 4 fldrm

291 RHUBARB AROMATIC 2 00

For making Aromatic Syrup of Rhubarb, and the Tincture Rhubarb Aromatic, U. S. P.

Stomachic, carminative, laxative with secondary astringent action; useful in diarrheas, etc.

Dose: 10 to 45 minims.

Tincture U. S. P.: Fld. Rhubarb Aromatic, 9; Alcohol, 11; Water, 8; Glycerin, 2. Dose, ½ to 3 fluidrachms.

Syrup U. S. P.: Fluid Rhubarb Aromatic, 1 oz.; Syrup, 21 oz.; Potas. Carbonate, 10 grs. Dose, 2 to 8 fluidrachms.

No. PER PINT

292 RHUBARB and POTASSIUM COMPOUND 3 00
For preparing neutralizing cordial.
Each pint represents:
Rhubarb, 8 ozs.
Golden Seal, 4 ozs.
Cassia, 4 ozs.
Oil Peppermint, 30 m.
(Potassium Carbonate to be added when dispensing or preparing neutralizing cordial)

293 RHUBARB and SENNA 2 00
Each pint represents:
Rhubarb, 4 ozs.
Senna, 12 ozs.
Potassium Carbonate, 240 grs.
Aromatics

294 RHUBARB, SWEET 2 00
Each pint represents:
Rhubarb, 5 ozs.
Licorice Root, 2 1-2 ozs.
Anise, 2 1-2 ozs.
Cardamom, 5-8 oz.

295 RHUS AROMATIC 2 50
RHUS TOXICODENDRON .....[No. 272] 2 00
(See Poison Oak)

296 ROSIN WEED (Silphium laciniatum) 1 80

300 SAGE (Salvia officinalis) 1 50

301 SANDALWOOD (Santalum album) 3 00
SANGUINARIA (See Blood Root).....[No. 49] 2 00

302 SARSAPARILLA, U. S. P. (Smilax officinalis) ... 1 75
Alterative.
Uses: gout, rheumatism, skin diseases, syphilis. Said to be especially valuable in the perverted condition induced by the injudicious use of mercurials. Usually given in combination with Potassium Iodide or other remedies
Dose: 30 to 60 minims.

303 SARSAPARILLA COMPOUND, U. S. P. 1 75
Each pint represents:
Sarsaparilla, 12 ozs.
Mezereum, 1-2 oz.
Licorice, 2 ozs.
Sassafras Bark, 1 2-3 ozs.
In this preparation the efficiency of the Sarsaparilla is greatly increased.
Dose: 1 fluidrachm three or four times daily.

304 SARSAPARILLA COMPOUND FOR SYRUP 1 75
Syrup U. S. P.: Fld. Ext. Sarsaparilla Comp., 4; Syrup, 12.
Uses: in the treatment of syphilis, particularly when combined with Potassium Iodide. Is commonly employed as a vehicle for the last named remedy. Is incompatible with Corrosive Sublimate.
Dose: 2 to 4 fluidrachms.

No. PER PINT

305 SASSAFRAS (Sassafras variifolium) 1 50

306 SAW PALMETTO (Sereno serrulata) 2 50
Expectorant, demulcent, sedative to mucous memoranes.
Uses: to allay cough in chronic bronchitis, laryngitis, bronchorrhea. Valuable in catarrhal conditions of the genito-urinary tract, cystitis, irritation of the bladder prostatic enlargement.
Dose: ½ to 2 fluidrachms.

307 SAW PALMETTO COMPOUND 1 75
Each pint represents:
Saw Palmetto Berries, 2 2-3 ozs.
Kola Nuts, 384 grs.
Parsley Seed, 192 grs.
Coca Leaves, 192 grs.
SCOPARIUS (Cytisus Scoparius).....[No. 328] 1 35

308 SCULLCAP, U. S. P. (Scutellaria lateriflora) 1 50
Said to act as a nerve sedative and so used in delirium tremens, convulsions, chorea, etc.
Dose: 30 to 60 minims.

309 SCULLCAP COMPOUND 1 50
Each pint represents:
Scullcap, 8 ozs.
Ladies' Slipper, 4 ozs.
Hops, 2 ozs.
Lettuce, 2 ozs.
SCUTELLARIA (See Scullcap) .....[No. 308] 1 50

310 SENEGA ROOT, U. S. P. (Polygala Senega). 4 50
A stimulating expectorant, diaphoretic, diuretic.
Employed in catarrhal affections of the respiratory organs, particularly as an ingredient of cough mixtures, and for the treatment of bronchitis. Has been employed also in rheumatism, dropsy and asthma.
Dose: 10 to 20 minims.
Syrup U. S. P.: Fld. Ext., 4; Syrup, 16. Dose, 1 to 2 fldrms.

311 SENNA LEAVES (Cassia acutifolia) 1 50
A reliable and safe cathartic, operating promptly and mildly when given in moderate doses. Senna is one of the more quickly acting cathartics. Its tendency to produce griping and flatulence may be prevented by associating with it aromatic carminatives, as in the official syrup, or by combining it with Saline cathartics, which act as correctives and at the same time increase its efficiency.
Dose: Of the fluid extract, ½ to 2 fluidrachms. 30 to 120 minims.
Syrup U. S. P.: Fld. Ext., 4; Fld. Ext. Coriander, 1; Syrup, 11. Dose, ½ to 1 fluid ounce.
Infusion: Br., Fld. Ext., 16; Fld. Ext. Ginger Soluble, 1; Water, 143. Dose, 2 fluid ounces.

312 SENNA COMPOUND 1 50
Each pint represents:
Senna, 8 ozs.
Jalap, 4 ozs.
Fennel, 2 ozs.
Coriander, 2 ozs.

No. PER PINT

313 SENNA and JALAP 1 75
Each pint represents:
Senna, 10 ozs.
Jalap, 6 ozs.
Potassium Carbonate, 160 grs.
Aromatics

SERPENTARIA, U. S. P. ..... [No. 361] 3 00
(See Virginia Snake Root)

SHEPHERD'S PURSE ..... [No. 401] 1 50
(Capsella Bursa Pastoris)

314 SKUNK CABBAGE (Symplocarpus foetidus)..... 2 00

315 SOAP-TREE BARK (Quillaia Saponaria)..... 1 50

SPIGELIA (See Pink Root) ..... [No. 267] 2 75

316 SPIKENARD (Aralia racemosa)..... 1 50

Mildly stimulant and diaphoretic. Best given in the form of the infusion.

Useful in the early stages of bronchial affections in the dose of 1 to 4 fluidrachms, for either Syrup or Infusion.

317 SQUAW VINE (Mitchella repens) 1 50

Said to be diuretic, tonic, and astringent, and capable of facilitating child-birth if taken for some time, towards the close of pregnancy. Used also in dropsy, suppression of urine and dysmenorrhea.

Dose: 30 to 60 minims.

318 SQUAW VINE COMPOUND..... 1 75
Each pint represents:
Squaw Vine, 8 ozs.
False Unicorn, 2 2-3 ozs.
Cramp Bark, 2 2-3 ozs.
Blue Cohosh, 2 2-3 ozs.

319 SQUILL (Urginea maritina) 1 50

Expectorant and diuretic. In large doses emetic and cathartic. Reduces the rate and increases the tension of the pulse, somewhat resembling Digitalis in its action on the heart and kidneys.

Uses: chiefly as an expectorant in combination with other remedies and as a diuretic in dropsical diseases. The Fluid Extract is to be preferr for the latter purpose.

Dose: 3 to 5 minims.

320 SQUILL COMPOUND 2 50
Each pint represents:
Squill, 8 ozs.
Senega, 8 ozs.

For preparing hive syrup. Expectorant, diaphoretic, diuretic; in large doses emetic.

Uses: spasmodic croup and the bronchial affections of childhood.

Dose: 10 to 30 minims.

Compound Syrup Squill U. S. P. (Hive Syrup): Fld. Ext., 2 fluidrachms; Tartar Emetic, 11 grains; Boiling Water, 3 fluidrachms; Syrup, 11 fluid ounces. Dose, for child, emetic, 10 to 60 minims. Adults, expectorant, 15 to 30 minims.

No. PER PINT

STAPHISAGRIA ..... [No. 321] 2 50
(See Stavesacre Seed)

STAR GRASS (See Unicorn Root) ..... [No. 350] 2 50

321 STAVESACRE SEED, U. S. P..... 2 50
(Delphinium Staphisagria)

322 STILLINGIA, U. S. P. (Stillingia sylvatica) 1 75

Said to be emetic and alterative.

Uses: for syphilis, and in cutaneous, hepatic and glandular disorders.

Dose: 15 to 30 minims.

Elixir: Fld. Ext., 1; Aromatic Elixir, 4. Dose, 1 to 4 fluidrachms.

323 STILLINGIA COMPOUND 1 75
Each pint represents:
Stillingia, 4 ozs.
Chimaphila, 2 ozs.
Sambucus, 2 ozs.
Coriander, 1 oz.
Turkey Corn, 4 ozs.
Iris, 2 ozs.
Prickly Ash Berries, 1 oz.

STONE ROOT (Collinsonia Canadensis) [No. 327] 1 25

Stimulant, carminative and diuretic.

Uses: in catarrhal affections of the bronchial and genito-urinary mucous membranes, particularly in gravel and catarrh of the bladder. Used also in rheumatism and dropsy.

Dose: 30 to 120 minims.

324 STRAMONIUM LEAVES, assayed. Standard, 0.35 per cent alkaloids (Datura Stramonium).... 1 50

Action and uses similar to Belladonna.

Uses: internally, chiefly for spasmodic asthma and by local application for relief of pain in neuralgia and rheumatic affections. Very efficient in acute muscular rheumatism, lumbago, etc.

Dose: 1 to 3 minims.

325 STRAMONIUM SEED, assayed. Standard, 0.35 per cent alkaloids (Datura Stramonium).... 1 75

Antispasmodic, anodyne, mydriatic.

Therapeutic uses similar to those of Belladonna. Has been much used as an antispasmodic in asthma; also for the treatment of epilepsy, mania, etc. Locally for the relief of neuralgic and rheumatic pain.

Dose: 1 to 3 minims.

Tincture: Fld. Ext., 2; Diluted Alcohol, 18. Dose, 3 to 12 min.

SUMBUL (See Musk Root) ..... [No. 234] 3 25

326 SWEET FLAG, U. S. P. (Acorus Calamus) 1 75

327 See Stone Root 1 25

328 See Scoparius 1 35

329 See Horse Nettle 2 00

No. PER PINT

335 TAG ALDER (Alnus serrulata) 1 25

336 TAMARAC BARK (Larix Americana) 1 25

337 TANSY (Tanacetum vulgare) 1 25

338 TAR SOLUBLE 1 25

For preparing Syrup of Tar, U. S. P. Also useful in combination with expectorants and tonics in cough mixtures, cordials or wines.

Syrup: Fluid Tar Soluble, 2; Syrup, 14.

Dose: Of the syrup, ½ to 1 ounce.

TARAXACUM (See Dandelion) .....[No. 137] 1 25

339 TOLU SOLUBLE FOR SYRUP 1 25
(Toluifera Balsamum)

This preparation is a concentrated alcoholic solution of those principles of Balsam Tolu which are soluble in syrup. As Tolu is in itself expectorant and affords an agreeable flavor, this preparation is a useful addition to cough syrups.

Dose: Ad Lib.

Syrup U. S. P.: Fld. Ext., 1; Syrup, 15.

TONGA .....[No. 402] 5 00
(Raphidophora vitiensis and Premna taitensis)

340 TONKA BEAN (Dipterix odorata) 5 00

341 TRIFOLIUM COMPOUND FOR SYRUP 2 50
4 fluid ounces make one pint of syrup.

For Syrup Trifolium Comp.: Fld. Ext., 4; Syrup, 12. Dose, 2 to 4 fluidrachms.

TRITICUM, U. S. P. (See Couch Grass)..[No. 122] 1 25

342 TULIP TREE BARK (Liriodendron Tulipifera).. 1 25

343 TURKEY CORN (Dicentra Canadensis)..... 2 00

344 TURMERIC (Curcuma longa) 2 00

350 UNICORN ROOT (Aletris farinosa)..... 2 50

351 USTILAGO MAYDIS (Corn Ergot) 1 75

352 UVA URSI, U. S. P. (Arctostaphylos Uva Ursi).. 1 25

Diuretic, genito-urinary antiseptic. One of the most effective of curative remedies in catarrhal inflammatory affections of the urinary organs.

Used in pyelitis, cystitis, urinary incontinence, dysury strangury. Also used, like other remedies of its class, in chronic bronchitis and in atonic diarrhea.

Dose: 15 to 60 minims.

Infusion: Fld. Ext., 1; Hot Water, 19. Dose, 1 to 2 fluid ounces.

Elixir: Fld. Ext., 1; Aromatic Elixir, 4. Dose, 2 to 4 fluidrachms.

No. PER PINT

357 VALERIAN, U. S. P. (Valeriana officinalis)..... 1 75

Antispasmodic and nerve tonic.

Uses: one of the most important remedies for the treatment of hysteria; largely employed also in chorea, hypochondria, mental derangement from shock, and for flatulence and constipation, when due to debility, where it is desired to avoid the use of cathartics.

Dose: 30 to 60 minims.

Tincture, Ammoniated U. S. P.: Fld. Ext., 4; Aromatic Spirits Ammonia, 16. Dose, ½ to 1 fluidrachm.

Tincture U. S. P.: Fld. Ext., 1; Alcohol, 3; Water 1. Dose, 1 to 4 fluidrachms.

VERATRUM VIRIDE, U. S. P. .....[No. 5.] 2 00
(See American Hellebore)

359 VERVAIN (Verbena hastata)..... 1 50

VIBURNUM, OPULUS, U. S. P. .....[No. 123] 1 50
(See Cramp Bark)

VIBURNUM PRUNIFOLIUM ..... [No. 41] 2 00
(See Black Haw)

360 VIBURNUM COMPOUND..... 2 00
Each pint represents:
Cramp Bark, 3 ozs.
Scullcap, 1 1-2 ozs.
Wild Yam, 1 1-2 ozs.

361 VIRGINIA SNAKE ROOT..... 3 00
(Aristolochia Serpentaria)

370 WAFER ASH (Ptelea trifoliata)..... 2 00

371 WAHOO (Euonymus atropurpureus) 3 25

An active and useful purgative; esteemed as a cholagogue.

Uses: flatulent constipation and dyspepsia with deficient biliary secretion.

Dose: 60 to 120 minims.

WARBURG TINCTURE (See Tinctures).....

WATERMELON SEED ....[No. 387] 1 80
(Citrullus vulgaris)

372 WATER PEPPER (Polygonum punctatum)..... 1 25

WHITE BRYONY (Bryonia alba).....[No. 388] 2 00

373 WHITE INDIAN HEMP (Asclepias incarnata)... 1 50

374 WHITE PINE BARK (Pinus Strobus)..... 1 25

375 WHITE PINE COMPOUND FOR SYRUP 2 00
Each pint represents:
White Pine Bark, 4 ozs.
Spikenard, 256 grs.
Cherry Bark, 4 ozs.
Sassafras, 128 grs.
Sanguinaria, 224 grs.
Morphine Acetate, 12 grs.
Balm of Gilead Buds, 256 grs.

No. PER PINT

376 WHITE POND LILY (Nymphaea odorata)..... 1 40

377 WHITE POPLAR BARK (Populus tremuloides). 1 25

378 WILD CHERRY BARK (Prunus Virginiana) 1 50

Tonic and mild astringent.
Uses: cough, especially in phthisis, in convalescence and in expectorant mixtures.
Dose: 30 to 60 minims.
Syrup U. S. P.: Fld. Ext., 3; Glycerin, 3; Syrup, 14
Dose, 1 to 4 fluidrachms.
Infusion: Fld. Ext., ½; Water, 11½.

379 WILD CHERRY, DETANNATED 1 50
(Prunus serotina)

Designed for use where it is desirable to secure the influence of Wild Cherry Bark in combinations containing Iron. Forms clear mixtures without the production of an unsightly precipitate.
Syrup Wild Cherry, Detannated: Fld. Ext., 3; Syrup, 17. Dose, 4 fluidrachms.

380 WILD CHERRY FOR SYRUP (Proctor's Formula) 1 25

A well known preparation in frequent demand. Less astringent than the official syrup. It mixes well with preparations containing Salts of Iron without discoloration or precipitation.

381 WILD INDIGO (Baptisia tinctoria)..... 1 25

383 WILD LETTUCE (Lactuca Canadensis)..... 1 25

382 WILD YAM (Dioscorea villosa)..... 1 75

384 WINTERGREEN (Gaultheria procumbens)..... 1 75

385 WITCH HAZEL, U.S.P. (Hamamelis Virginiana) 1 25

Somewhat astringent and slightly tonic. Much used as a local application for hemorrhoids, sprains, bruises, etc.
Dose: 20 to 30 minims.

386 WORMSEED LEVANT (Artemisia Pauciflora)... 1 75

387 See Watermelon Seed..... 1 80

388 See White Bryony..... 2 00

XANTHOXYLUM (See Prickly Ash) [No. 275] 2 00

390 YARROW (Achillea Millefolium)..... 1 25

391 YELLOW DOCK (Rumex crispus) 1 25

Astringent, slightly tonic and laxative.
Uses: internally, in skin diseases, hepatic congestion, and dyspepsia with tendency to gout. Externally in scabies and other skin diseases.
Dose: 30 to 60 minims.

No. PER PINT

392 YELLOW DOCK COMPOUND 1 50
Each pint represents:
Yellow Dock, 8 ozs.
False Bitter-Sweet, 4 ozs.
American Ivy, 2 ozs.
Figwort, 2 ozs.

393 YELLOW POND LILY (Nymphaea advena) 1 25

394 YERBA BUENA (Micromeria Douglasii)..... 3 00

395 YERBA REUMA (Frankenia Grandiflora)..... 3 00

396 YERBA SANTA, U. S. P. 2 50
(Eriodictyon glutinosum)

A tonic expectorant. Masks the taste of Quinine Salts.
Dose: 15 to 60 minims.

397 YERBA SANTA, AROMATIC, FOR SYRUP..... 2 00

Useful as a stimulating expectorant.
Its chief uses are as an ingredient of cough mixtures and as a palatable vehicle for Quinine, efficiently masking its bitter taste.

398 See Goat's Rue..... 2 50

399 See Lungwort 2 00

400 See Pinus Canadensis Comp., Colorless 1 25

401 See Shepherd's Purse 1 50

402 See Tonga 5 00

ELIXIRS

In elegance and quality of goods, our line of Elixirs, Syrups, Wines and Cordials will be found unsurpassed.

For price in 5 pint bottles, deduct 10 cents per pint from list.

No.		PINT	GAL.
	ACETANILID COMPOUND ..... [No. 152]	1 00	6 80

Each fluidrachm contains:
- Acetanilid, 2 grs.
- Caffeine, 1-4 gr.
- Sodium Bromide, 5 grs.
- Codeine Sulph., 1-16 gr.
- Tinct. Gelsemium, 3 m.

An analgesic and sedative compound of prompt efficiency in migraine and severe neuralgic states.

Dose: 1 to 2 fluidrachms.

	ALETRIS COMPOUND ..... [No. 150]	90	6 00

Each fluid ounce represents:
- Unicorn Root (aletris), 15 grs.
- Cramp Bark, 15 grs.
- Blue Cohosh, 15 grs.
- Squaw Vine, 15 grs.

Indicated in the treatment of threatened abortion and in chronic congestion and subinvolution of the uterus.

Dose: 1 to 2 fluidrachms.

	ALKALINE DIGESTIVE ..... [No. 151]	90	6 00

Each fluid ounce represents:
- Avena Sativa, 8 grs.
- Hydrastis Canadensis, 8 grs.
- Prickly Ash Bark, 8 grs.
- Jamaica Ginger, 4 grs.
- Gentian, 4 grs.
- Sodium Bicarbonate, 4 grs.

Laxative, antacid, stomachic and intestinal tonic. Improves appetite and stimulates digestion in both stomach and bowel. Indicated in dyspeptic disorders with flatulence or hyperacidity, in chronic diarrhea or intestinal indigestion, and in the after treatment of acute attacks of gastritis, summer diarrhea, cholera morbus, and the intestinal derangements of infants.

Dose: 1 to 2 fluidrachms before meals.

ALKALINE ELIXIR RHUBARB COMP. .....
(See Neutralizing Cordial, Improved, page 123)

ALKALINE ELIXIR RHUBARB COMP. with PANCREATIN .....
(See Neutralizing Cordial Improved with Pancreatin, page 123)

1	**AMMONIUM BROMIDE**	70	4 40

Each fluidrachm contains:
Ammonium Bromide, 5 grs.

2	**AMMONIUM VALERIANATE**	75	4 80

Each fluidrachm contains:
Ammonium Valerianate, 2 grs.

Tonic to the central nervous system. Indicated in nervous depression dependent on exhaustion. Useful in neuralgia, melancholia, hysteria, insomnia, nervous palpitation, etc.

Dose: 1 to 2 fluidrachms.

No.		PINT	GAL.
3	**AMMONIUM VALERIANATE and MORPHINE**	80	5 20

Each fluidrachm contains:
- Ammonium Valerianate, 2 grs.
- Morphine Valerianate, 1-16 gr.

4	**AMMONIUM VALERIANATE and QUININE**	80	5 20

Each fluidrachm contains:
- Ammonium Valerianate, 2 grs.
- Quinine Valerianate, 1-2 gr.

5	**AMMONIUM VALERIANATE, QUININE and STRYCHNINE**	80	5 20

Each fluidrachm contains:
- Ammonium Valerianate, 2 grs.
- Quinine Valerianate, 1-2 gr.
- Strychnine Valerianate, 1-60 gr.

6	**AMMONIUM VALERIANATE and STRYCHNINE**	80	5 20

Each fluidrachm contains:
- Ammonium Valerianate, 2 grs.
- Strychnine Valerianate, 1-60 gr.

7	**ANISE, N. F**	55	3 20
	ANTI-ASTHMATIC, (Dr. Hare) [No. 153]	1 00	6 80

Each fluid ounce represents:
- Sodium Iodide, 16 grs.
- Sodium Bromide 16 gr.
- Lobelia, 3 1-5 m.
- Euphorbia Pilulifera, 24 m.
- Nitroglycerin, 1-25 gr.

Antispasmodic and sedative. Has been found very effective in the treatment of asthma.

Dose: 1 to 4 fluidrachms every two to four hours until the attack is controlled. In the interval, 1 to 2 fluidrachms, three to four times daily.

8	**AROMATIC, U. S. P.**	55	3 20
9	**AROMATIC, U. S. P., Red**	55	3 20
10	**BISMUTH**	90	6 00

Each fluidrachm contains:
Bismuth and Ammonium Citrate, 2 grs.

11	**BISMUTH and STRYCHNINE**	1 00	6 80

Each fluidrachm contains:
- Bismuth and Ammonium Citrate, 2 grs.
- Strychnine, 1-60 gr.

12	**BLACK COHOSH COMPOUND**	75	4 80

Each fluid ounce represents:
- Black Cohosh, 36 grs.
- Wild Cherry, 36 grs.
- Blood Root, 12 grs.
- Licorice Root, 12 grs.

No. PINT GAL.

BROMIDES AROMATIC with OPIUM [No. 22]. 1 15 8 00

Each fluid ounce represents:
- Potassium Bromide, 60 grs.
- Sodium Bromide, 15 grs.
- Ammonium Bromide, 15 grs.
- Caffeine Bromide, 2 grs.
- Cypripedium, 60 grs.
- Tinct. Opium, deod., 15 m.

Indicated particularly in those cases showing an insusceptibility to Bromides as ordinarily administered. After continued use the Opium notably intensifies the action of the other ingredients. Useful in obstinate forms of epilepsy.

Dose: 1 to 2 fluidrachms.

BROMIDES COMPOUND ..... [No. 21] 1 25 8 80

Each fluidrachm contains:
- Ammonium Bromide, 3 grs.
- Calcium Bromide, 3 grs.
- Lithium Bromide, 3 grs.
- Potassium Bromide, 3 grs.
- Sodium Bromide, 3 grs.

Dose: ½ to 2 fluidrachms.

13 **BROMOCHLORAL COMPOUND** 1 65 12 00

Each fluidrachm represents:
- Potassium Bromide, 15 grs.
- Chloral Hydrate, 15 grs.
- Ext. Hyoscyamus, 1-8 gr.
- Ext. Cannabis Indica, 1-8 gr.

A valuable nerve sedative. Useful in persistent insomnia, nervous excitement and irritability, nervous cough, chorea, epilepsy, hysteria, and for nervous manifestations attendant upon diseases of the uterus and its appendages.

Dose: ½ to 1 fluidrachm in water or syrup.

14 **BUCHU** 75 4 80

Each fluidrachm represents:
Buchu, 30 grs.

15 **BUCHU COMPOUND** 1 00 6 80

Each fluidrachm represents:
- Buchu, 4 grs.
- Juniper Berries, 2 grs.
- Cubebs, 3-4 gr.
- Pareira Brava, 4 grs.

Diuretic; genito-urinary antiseptic and tonic. Indicated in catarrhal diseases of the urinary tract, particularly those attended by muco-purulent deposits in the urine.

Dose: 1 to 2 fluidrachms.

16 **BUCHU, JUNIPER and POTASSIUM ACETATE** 75 4 80

Each fluid ounce represents:
- Buchu, 45 grs.
- Juniper Berries, 12 grs.
- Potassium Acetate, 16 grs.

A valuable and certain diuretic. Useful in removing dropsical effusions and in the treatment of subacute or chronic catarrhs of the genito-urinary tract. Best administered in full doses.

Dose: 2 to 4 fluidrachms.

No. PINT GAL.

17 **BUCHU, JUNIPER, UVA URSI and POTASSIUM ACETATE** 1 00 6 80

Each fluidrachm represents:
- Buchu, 10 grs.
- Juniper Berries, 5 grs.
- Uva Ursi, 5 grs.
- Potassium Acetate, 3 grs.

Properties and uses similar to the last but this preparation is more actively diuretic and is also antiseptic to the entire genito-urinary tract. Indicated particularly in severe cases or in those with marked infection; as purulent cystitis with amoniacal urine, etc.

Dose: 1 to 4 fluidrachms.

18 **BUCHU and PAREIRA BRAVA** 90 6 00

Each fluidrachm represents:
- Buchu, 15 grs.
- Pareira Brava, 15 grs.

19 **BUCHU and POTASSIUM ACETATE** 80 5 20

Each fluidrachm represents:
- Buchu, 7 grs.
- Potassium Acetate, 5 grs.

20 **BUCKTHORN BARK** 75 4 80

Each fluidrachm represents:
Buckthorn Bark, 30 grs.

21 See Bromides Comp. 1 25 8 80

22 See Bromides Aromatic with Opium 1 15 8 00

25 **CALISAYA BARK** 65 4 00

Each fluidrachm represents:
Calisaya Bark, 5 grs.

26 **CALISAYA BARK and BISMUTH** 70 4 40

Each fluidrachm represents:
- Calisaya Bark, 5 grs.
- Bismuth and Ammonium Citrate, 1 gr.

27 **CALISAYA BARK, DETANNATED** 80 5 20

Each fluidrachm represents:
Calisaya Bark, 5 grs.

28 **CALISAYA BARK and GENTIAN** 75 4 80

Each fluidrachm represents:
- Calisaya Bark, 5 grs.
- Gentian, 2 grs.

29 **CALISAYA BARK and IRON** 65 4 00

Each fluidrachm represents:
- Calisaya Bark, 5 grs.
- Iron Pyrophosphate, 2 grs.

Dose: 1 to 2 fluidrachms.

30 **CALISAYA BARK, IRON and BISMUTH** 70 4 40

Each fluidrachm represents:
- Calisaya Bark, 5 grs.
- Iron Pyrophosphate, 2 grs.
- Bismuth and Ammonium Citrate, 1 gr.

No.		PINT	GAL.
31	CALISAYA BARK, IRON, BISMUTH and PEPSIN	1 00	6 80
	Each fluidrachm represents: Calisaya Bark, 5 grs. Iron Pyrophosphate, 2 grs. Pepsin Sacch., U. S. P., 5 grs. Bismuth and Ammonium Citrate, 1 gr.		
33	CALISAYA BARK, IRON, BISMUTH and STRYCHNINE	75	4 50
	Each fluidrachm represents: Calisaya Bark, 5 grs. Iron Pyrophosphate, 1 gr. Bismuth and Ammonium Citrate, 1 gr. Strychnine, 1-100 gr.		
34	CALISAYA BARK, IRON and PEPSIN	1 00	6 80
	Each fluidrachm represents: Calisaya Bark, 5 grs. Iron Pyrophosphate, 2 grs. Pepsin Sacch., U. S. P., 5 grs.		
35	CALISAYA BARK, IRON and STRYCHNINE	65	4 00
	Each fluidrachm represents: Calisaya Bark, 5 grs. Iron Pyrophosphate, 2 grs. Strychnine, 1-50 gr.		
	Dose: ½ to 2 fluidrachms.		
36	CALISAYA BARK and STRYCHNINE	65	4 00
	Each fluidrachm represents: Calisaya Bark, 5 grs. Strychnine, 1-60 gr.		
37	CASCARA SAGRADA	75	4 50
	Each fluidrachm represents: Cascara Sagrada, 15 grs.		
38	CASCARA SAGRADA, BITTERLESS	75	4 50
	Each fluidrachm represents: Cascara Sagrada, 10 grs.		
	CASCARA and SODIUM PHOSPHATE COMPOUND [No. 49]	80	5 20
	Each fluidrachm represents: Cascara Sagrada, 20 grs. Blue Flag, 2 grs. Wahoo, 3 grs. Sodium Phosphate, 5 grs. Sodium Salicylate, 2 grs.		

Cathartic and cholagogue, for use in cases of constipation with hepatic torpor.
Dose: 1 to 2 fluidrachms.

No.		PINT	GAL.
39	CASCARA SAGRADA COMPOUND	80	5 20
	Each fluid ounce represents: Cascara Sagrada, 60 grs. Berberis Aquifolium, 30 grs. Glycyrrhiza, 60 grs. Aromatics		
	CASCARA, SENNA and RHUBARB, [No. 48]	80	5 20
	Each fluidrachm represents: Cascara Sagrada, 5 grs. Senna, 5 grs. Rhubarb, 5 grs.		
40	CATHARTIC COMPOUND	80	5 20
	Each fluidrachm represents: Rhubarb, 8 grs. Senna, 4 grs. Dandelion, 4 grs. Mandrake, 2 grs. Ginger, 1 gr. Rochelle Salts, 2 grs. Sodium Bicarbonate, 1 gr.		
41	CELERY	75	4 80
	Each fluidrachm represents: Celery Seed, 5 grs.		
42	CELERY COMPOUND	85	5 60
	Each fluidrachm represents: Celery Seed, 3 grs. Coca Leaves, 3 grs. Black Haw Bark, 3 grs.		
43	CELERY and GUARANA	1 00	6 80
	Each fluidrachm represents: Celery Seed, 10 grs. Guarana, 10 grs.		
44	CELERY, KOLA and COCA COMPOUND	85	5 60
	Each fluidrachm represents: Celery Seed, 5 grs. Kola Nuts, 5 grs. Coca Leaves, 5 grs. Black Haw Bark, 5 grs.		

Nervous tonic and uterine sedative. Used in dysmenorrhea and functional disorders of the uterus and appendages, when accompanied by depressed states of the nervous system.
Dose: 1 to 2 fluidrachms.

	CHLORAL HYDRATE [No. 57]	85	5 60
	Each fluidrachm contains: Chloral Hydrate, 10 grs.		
45	CHLOROFORM COMPOUND, N. F.	1 15	8 00
	Each fluidrachm represents: Opium, 1 gr. Chloroform, 11 m.		
	CINCHONA		
	(See Calisaya Bark, page 101)		
46	CINCHONA, FERRATED	65	4 00
	Each fluidrachm represents: Red Cinchona Bark, 5 grs. Iron and Ammonium Citrate, 2 grs.		

No.		PINT	GAL.
47	COCA LEAVES	75	4 80

Each fluidrachm represents:
Coca Leaves, 15 grs.

48	See Cascara, Senna and Rhubarb	80	5 20
49	See Cascara and Sodium Phosphate Comp	80	5 20
	EUCALYPTUS COMPOUND [No. 60]	90	6 00

Each fluidrachm represents:
Eucalyptus, 10 grs.
Prickly Ash Berries, 5 grs.
Grindelia Squarrosa, 5 grs.
Golden Seal, 2 1-2 grs.

FIVE BROMIDES

(See Bromides Compound, Page 100)

57	See Chloral Hydrate	85	5 60
58	FOUR CHLORIDES	60	3 33

Each fluid ounce represents:
Iron Chloride, 5 grs.
Mercuric Chloride, 1-16 gr.
Ammonium Chloride, 1-16 gr.
Arsenic Chloride, 1-25 gr.

A combination of hematic tonics peculiarly efficient in the systematic treatment of all obstinate anemias, whether primary or secondary; and in syphilis and chronic rheumatism. The ammonium chloride has been found of benefit in gastric catarrh, a frequent complication of severe anemia.
Dose: Two teaspoonfuls three or four times daily.

59	FRINGE-TREE COMPOUND	90	6 00

Each fluid ounce represents:
Fringe-Tree Bark, 45 grs.
Wahoo Bark, 45 grs.
Golden Seal, 15 grs.
Licorice Root, 18 3-4 grs.

Laxative, diuretic, cholagogue. Tonic alterative and demulcent to the mucous membranes of the digestive tract. Used in jaundice, constipation with deficient biliary secretion and impairment of the digestive function
Dose: 1 to 4 fluidrachms three to six times daily.

60	See Eucalyptus Compound	90	6 00
61	GENTIAN	65	4 00

Each fluidrachm represents:
Gentian, 4 grs.

	GENTIAN, DETANNATED [No. 66]	65	4 00

Each fluidrachm represents:
Gentian, Detannated, 4 grs.

62	GENTIAN, FERRATED	70	4 40

Each fluidrachm represents:
the strength of Infusion Gentian
Compound with one grain of
Soluble Iron.

No.		PINT	GAL.
63	GENTIAN and IRON CHLORIDE	65	4 00

Each fluidrachm represents:
Gentian, 4 grs.
Tinct. Iron Chloride, 5 gtt.

Stomachic bitter, with the tonic properties of muriated tincture of iron.
Dose: 1 to 4 fluidrachms.

64	GENTIAN, IRON and STRYCHNINE	75	4 80

Each fluidrachm represents:
Gentian, 4 grs.
Iron Pyrophosphate, 2 grs.
Strychnine, 1-60 gr.

Stomachic bitter, hematic and general tonic in doses from 1 to 2 fluidrachms.

65	See Guarana	1 15	8 00
66	See Gentian Detannated	65	4 00
67	GLYCEROPHOSPHATES of LIME and SODA	1 15	8 00

Each fluid ounce contains:
Glycerophosphate Lime, 4 grs.
Glycerophosphate Soda, 8 grs.

Glycerophosphates are regarded as particularly efficient and readily assimilable nerve tonic, and are specially adapted to administration in elixir form.
Dose: 2 to 4 fluidrachms.

68	GLYCEROPHOSPHATES of LIME and SODA, double strength (Red)	1 35	9 60

Represents twice the above formula in each ounce Adapted to cases requiring increased doses.
Dose: 2 to 4 fluidrachms.

	GUARANA [No. 65]	1 15	8 00

Each fluidrachm represents:
Guarana, 15 grs.

70	HELONIAS	75	4 50

Each fluidrachm represents:
Helonias Root, 10 grs.

71	HELONIAS COMPOUND	75	4 50

Each fluid ounce represents:
Helonias Root, 15 grs.
Viburnum Opulus, 15 grs.
Squaw Vine, 60 grs.
Caulophyllum, 15 grs.

Uterine sedative and antispasmodic. Used in spasmodic dysmenorrhea as an aid in parturition and in treatment of after-pains.

73	HEROIN and TERPIN HYDRATE, No. 1	1 20	8 40

Each fluidrachm contains:
Heroin, 1-12 gr.
Terpin Hydrate, 1 gr.

Cough sedative and stimulating expectorant. Lessens distress and frequency of coughing and facilitates expulsion of bronchial secretions.
Dose: 1 to 2 fluidrachms.

No.		PINT	GAL.
74	HEROIN and TERPIN HYDRATE, No. 2	1 00	6 80

Each fluidrachm contains:
Heroin, 1-24 gr.
Terpin Hydrate, 1 gr.

Dose: 1 to 2 fluidrachms.

75	IRON PHOSPHATE	65	4 00

Each fluidrachm contains:
Iron Phosphate, 2 grs.

76	IRON PYROPHOSPHATE	65	4 00

Each fluidrachm contains:
Iron Pyrophosphate, 2 grs.

77	IRON PYROPHOSPHATE and QUININE	70	4 40

Each fluidrachm contains:
Iron Pyrophosphate, 2 grs.
Quinine Sulphate, 1-4 gr.

78	IRON PYROPHOSPHATE. QUININE and STRYCHNINE	75	4 80

Each fluidrachm contains:
Iron Pyrophosphate, 2 grs.
Quinine Sulphate, 1-2 gr.
Strychnine, 1-60 gr.

Useful as a reliable general tonic in all cases with anemia or cachexia and in the lassitude and weakness attendant on nutritional disorders.
Dose: 1 to 2 fluidrachms two or three times daily.

79	IRON PYROPHOSPHATE and STRYCHNINE	75	4 50

Each fluidrachm contains:
Iron Pyrophosphate, 2 grs.
Strychnine, 1-100 gr.

80	IRON and QUININE PHOSPHATES	75	4 80

Each fluidrachm contains:
Iron Phosphate, 2 grs.
Quinine Phosphate, 1-2 gr.

81	IRON, QUININE and STRYCHNINE PHOSPHATES	75	4 80

Each fluidrachm contains:
Iron Phosphate, 2 grs.
Quinine Phosphate, 1-2 gr.
Strychnine Phosphate, 1-60 gr.

Useful as a reliable general tonic in all cases with anemia or cachexia and in the lassitude and weakness attendant on nutritional disorders.
Dose: 1 to 2 fluidrachms two or three times daily.

82	IRON, QUININE and STRYCHNINE PHOSPHATES with LACTATED PEPSIN	90	6 00

Each fluidrachm represents:
Iron Phosphate, 1-2 gr.
Quinine Phosphate, 1-2 gr.
Strychnine Phosphate, 1-128 gr.
Lactated Pepsin, 4 grs.

No.		PINT	GAL.
83	IRON and STRYCHNINE PHOSPHATES	75	4 50

Each fluidrachm contains:
Iron Phosphate, 2 grs.
Strychnine Phosphate, 1-60 gr.

84	IRONWOOD COMPOUND	75	4 50

Each fluidrachm represents:
Tinct. Nux Vomica, 5-8 m.
Tinct. Cardamom, 1 m.
Tinct. Galangal, 1 1-8 m.
Tinct. Calamus, 1 1-8 m.
Tinct. Hydrastis, 1 1-8 m.
Tinct. Gentian, 3 m.
Fld. Ext. Taraxacum, 2 1-2 m.
Fld. Ext. Triticum Repens, 3 m.
Fowler's Sol., 1-4 m.
Infusion of Ironwood q. s. to make 1 drachm.

A general tonic, stomachic bitter, and carminative preparation to use in mild digestive disorders.
Dose: 1 to 2 fluidrachms.

86	KOLA COMPOUND	75	4 50

Each fluidrachm represents:
Kola Nuts, 5 grs.
Celery Seed, 5 grs.
Coca Leaves, 5 grs.

Nerve and heart tonic. Relieves hunger and fatigue, and increases capacity for work. Useful in mild neurasthenia, functional heart weakness, temporary exhaustion from overwork, etc.
Dose: 1 to 4 fluidrachms.

LACTATED PEPSIN [No. 106]	65	4 00

Each fluidrachm represents:
Lactated Pepsin, 5 grs.

LACTATED PEPSIN, Double Strength. [No. 110]	75	4 80

Each fluidrachm represents:
Lactated Pepsin, 10 grs.

Dose: 1 to 2 fluidrachms.

LACTATED PEPSIN and BISMUTH [No. 107]	1 00	6 80

Each fluidrachm represents:
Lactated Pepsin, 4 grs.
Bismuth and Ammonium Citrate, 1 gr.

LACTATED PEPSIN, BISMUTH and STRYCHNINE [No. 108]	1 00	6 80

Each fluidrachm represents:
Lactated Pepsin, 4 grs.
Bismuth and Ammonium Citrate, 1 gr.
Strychnine, 1 128 gr.

LACTATED PEPSIN with GENTIAN and IRON CHLORIDE [No. 109]	1 00	6 80

Each fluidrachm represents:
Lactated Pepsin, 4 grs.
Gentian, 1 gr.
Iron Chloride, 1 gr.

No.		PINT	GAL.
90	LICORICE, AROMATIC (Quinine Elixir)	60	3 60
	An aromatic elixir for disguising the bitter taste of quinine or other remedies.		
91	LITHIUM CITRATE	1 10	7 60
	Each fluidrachm contains: Lithium Citrate, 2 grs.		
	LITHIUM and HYDRANGEA (See Specialties)		
92	LUPULIN	75	4 80
	Each fluidrachm represents: Lupulin, 3 grs.		
94	MANACA with SALICYLATES	1 15	8 00
	Each fluidrachm represents: Manaca, 10 grs. Sodium Salicylate, 8 grs. Potassium Salicylate, 4 grs. Lithium Salicylate, 1 gr.		

Used in acute rheumatism. A convenient and non-irritating mode of administering the salicylates, affording in addition the advantages of the antirheumatic properties of Manaca.
Dose: 1 to 2 fluidrachms every four to six hours.

95	MORPHINE VALERIANATE	1 00	6 80
	Each fluidrachm contains: Morphine Valerianate, 1-8 gr.		
96	NITROGLYCERIN COMPOUND	75	4 50
	Each fluidrachm represents: Nitroglycerin, 1-100 gr. Strychnine Sulphate, 1-50 gr. Digitalin, 1-100 gr.		

Cardiac tonic.
Dose: 1 to 2 fluidrachms three to four times daily.

98	ORANGE, U. S. P.	60	3 60
99	PARALDEHYDE	1 15	8 00
	Each fluid ounce contains: Paraldehyde, 45 grs.		
100	PEPSIN	80	5 20
	Each fluidrachm represents: Saccharated Pepsin, U. S. P., 5 grs.		
101	PEPSIN and BISMUTH	1 00	6 80
	Each fluidrachm represents: Pepsin Sacch., U. S. P., 5 grs. Bismuth and Ammonium Citrate, 1 gr.		

The soluble salt of Bismuth presented in this preparation is locally stimulant and astringent. Indicated in subacute and chronic gastric catarrh with deficient secretion of albumose and in diarrhea dependent on stomachic indigestion.
Dose: 1 to 2 fluidrachms.

No.		PINT	GAL.
102	PEPSIN, BISMUTH and IRON	1 00	6 80
	Each fluidrachm represents: Pepsin Sacch., U. S. P., 5 grs. Bismuth and Ammonium Citrate, 1 gr. Iron and Ammonium Citrate, 2 grs.		
103	PEPSIN, BISMUTH and STRYCHNINE	1 00	6 80
	Each fluidrachm represents: Pepsin Sacch., U. S. P., 5 grs. Bismuth and Ammonium Citrate, 1 gr. Strychnine, 1-60 gr.		

Properties same as last, with the addition of Strychnine as a general tonic and stimulant to the appetite and to gastric secretion in digestion.
Dose: 1 to 2 fluidrachms.

104	PEPSIN, BISMUTH STRYCHNINE and IRON	1 00	6 80
	Each fluidrachm represents: Pepsin Sacch., U. S. P., 5 grs. Bismuth and Ammonium Citrate, 1 gr. Strychnine, 1-60 gr. Iron and Ammonium Citrate, 1 gr.		
105	PEPSIN, IRON and STRYCHNINE	90	6 00
	Each fluidrachm represents: Pepsin Sacch., U. S. P., 5 grs. Iron and Ammonium Citrate, 2 grs. Strychnine, 1-60 gr.		
106	See Lactated Pepsin	65	4 00
107	See Lactated Pepsin and Bismuth	1 00	6 80
108	See Lactated Pepsin, Bismuth and Strychnine	1 00	6 80
109	See Lactated Pepsin with Gentian and Iron Chloride	1 00	6 80
110	See Lactated Pepsin, Double Strength	75	4 80
115	PHOSPHATES and CALISAYA	70	4 40
	Each fluidrachm represents: Peruvian Bark, 3 grs. Iron Phosphate, 1-2 gr. Calcium Phosphate, 1 gr. Sodium Phosphate, 1-4 gr. Phosphoric Acid, q. s.		
116	PHOSPHORUS	75	4 50
	Each fluidrachm contains: Phosphorus, 1-100 gr.		
117	PHOSPHORUS and NUX VOMICA	75	4 80
	Each fluidrachm represents: Phosphorus, 1-100 gr. Ext. Nux Vomica, 1-4 gr.		
118	POTASSIUM BROMIDE	70	4 40
	Each fluidrachm contains: Potassium Bromide, 10 grs.		

No.		PINT	GAL.
119	POTASSIUM BROMIDE and CHLORAL HYDRATE	1 00	6 80

Each fluidrachm contains:
Potassium Bromide, 10 grs.
Chloral Hydrate, 5 grs.

QUININE ELIXIR
(See Licorice Aromatic, page 108)

123	QUININE SULPHATE	85	5 60

Each fluidrachm contains:
Quinine Sulphate, 1 gr.

124	QUININE and STRYCHNINE	1 00	6 80

Each fluidrachm contains:
Quinine Sulphate, 1 gr.
Strychnine, 1-60 gr.

130	SALICYLIC ACID	75	4 80

Each fluidrachm contains:
Salicylic Acid, 1 gr.

131	SALICYLIC ACID COMPOUND	90	6 00

Each fluidrachm represents:
Salicylic Acid, 5 grs.
Black Cohosh, 5 grs.
Gelsemium, 1 gr.
Potassium Iodide, 1 gr.
Sodium Bicarbonate, q. s.

Advantageously employed in the treatment of subacute and chronic rheumatism and rheumatic pains.
Dose: ½ to 1 drachm.

132	See Simple Red	55	3 20
133	See Simple White	55	3 20
134	See Sodium Bromide	70	4 40
135	See Sodium Salicylate	90	6 00
136	See Sumbul Compound	1 00	6 80
137	SAW PALMETTO and COUCH GRASS COMPOUND	90	6 00

Each fluidrachm represents:
Saw Palmetto, 15 grs.
Corn Silk, 15 grs.
Couch Grass, 7 1-2 grs.
Sandalwood, 3 1-2 grs.

Has been found of great value in the treatment of catarrhs of the genito-urinary tract, particularly in cystitis of old men dependent on prostatic enlargement. An effectual diuretic, antiseptic and tonic to the mucous membranes, relieving pain and irritation.
Dose: 1 to 2 fluidrachms.
(For this formula with addition of Strychnine Nitrate, 1-100 gr. to each dram, see below, No. 143.)

138	See Sodium Salicylate Compound	1 40	10 00
139	See Terpin Hydrate with Codeine	1 00	6 80
140	See Viburnum Comp.	90	6 00
141	See Wahoo	75	4 80
142	See Zinc Valerianate	90	6 00

No.		PINT	GAL.
143	SAW PALMETTO and COUCH GRASS COMP. with STRYCHNINE NITRATE	90	6 00

Each fluidrachm represents:
Saw Palmetto, 15 grs.
Corn Silk, 15 grs.
Couch Grass, 7 1-2 grs.
Sandalwood, 3 1-2 gr.
Strychnine Nitrate, 1-100 gr.

Properties same as No. 137 with the addition of the general and local tonic properties of Strychnine Nitrate. Of special value in cases marked by a cardiac weakness or by a defective tone in the muscles of the bladder.
Dose: 1 to 2 fluidrachms.

SIMPLE, RED [No. 132]	55	3 20
SIMPLE, WHITE [No. 133]	55	3 20

Useful as a placebo and as a vehicle for many remedies.
Dose: 1 to 2 fluidrachms.

SODIUM BROMIDE [No. 134]	70	4 40

Each fluidrachm contains:
Sodium Bromide, 10 grs.

SODIUM SALICYLATE [No. 135]	90	6 00

Each fluidrachm contains:
Sodium Salicylate, 5 grs.

SODIUM SALICYLATE COMP. [No. 138]	1 40	10 00

Each fluidrachm represents:
Sodium Salicylate, 10 grs.
Jaborandi, 5 grs.
Black Cohosh, 5 grs.
Colchicum Seed, 5 grs.

Dose: In muscular rheumatism and chronic rheumatism, ½ to 1 fluidrachm.

SUMBUL COMPOUND [No. 136]	1 00	6 80

Each fluidrachm represents:
Musk Root, 10 grs.
Scullcap, 2 grs.
Valerian, 1-2 gr.

TERPIN HYDRATE with CODEINE [No. 139]	1 20	8 40

Each fluidrachm contains:
Terpin Hydrate, 1 gr.
Codeine Sulphate, 1-8 gr.

Cough sedative and stimulating expectorant. Lessens distress and frequency of coughing and facilitates expulsion of bronchial secretions.
Dose: 1 to 2 drachms.

146	TERPIN HYDRATE COMPOUND	1 10	7 60

Each fluidrachm represents:
Terpin Hydrate, 1 gr.
Codeine Sulphate, 1-8 gr.
Oil Tar, 2 m.
Tincture Lobelia, 1 m.
Tincture Gelsemium, 1 m.

ELIXIRS

No.		PINT	GAL.
	TERPIN HYDRATE and HEROIN ..... (See Heroin and Terpin Hydrate, pages 105 and 106)		
	VIBURNUM COMPOUND .....[No. 140] Each fluidrachm represents: Viburnum Opulus, 5 grs. Trillium, 10 grs. Aletris, 5 grs.	90	6 00

Uterine sedative. Valuable as a preventive of threatened abortion.
Dose: 1 to 4 fluidrachms.

	WAHOO ..... [No. 141] Each fluidrachm represents: Wahoo Root Bark, 10 grs.	75	4 80
	ZINC VALERIANATE ..... [No. 142] Each fluidrachm contains: Zinc Valerianate, 1 gr.	90	6 00
150	See Aletris Compound	90	6 00
151	See Alkaline Digestive	90	6 00
152	See Acetanilid Compound	1 00	6 80
153	See Anti-Asthmatic (Dr. Hare)	1 00	6 80

SYRUPS

For price in 5 pint bottles, deduct 10 cents per pint from list.

No		PINT	GAL.
4	**BLOOD ROOT COMPOUND** (Red Cough Syrup) ..... (See Net List, page 141)		
3	**BLOOD ROOT COMPOUND with HEROIN HYDROCHLORATE** ..... (See Net List, page 142)		
5	**CALCIUM HYPOPHOSPHITE** ..... Each fluidrachm contains: Calcium Hypophosphite, 2 grs.	65	4 00
6	**CALCIUM IODIDE** ..... Each fluidrachm contains: Calcium Iodide, 1 gr.	1 00	6 80
7	**CALCIUM LACTOPHOSPHATE** ..... Each fluidrachm contains: Calcium Lactophosphate, 2 grs.	90	6 00

Reputed tonic and reconstructive. Used in phthisis rachitis, and other conditions of malnutrition.
Dose: 1 to 4 fluidrachms.

8	**CALCIUM and SODIUM HYPOPHOSPHITES** Each fluidrachm contains: Calcium Hypophosphite, 2 grs. Sodium Hypophosphite, 2 grs.	75	4 80
9	**CALCIUM and SODIUM LACTOPHOSPHATES** ..... Each fluidrachm contains: Calcium Lactophosphate, 2 grs. Sodium Lactophosphate, 1 gr.	1 00	6 80
10	**CALCIUM, SODIUM and IRON HYPOPHOSPHITES** ..... Each fluidrachm contains: Calcium Hypophosphite, 2 grs. Sodium Hypophosphite, 2 grs. Iron Hypophosphite, 1-2 gr.	75	4 80

Applicable as a nutrient and regenerative for those tissues containing Calcium and Phosphorus, in anemic and poorly nourished cases.
Dose: 1 to 2 fluidrachms.

11	**CHLORAL HYDRATE** ..... Each fluidrachm contains: Chloral Hydrate, 5 grs.	1 00	6 80
15	**DOVER'S POWDER** ..... Each fluidrachm represents: Dover Powder, 5 grs.	75	4 50

Induces sleep and diaphoresis. A convenient, palatable and very efficient form for exhibiting this indispensable compound.
Dose: 1 to 3 fluidrachms.

No.		PINT	GAL.
16	**GRINDELIA COMPOUND**	75	4 50

Each fluid ounce represents:
- Blood Root, 4 grs.
- Ipecac, 1 gr.
- Yerba Santa, 56 grs.
- Grindelia, 40 grs.
- Senega, 12 grs.
- Ammonium Chloride, 12 grs.
- Chloroform, 2 m.
- Tinct. Opium, deodorized, 15 m.

HIVE SYRUP and TOLU COMPOUND.....
(See Net List, page 145)

17	**HOREHOUND COMPOUND**	75	4 50

Each fluid ounce represents:
- Horehound, 15 grs.
- Jersey Tea, 15 grs.
- Elecampane, 15 grs.
- Spikenard, 15 grs.
- Comfrey, 15 grs.
- Wild Cherry, 15 grs.
- Blood Root, 7 1-2 grs.

18	**HYDRIODIC ACID, U. S. P., 1%**	80	
19	**HYDRIODIC ACID, 2%**	1 25	

Used as a substitute for Iodides, being more palatable and less offensive to the stomach. Beneficial in chronic bronchitis, asthma and goitre.

Dose: 1 per cent syrup, ½ to 2 fluidrachms; 2 per cent surup, ¼ to 1 fluidrachm.

20	**HYPOPHOSPHITES, U. S. P.**	75	4 80

Each fluid ounce contains:
- Calcium Hypophosphite, 20 5-8 grs.
- Sodium Hypophosphite, 6 7-8 grs.
- Potassium Hypophosphite, 6 7-8 grs.

21	**HYPOPHOSPHITES COMPOUND, CALCIUM SODIUM, POTASSIUM and IRON**	75	4 50

Each fluidrachm contains:
- Calcium Hypophosphite, 2 grs.
- Sodium Hypophosphite, 2 grs.
- Potassium Hypophosphite, 1 gr
- Iron Hypophosphite, 1-2 gr.

22	**HYPOPHOSPHITES COMPOUND (Churchill's Formula)**	75	4 50

Each fluidrachm contains:
- Calcium Hypophosphite, 2 grs.
- Sodium Hypophosphite, 2 grs.
- Potassium Hypophosphite, 1 gr.

23	**HYPOPHOSPHITES COMPOUND, Hematic**	75	4 50

Each fluid ounce contains:
- Calcium Hypophosphite, 1 gr.
- Potassium Hypophosphite, 1 1-2 grs.
- Manganese Hypophosphite, 1 gr.
- Iron Hypophosphite, 1 1-2 grs.
- Quinine Hypophosphite, 7-16 gr.
- Strychnine Hypophosphite, 1-16 gr.

A hematic tonic and reconstructive of value in anemia, wasting diseases, neurasthenia, malnutrition, cachexia or depressed nerves from any cause.

Dose: 1 to 2 fluidrachms.

(See also Pill Hypophosphites Comp., page 136)

No.		PINT	GAL.
	HYPOPHOSPHITES COMPOUND, Hematic (Cloudy) [No. 29]	75	4 50

(Same formula as No. 23.

24	**HYPOPHOSPHITES COMPOUND, N. F.**	80	5 20
25	**HYPOPHOSPHITES COMPOUND with MANGANESE and QUININE**	1 00	6 80

Each fluidrachm contains:
- Calcium Hypophosphite, 2 grs
- Sodium Hypophosphite, 2 grs.
- Potassium Hypophosphite, 1 gr.
- Iron Hypophosphite, 1-2 gr.
- Manganese Hypophosphite, 1-2 gr
- Quinine Hypophosphite, 1-4 gr.

26	**HYPOPHOSPHITES COMPOUND with QUININE**	1 05	7 20

Each fluidrachm contains:
- Calcium Hypophosphite, 2 grs.
- Sodium Hypophosphite, 2 grs.
- Potassium Hypophosphite, 1 gr.
- Iron Hypophosphite, 1-2 gr.
- Quinine Hypophosphite, 1-4 gr.

27	**HYPOPHOSPHITES COMPOUND with QUININE and STRYCHNINE**	1 05	7 20

Each fluidrachm contains:
- Calcium Hypophosphite, 1 1-2 grs.
- Potassium Hypophosphite, 1 gr.
- Manganese Hypophosphite, 1-2 gr.
- Iron Hypophosphite, 1-4 gr.
- Quinine Hypophosphite, 1-4 gr.
- Strychnine Hypophosphite, 1-60 gr

28	**HYPOPHOSPHITES COMPOUND with STRYCHNINE**	90	6 00

Each fluidrachm contains:
- Calcium Hypophosphite, 1 gr.
- Sodium Hypophosphite, 1 gr.
- Potassium Hypophosphite, 1-2 gr.
- Iron Hypophosphite, 1 gr.
- Strychnine Hypophosphite, 1-48 gr

29	**See Hypophosphites Comp., Hematic (Cloudy)**	75	4 50
30	**HYPOPHOSPHITES COMP., U. S. P.**	90	6 00

Each fluidrachm represents:
- Calcium Hypophosphite, 2 grs.
- Potassium Hypophosphite, 1 gr.
- Sodium Hypophosphite, 1 gr.
- Iron Hypophosphite, 1-8 gr.
- Manganese Hypophosphite, 1-8 gr.
- Quinine, 1-16 gr.
- Strychnine, 1-146 gr.

An efficient tonic and reconstructive in struma, scrofula, anemia and other debilitated states; of value in tuberculosis, to improve appetite and digestion and to correct anemia.

Dose: 1 to 4 fluidrachms.

No.		PINT	GAL.
35	IPECAC, U. S. P.	1 00	6 80
36	IRON CHLORIDE Each fluidrachm represents: Tincture Iron Chloride, 5 gtt	75	4 80
37	IRON IODIDE, U. S. P. 5 per cent	1 25	

One of the most useful of the many preparations of Iron. Especially applicable as a tonic for children with evidences of malnutrition. Commonly employed as a tonic reconstructive in so-called "scrofulous" conditions of children with glandular enlargements, skin affections, adenoid growths, defective mental development, etc.
Dose: 10 to 30 minims after meals, well diluted.

38	IRON LACTOPHOSPHATE Each fluidrachm contains: Iron Lactophosphate, 1 gr	1 00	6 80
39	IRON and MANGANESE IODIDES Each fluidrachm contains: Iron Iodide, 2 grs. Manganese Iodide, 1-2 gr	1 00	6 80
40	IRON PHOSPHATE Each fluidrachm contains: Iron Phosphate, 2 grs.	75	4 80
41	IRON PYROPHOSPHATE Each fluidrachm contains: Iron Pyrophosphate, 3 grs.	75	4 80
42	IRON, QUININE and STRYCHNINE PHOSPHATES Each fluidrachm contains: Iron Phosphate, 2 grs. Quinine Phosphate, 1 gr. Strychnine Phosphate, 1-60 gr.	90	6 00

A tonic of wide application in the treatment of convalescent or anemic cases, and for continued use in mild nutritional disorders.
Dose: 1 to 2 fluidrachms.

46	PHOSPHATES COMPOUND, (Chemical Food) Each fluidrachm contains: Calcium Phosphate, 2 grs. Iron Phosphate, 1 gr. Sodium Phosphate, 1 gr. Potassium Phosphate, 1-2 gr.	75	4 80

Recommended particularly as a tonic in the treatment of prolonged suppuration, old abscesses, etc. Also, as a restorative to overcome the excessive waste of phosphates in bone diseases. An efficient nerve tonic, stimulating appetite and restoring energy where vegetable tonics have failed.
Dose: 1 to 2 fluidrachms.

47	PHOSPHATES COMPOUND with STRYCHNINE and QUININE MURIATE Each fluidrachm contains: Potassium Phosphate, 1 3-4 grs. Magnesium Phosphate, 1 gr. Calcium Phosphate, 3-4 gr. Iron Phosphate, 1 gr. Strychnine, 1-120 gr. Quinine Hydrochlorate, 1-4 gr.	1 00	6 80

No.		PINT	GAL.
48	See Rhubarb Aromatic, U. S. P.	65	4 00
49	See Rhubarb and Potassium Comp.	75	4 50
	QUININE, Tasteless [No. 52] Each fluidrachm represents: Quinine, 2 grs.	1 00	6 80
50	RHUBARB, U. S. P.	65	4 00
51	See Sarsaparilla Comp., U. S. P.	60	3 60
52	See Quinine,	1 00	6 80
	RHUBARB AROMATIC, U. S. P. [No. 48]	65	4 00
	RHUBARB and POTASSIUM COMPOUND [No. 49] Rhubarb Cassia Golden Seal Oil Peppermint Potassium Bicarbonate.	75	4 50
54	SARSAPARILLA Each fluidrachm represents: Sarsaparilla, 15 grs.	60	3 60

Alterative, for use in syphilis, gout, skin diseases or rheumatism. May be advantageously employed as a vehicle for Iodides.
Dose: 1 to 4 fluidrachms.

55	SARSAPARILLA and CALCIUM IODIDE Each fluidrachm represents: Calcium Iodide, 2 grs. Syrup Sarsaparilla Comp., 60 m	90	6 00
	SARSAPARILLA COMP., U. S. P. [No. 51]	60	3 60
56	SARSAPARILLA COMPOUND with POTASSIUM IODIDE Syrup Sarsaparilla Compound U. S. P. with one ounce of Potassium Iodide added to each pint.	85	5 60
57	SAW PALMETTO with HYPOPHOSPHITES Each fluidrachm represents: Saw Palmetto, 5 grs. Calcium Hypophosphite, 2 grs. Sodium Hypophosphite, 1 gr. Potassium Hypophosphite, 1 gr.	75	4 80
58	SODIUM HYPOPHOSPHITE Each fluidrachm contains: Sodium Hypophosphite, 2 grs.	65	4 00
59	SQUAW VINE COMPOUND. (Mother's Cordial) Each fluid ounce represents: Squaw Vine, 45 grs. Helonias, 15 grs. High Cranberry, 15 grs. Blue Cohosh Root, 15 grs.	65	4 00
60	SQUILL, U. S. P.	50	2 80

No.		PINT	GAL.
61	SQUILL COMPOUND, U. S. P.	70	4 40

Valuable combination in subacute or chronic bronchitis also as expectorant or emetic in croup. Must be used with caution.
Dose: 10 to 30 minims. Emetic, ¼ to 1 fluidrachm every 15 to 20 minutes until effective.

62	STILLINGIA COMPOUND	65	4 00

Each fluid ounce represents:
- Stillingia, 30 grs.
- Turkey Corn, 30 grs.
- Sambucus, 15 grs.
- Coriander, 7 1-2 grs.
- Chimaphila, 15 grs.
- Iris, 15 grs.
- Prickly Ash Berries, 7 1-2 grs.

A well tried alterative preparation for use in cases requiring a continued laxative and cholagogue treatment.
Dose: 1 to 4 fluidrachms.

65	TAR	65	4 00
66	TOLU, U. S. P.	65	4 00

Carminative and expectorant. Used largely as an appropriate and pleasing vehicle for cough mixtures.
Dose: Ad libitum.

67	TRIFOLIUM COMPOUND	80	5 20

Each fluid ounce represents:
- Red Clover, 32 grs.
- Stillingia, 16 grs.
- Burdock Root, 16 grs.
- Poke Root, 16 grs.
- Berberis Aquifolium, 16 grs.
- Cascara Amarga, 16 grs.
- Prickly Ash Bark, 4 grs.
- Potassium Iodide, 8 grs.

Largely used in the treatment of syphilitic and chronic rheumatism, and as a vehicle for Iodides. Potassium Iodide dissolves freely in this solution and is well borne by the stomach when so administered.
Dose: 1 to 4 fluidrachms.

70	WHITE PINE COMPOUND	60	3 33

Each fluid ounce represents:
- White Pine Bark, 30 grs.
- Cherry Bark, 30 grs.
- Blood Root, 3 1-2 grs.
- Balm Gilead Buds, 4 grs.
- Spikenard, 4 grs.
- Sassafras, 2 grs.
- Morphine Acetate, 3-16 gr.
- Chloroform, 4 m.

Expectorant; cough sedative. A reliable and palatable cough syrup.
Dose: 1 to 2 fluidrachms.

71	WHITE PINE COMPOUND without MORPHINE	60	3 33

Same strength as White Pine Compound.

No.		PINT	GAL.
	WHITE PINE COMPOUND with CODEINE [No. 75]	90	6 00

Each fluid ounce represents:
- White Pine Bark, 30 grs.
- Cherry Bark, 30 grs.
- Blood Root, 3 1-2 grs.
- Balm Gilead Buds, 4 grs.
- Spikenard, 4 grs.
- Sassafras, 2 grs.
- Codeine Sulph., 1-2 gr.
- Chloroform, 4 m.

Particularly serviceable in excessive coughing with tenacious secretions.
Dose: 1 to 4 fluidrachms.

72	WHITE PINE COMPOUND and TAR	60	3 33

Same strength as White Pine Compound with addition of Tar.
Dose: 1 to 4 fluidrachms.

73	WILD CHERRY, U. S. P.	65	4 00
74	YERBA SANTA, AROMATIC	80	5 20

Used chiefly as a vehicle for quinine and other disagreeable drugs. A stimulant expectorant, of value in the various forms of bronchitis.
Dose: As desired.

75	See White Pine Compound, with Codeine	90	6 00

WINES

For price in 5 pint bottles, deduct 10 cents per pint from list

No.		PINT	GAL.
5	BEEF	65	4 00

Each fluid ounce represents:
Beef, 2 ozs.

6	BEEF and IRON	70	4 40

Each fluid ounce represents:
{ Beef, 2 ozs.
{ Iron Citrate, 4 grs.

A tonic and reconstructive very largely used.
Dose: 2 to 4 fluidrachms.

7	BEEF, IRON and CINCHONA	80	5 20

Each fluid ounce represents:
{ Beef, 2 ozs.
{ Iron Citrate, 4 grs.
{ Calisaya Bark, 40 grs.

12	CINCHONA	65	4 00

A mild tonic.
Dose: 2 to 4 fluidrachms.

13	COCA	75	4 80

Each fluid ounce represents:
Coca Leaves, 80 grs.

Stimulant and sustaining. Relieves the sense of fatigue. Used as a tonic in spinal anemia, neurasthenia and as a stimulant in treating the opium habit.
Dose: 2 to 4 fluidrachms.

14	COCA and BEEF	1 00	6 80

Each fluid ounce represents:
{ Coca Leaves, 80 grs.
{ Beef, 2 ozs.

15	COCA and CELERY	90	6 00

Each fluid ounce represents:
{ Coca Leaves, 80 grs.
{ Celery Seed, 80 grs.

16	COCA with HYPOPHOSPHITES	1 00	6 80

Each fluid ounce represents:
{ Coca Leaves, 80 grs.,
{ with Calcium, Sodium and
{ Potassium Hypophosphites.

17	COLCHICUM SEED, U. S. P.	1 00	6 80

Used chiefly in the treatment of gout or chronic rheumatism.
Dose: 10 minims, gradually increased.

22	IPECAC, U. S. P.	1 25	8 80

Effective in relieving nausea and vomiting of pregnancy, in 1 or 2 drop doses, repeated hourly. Also valuable as tonic to stomach and bowels in catarrhal disturbances, chronic diarrhea, etc., when due to atonic conditions. Dose as diaphoretic or expectorant, 5 to 10 min. every ½ hour.

No.		PINT	GAL.
23	IRON	65	4 00

Each fluid ounce contains:
Iron and Ammonium Citrate, 8 grs.

24	IRON, BITTER, U. S. P.	65	4 00

Each fluidrachm contains nearly 3 grs. citrate of iron and quinine. An efficient tonic in cases of anemia or debility, of special value in treating malnutrition in infants. Dose, 1 to 2 drachms.

30	KOLA	75	4 80

Each fluid ounce represents:
Kola Nuts, 120 grs.

Twice the strength of other preparations on the market
Useful as a mild tonic in debility and nervous depression. Relieves fatigue and lassitude.
Dose: ½ to 2 drachms.

31	KOLA COMPOUND	1 00	6 80

Each fluid ounce represents:
{ Kola Nuts, 48 grs.
{ Celery Seed, 48 grs.
{ Coca Leaves, 64 grs.

Sustaining stimulant and tonic to nervous and muscular system.
Useful in relieving depression, lassitude and malaise from overwork or excess and in neurasthenia and exhaustion.
Dose: 1 to 2 fluidrachms.

40	PEPSIN	90	6 00

Each fluid ounce represents:
Pepsin, Saccharated, U. S. P., 40 grs.
Dose: 2 to 4 fluidrachms.

42	PEPTONATE IRON and MANGANESE with COD LIVER OIL	1 00	6 80

Each fluidrachm represents 15 mins. of Pure Cod Liver Oil, combined with peptonized Iron and Manganese.

See also Solution Peptonate Iron and Manganese, Net List, page 148.

45	TAR	65	4 00
50	WILD CHERRY	75	4 80

Each fluid ounce represents:
Wild Cherry Bark, 120 grs.

51	WILD CHERRY and IRON	75	4 80

Each fluid ounce represents:
{ Wild Cherry Bark, 160 grs.
{ Iron Pyrophosphate, 16 grs.

CORDIALS

For price in 5 pint bottles, deduct 10 cents per pint from list.

No.		PINT	GAL.
1	ANTI-RHEUMATIC	1 00	6 80
	Each fluidrachm represents: Cascara Sagrada, 2 1-2 grs. Sodium Salicylate, 2 1-2 grs.		
6	BLACKBERRY	75	4 80
	Juice of ripe Blackberries with Aromatics.		
7	BUCKTHORN	65	4 00
	Each fluidrachm represents: Buckthorn Bark, 10 grs.		
10	CALISAYA	75	4 80
	Each fluidrachm represents: Calisaya Bark, 5 grs.		
11	CASCARA	75	4 80
	Each fluid ounce represents: Cascara Sagrada, 60 grs. Berberis Aquifolium, 1 3-4 grs.		
12	COCA	80	5 20
	Each fluid ounce represents: Coca Leaves, 60 grs.		
13	See Neutralizing Cordial Astringent (Upjohn)	80	5 20
14	See Neutralizing Cordial Improved	75	4 80
15	See Neutralizing Cordial Improved with Pancreatin	85	5 60
20	HELONIAS	80	5 20
	Each fluid ounce represents: False Unicorn, 15 grs. Squaw Vine, 60 grs. Cramp Bark, 60 grs. Blue Cohosh, 15 grs. Aromatics		

Uterine sedative and antispasmodic.
Used in spasmodic dysmenorrhea as an aid in parturition and in treatment of after-pains.

23	INTESTINAL ANTISEPTIC, (Upjohn)	1 00	6 80
	Each fluidrachm represents: Golden Seal, 1 1-8 grs. Rhubarb, 2 1-2 gr. Coto Bark, 2 grs. Calcium Sulphocarbolate, 1-2 gr. Sodium Sulphocarbolate, 1-2 gr. Zinc Sulphocarbolate, 1-2 gr. With brandy and juice of ripe blackberries.		

A most valuable preparation for the relief of diarrheal conditions with flatulent colic or tympanites, particularly those forms which through neglect and prolonged intestinal fermentation have induced subacute and chronic inflammatory changes in the bowels
Valuable also in acute diarrheal conditions, particularly those due to indiscretions in diet.
Dose: 2 to 4 drams.

No.		PINT	GAL.
25	KOLA	1 00	6 80
	Each fluid ounce represents: Kola Nuts, 120 grs.		
	NEUTRALIZING CORDIAL ASTRINGENT (Upjohn) [No. 13]	80	5 20

This preparation combines the desirable, neutralizing and stomachic properties of Potassium Bicarbonate, Rhubarb and Golden Seal with the astringent and anodyne properties of Coto Bark and Tincture of Deodorized Opium, two mins. to each fluidrachm in combination with Brandy and aromatics in a palatable vehicle.

It will be found to meet the indications in a large majority of cases of summer diarrhea and choleraic affections.

	NEUTRALIZING CORDIAL IMPROVED, (Alkaline Elixir Rhubarb Compound) [No. 14]	75	4 80
	Each fluid ounce represents: Rhubarb, 20 grs. Golden Seal, 10 grs. Cassia, 10 grs. Potash Bicarbonate, 4 grs. Combined with Ceylon Cinnamon and Oil Peppermint.		

This preparation is of special value in diarrhea, dysentery cholera morbus, cholera infantum, irritation of the stomach, and to arrest fermentation and vomiting.

	NEUTRALIZING CORDIAL IMPROVED with PANCREATIN, (Alkaline Elixir Rhubarb Compound with Pancreatin) [No. 15]	85	5 60
	Each fluid ounce represents: Pancreatin, pure, 8 grs. Rhubarb, 20 grs. Golden Seal, 10 grs. Cassia, 10 grs. Potash Bicarbonate, 4 grs. Combined with Ceylon Cinnamon and Oil Peppermint.		

This preparation is of special value in diarrhea, dysentery, cholera morbus, cholera infantum, irritation of the stomach, and to arrest fermentation and vomiting.

28	PEPSIN	1 00	6 80
30	SEDATIVE	90	6 00
	Each fluid ounce represents: Black Haw, 60 grs. Golden Seal, 60 grs. Jamaica Dogwood, 30 grs. Aromatics.		

Anodyne and mildly hypnotic. Applicable in headache and nervous excitement attendant upon dyspeptic disturbances, or in reflex nausea and vomiting due to diseases of the uterus and its appendages.
Dose: 2 to 4 drams.

TINCTURES

Our Tinctures are made according to requirements of the U. S. Pharmacopœia and where possible have been assayed and brought to the standard of the eighth revision (1900).

No.			PER PINT
1	ACONITE LEAVES		1 00
2	ACONITE ROOT, Assayed		1 00
	ALOES	[No. 33]	1 00
3	BELLADONNA LEAVES, Assayed		1 00
	BENZOIN	[No. 17]	1 40
	BENZOIN COMPOUND	[No. 18]	1 40
	BRYONIA	[No. 34]	1 00
4	CANNABIS INDICA		1 75
	CANTHARIDES	[No. 19]	1 00
	CAPSICUM	[No. 20]	1 00
	CARDAMOM COMPOUND	[No. 21]	1 00
	CATECHU COMPOUND	[No. 35]	1 00
	CIMICIFUGA	[No. 36]	1 00
5	CINCHONA, YELLOW, Assayed		1 00
6	CINCHONA COMPOUND		1 00
	CINCHONA, RED COMPOUND	[No. 32]	1 00
	COLCHICUM SEED	[No. 22]	1 25
7	CONIUM SEED		1 00
8	DIGITALIS		1 00
	GELSEMIUM	[No. 23]	1 00
	GENTIAN	[No. 24]	90
	GENTIAN COMPOUND	[No. 25]	90
	GINGER	[No. 26]	1 00
	HENBANE	[No. 27]	1 00
	IODINE, U. S. P	[No. 37]	1 55
	IODINE, Colorless	[No. 38]	1 00
	IRON CHLORIDE	[No. 28]	90
	KINO	[No. 39]	1 50
	MYRRH	[No. 40]	1 50
9	NUX VOMICA, Assayed		1 0
10	OPIUM (Laudanum), Assayed 5½ grains of Crystallized Morphine (equal to 6⅞ grains Morphine Sulphate in each fluid ounce.		3 00
11	OPIUM CAMPHORATED (Paregoric), Assayed .22 grain of Morphine in each fluid ounce.		80

No.			PER PINT
	OPIUM, Deodorized, U. S. P., Assayed 5½ grains of Crystallized Morphine, (equal to 6⅞ grains Morphine Sulphate in each fluid ounce	[No. 16]	2 00
	ORANGE PEEL, SWEET	[No. 29]	1 00
	PULSATILLA	[No. 41]	1 00
	RHUBARB	[No. 30]	90
	STROPHANTHUS	[No 13]	1 50
	VALERIAN	[No 31]	1 00
12	VERATRUM VIRIDE		1 00
	WARBURG	[No 14]	2 00
	WARBURG, without Aloes	[No. 15]	2 00
13	See Strophanthus		1 50
14	See Warburg		2 00
15	See Warburg without Aloes		2 00
16	See Opium		2 00
17	See Benzoin		1 40
18	See Benzoin Compound		1 40
19	See Cantharides		1 00
20	See Capsicum		1 00
21	See Cardamom Comp		1 00
22	See Colchicum Seed		1 25
23	See Gelsemium		1 00
24	See Gentian		90
25	See Gentian Compound		90
26	See Ginger		1 00
27	See Henbane		1 00
28	See Iron Chloride		90
29	See Orange Peel, Sweet		1 00
30	See Rhubarb		90
31	See Valerian		1 00
32	See Cinchona, Red Comp		1 00
33	See Aloes		1 00
34	See Bryonia		1 00
35	See Catechu Compound		1 00
36	See Cimicifuga		1 00
37	See Iodine, U. S. P		1 55
38	See Iodine, Colorless		1 00
39	See Kino		1 50
40	See Myrrh		1 50
41	See Pulsatilla		1 00

POWDERED EXTRACTS

AND CONCENTRATIONS

We have taken great pains in preparing uniformly good articles in an impalpable powder. In all instances where it is admissible, we use the powdered drug as a diluent, to take the place of the loss of moisture in drying, thus making the powdered extracts fully up to the standard strength of the soft extracts of the Pharmacopœia. In some cases, however, it is impossible to procure the powdered drug in suitable condition to be used as a diluent, and in such cases Sugar of Milk is used.

As Powdered Extracts are hygroscopic, the containers should be kept in a cool place, and at all times securely corked.

Special prices quoted for bulk quantities on application.

No.		PER OZ. VIAL
1	ACONITE LEAVES	40
2	ACONITE ROOT	40
3	ALOES	40
7	BARBERRY BARK	60
8	BELLADONNA LEAVES. Standardized, 1.4 per cent Atropine	45
9	BLACK HAW	65
10	BLACK HELLEBORE	40
11	BLADDER WRACK	40
12	BLOOD ROOT. Standardized, 10 per cent Sanguinarin	50
13	BUCHU LEAVES	60
14	BUTTERNUT	40
19	CALABAR BEAN. Standardized, 2 per cent alkaloids	3 00

No.		PER OZ. VIAL
20	CANNABIS INDICA	1 75
21	CASCARA SAGRADA	50
22	CINCHONA CALISAYA. Standardized, 20 per cent total alkaloids	75
23	COLCHICUM ROOT. Standardized, 1.4 per cent Colchicine	85
24	COLOCYNTH APPLE	60
25	COLOCYNTH COMPOUND	30
26	COLOMBO	40
27	CONIUM LEAVES	40
28	CONIUM SEED	40
29	COTTON ROOT BARK	50
30	CULVER'S ROOT	45
35	DAMIANA	75
36	DANDELION	40
37	DIGITALIS	40
38	DULCAMARA	40
40	ERGOT	90
42	GELSEMIUM	50
43	GENTIAN	40
44	GOLDEN SEAL. Standardized, 10 per cent Hydrastine	1 50
45	GUARANA	1 40
47	HENBANE. Standardized, 0.3 per cent alkaloids	45
44	HYDRASTIS. See Golden Seal	
48	HOPS	60
49	IGNATIA BEAN. Standardized, 10 per cent alkaloids	1 00
50	IPECAC	4 00
51	IRISIN (Concentration)	60
54	JABORANDI	90
55	JALAP	45
56	JAMAICA DOGWOOD	1 00
59	LADIES' SLIPPER	50
60	LETTUCE, WILD	60

POWD. EXTS.

No.		PER OZ. VIAL
61	LEPTANDRIN (Concentration)	45
62	LOBELIA	40
63	MANDRAKE	40
64	MUSK ROOT	1 00
67	NUX VOMICA. Standardized. 5 per cent Strychnine	40
69	OPIUM, Standardized. 20 per cent crystallized Morphine	1 45
19	PHYSOSTIGMA (Calabar Bean)	3 00
72	PODOPHYLLIN (Resin)	40
73	POKE ROOT	40
74	PRICKLY ASH BARK	40
75	PULSATILLA	50
78	QUASSIA	50
79	RHATANY	40
80	RHUBARB	45
12	SANGUINARIA. See Blood Root	50
82	SARSAPARILLA	50
83	SCULLCAP	50
84	STILLINGIA	50
85	STRAMONIUM LEAVES. Standardized. 1.4 per cent alkaloids	45
86	STRAMONIUM SEED. Standardized. 1.4 per cent alkaloids	50
89	VALERIAN	40
91	WARBURG TINCTURE. 1 gr. represents 15 minims of Warburg Tincture.	1 00
92	WARBURG TINCTURE, without Aloes. 1 gr. represents 30 minims of Warburg Tincture.	1 00
93	WAHOO	45
94	WITCH HAZEL	40
96	YELLOW DOCK	50

SPECIALTIES

PILL ANTI-CONSTIPATION (Upjohn)

Supplied in Black, Pink or Chocolate Coatings

Eliminant and Corrective

Aloin,	1-8 gr.
Podophyllin,	1-8 gr.
Ext. Belladonna,	1-8 gr.
Strychnine,	1-80 gr.
Oleores. Capsic.,	1-10 gr.

In the treatment of chronic constipation the chief requisite is the selection of a formula that will produce normal movements of the bowels by stimulating the glandular secretions and by promoting normal contractions and tonicity of the muscular coats of the intestines.

It has been our experience in the production of this class of remedies that the best formula to meet the average case of constipation is that offered in Pill Anti-Constipation (Upjohn). It has been the experience of the many who have employed this formula for years that no similar combination of remedies in tablet form, or in pills made by any other process, is so certainly and uniformly productive of good results as the pill here offered. This pill combines the action of laxative, tonic, and antispasmodic principles in such a way as to produce a definite, but not excessive, effect on the bowel, without any unpleasant or disadvantageous features.

Pill Anti-Constipation (Upjohn), may be used continuously for long periods of time, without increase of dosage, and without producing intestinal atony. This fact gives it the highest place among routine remedies for habitual constipation. Its use should be persisted in regularly until the peristaltic action of the intestinal muscles is restored to the normal, and a habit of regular daily fecal evacuation is well established. When this is accomplished, the treatment may gradually be diminished, and after a time discontinued entirely, the patient taking due care as to diet, and giving proper attention to a continuous and regular habit. In most cases one pill at night will be found sufficient to meet the indication, although two may be required.

Attention to the results secured by the use of these pills will convince you of the therapeutic efficiency of Pill Anti-Constipation (Upjohn). The pill is made by our well-known friable process, without excipient, and undergoes ready and complete disintegration in the stomach. For this reason its action is prompt and certain. This friable condition is permanent, and is in itself a guarantee of uniformity of action, not to be found in pills made by any other process.

The care bestowed upon the selection and compounding of materials, together with the physical qualities imparted by the process of manufacturing, results in a product which gives immediate, painless, unfailing results.

When prescribing, please specify Upjohn's.
For prices, see page 139.

PILL METHYLENE BLUE COMP. (Upjohn)

Coated Blue

Antiseptic, Anti-Gonorrheal, Diuretic, Resolvent

Each pill represents:

Methylene Blue, pure, medicinal,	1 gr.
Acid, Cubebic, pure,	1-2 gr.
Sodium Copaivate, pure,	1-2 gr.
Thiosinamine,	1-10 gr.
Ext. Kava Kava,	1 gr.
Powd. Nutmegs,	q. s.

Methylene Blue has proven of great value for internal use in gonorrhea as it passes through the system and is excreted by the kidneys unchanged, thus exerting its well known antiseptic action on the gonococci and thoroughly disinfecting the urinary tract from above downward.

While this combination is indicated in all stages of Gonorrhea, it will be found of especial value in those chronic cases of gonorrhea and gleet so frequently complicated by stricture. Stimulating the excretion of the kidneys it thoroughly irrigates and renders aseptic the entire urinary tract, exerting the resolvent action of Thiosinamine upon the urethral canal, thus proving of value in stricture, especially where accompanied by proper local treatment.

In cystitis, Pill Methylene Blue Compound appears to fulfill the two requirements of treatment, viz., relief of pain and disinfection of the urinary tract. The Methylene Blue, excreted through the urine, which it stains a greenish blue, possesses both analgesic and antiseptic properties. The other ingredients of the formula act as powerful synergists, favoring antisepsis, and stimulating the mucous membrane, thus allaying inflammation and promoting resolution.

Dose: One or two pills, three or four times daily.

We use only Pure Methylene Blue, especially prepared for medicinal use, imported directly from Germany by us, each and every lot of which is subjected to a careful analysis by our analytical department before accepting.

Tetramethyl-Thionine Hydrochlorate occurs in bluish crystals or blue powder. Great care should be taken not to use the ordinary Methylene Blue of the markets, which is the Zinc-chloride double salt of Tetramethyl-Thionine, and is commonly employed as a dye or stain, but is not safe for use internally in medicine. It is very important not to have dispensed on your prescriptions Methyl Blue, a solution of which cannot be distinguished from a solution of Methylene Blue without great care and toxic effects have been frequently observed as a result of errors in dispensing one drug for the other.

When prescribing, please specify Upjohn's.

For prices, see page 141.

PILL RESTONAL (Upjohn)

Coated Pink

(Restorative Tonic Alterative)

Each pill represents:

Blaud's Mass,	2 1-2 grs.
Potassium Iodide,	1-2 gr.
Quinine Sulphate,	1-2 gr.
Arsenic,	1-60 gr.
Mercury Biniodide,	1-40 gr.

This formula will be found to have a wide range of application in anemia, chlorosis, amenorrhea and in all debilitated conditions due to functional derangements of the glandular organs, in convalescence and in debility from whatever cause, not dependent upon organic diseases.

As most cases of debility are due to malnutrition and deficient metabolism, and as nutrition is primarily dependent upon proper blood conditions, we naturally look to hematics or blood-building agents for aid in reconstruction. The well-deserved reputation of Iron Proto-Carbonate, or Blaud's Mass, entitles it to a place in the foreground of reconstructive therapeutics, and when this preparation can be relied upon for permanency, and when combined with other tonics and alteratives that will increase the appetite, promote glandular activity, and at the same time aid in the elimination of effete material, it becomes possible for us to supplement the "viz medicatrix naturae" and to furnish material assistance to the recuperative processes. Among the simple bitter tonics, none have been better sustained than the preparations of Cinchona, hence our addition of a tonic dose of Quinine Sulphate. From the standpoint of alteratives and glandular stimulants, at the same time eliminative Iodide of Potassium in connection with Mercury Biniodide will be found to meet the indications more nearly, in the average case, than any other combination, and will be found to produce less irritation than when administered alone. When, to the above, we add the tonic and alterative effects of Arsenic in safe but efficient doses, we have a combination that cannot fail to give results as indicated.

Dose: One or two pills four times daily.

To avoid substitution, we recommend prescribing or dispensing in original packages of 100 pills.

NOTE—The Blaud's Mass used in this pill is made by our own process, and protected from oxidation; thus insuring absolute permanence. See below, under "Ferruginous Pills."

For prices see page 141.

FERRUGINOUS (Blaud's) PILLS

Representing Blaud's Mass in permanent form, with a maximum percentage of available Iron.

FERRUGINOUS, (Blaud's) 3 grs. coated black, pink, chocolate or white.

{ Iron Sulphate, exsic., 1 1-2 grs.
{ Potassium Carbonate, 1 1-2 grs.

FERRUGINOUS, (Blaud's) 5 grs., coated black, pink, chocolate, white or red.

{ Iron Sulphate, exsic., 2 1-2 grs.
{ Potassium Carbonate, 2 1-2 grs.

FERRUGINOUS, (Blaud's) Modified, 3 grs. coated black or pink.

{ Iron Sulphate, exsic., 1 1-2 grs.
{ Potassium Carbonate, 1 1-2 grs.
{ Arsenous Acid, 1-60 gr

FERRUGINOUS, (Blaud's) Modified, 5 grs. coated black or pink.

{ Iron Sulphate, exsic., 2 1-2 grs.
{ Potassium Carbonate, 2 1-2 grs.
{ Arsenous Acid, 1-40 gr.

For net prices in pounds, see page 140.

See also general list, including other Ferruginous Combinations, pages 37-39.

In reconstructive medication, therapeutists have at all times turned to the salts of iron with confidence. Of all the iron salts, it is perhaps true that the protocarbonate has best stood the test of extended use. As judged by the law of demand, it easily outranks all other salts, but is not deserving of this prominence unless permanence is assured. **In our Blaud's Combination the highest degree of permanence is attained.**

It is usually stated of Blaud's pills that they should be freshly prepared when wanted, to avoid the formation of the therapeutically inactive ferric hydrate (oxidation of the iron). As prepared by any other method this oxidation, and consequent destruction of the preparation as a remedial agent, is inevitable. **As exhibited in our Blaud's Pill the Ferrous carbonate is protected from oxidation, so that after years, they are found, on crushing, to contain unchanged the full content of iron carbonate orignally present.** This is evident to the eye and touch by the softness of the mass and its normal greenish gray color as against the stony hardness and brown color of an oxidized pill.

Blaud's Ferruginous Pills (Upjohn) contain, FROM FIRST TO LAST, 27 to 30 per cent of AVAILABLE FERROUS CARBONATE, or about 1 1-3 grains in each 5 grain pill.

When prescribing please specify **Upjohn's**, the permanent unoxidizable Ferruginous Pills.

CARIPEPTIC LIQUID (Upjohn)

The Vegetable Digestant.

This valuable digestant represents in palatable form all the active concentrated enzymes of Carica Papaya (Papaw). In this preparation we have succeeded in eliminating entirely that acrid escharotic principle always found in the dried milk of the Papaw (which constitutes entirely many preparations now offered the profession under different trade names) presenting in permanent solution only the purified Proteolytic, Rennet and Amylolytic ferments.

Vegetable Pepsin differs from hog or other animal pepsin in not developing by decomposition that fetid, disagreeable odor always present in animal pepsin when exposed to an elevation of temperature.

ACTIVE UNDER ALL CONDITIONS

Another and greater difference being that it is active in either acid, alkaline or neutral conditions. Its greatest value is as a digestant of meats, although it has the power of digesting all forms of Proteid substances, and combines in itself the solvent properties of the Salivary, Stomachic and Pancreatic secretions.

Upon milk its action is much the same as pancreatin, peptonizing the milk and completely converting the albuminoids into soluble, readily assimilable peptones. Its amylolytic action renders it valuable as a starch digestant, it being capable of completely converting cooked starch into soluble dextrin and maltose.

Its emulsifying action is marked and very effective and it has been clearly proven by its external use to possess valuable antiseptic properties.

Caripeptic Liquid (Upjohn) is indicated in all stomach and intestinal troubles and its continued use will soon establish its value as having a wider range than any digestive preparation ever offered the profession.

In preparing milk or other food for infants or invalids, the addition of one to two teaspoonfuls of Caripeptic Liquid (Upjohn) will greatly assist its ready assimilation without impairing the palatability.

Summer diarrhea, dysentery, cholera infantum, colic and all derangements of the Stomach and Bowels caused by overeating or the indigestion of unripe fruits and vegetables, can be prevented and are readily controlled and corrected by Caripeptic Liquid (Upjohn).

As a prophylactic give one teaspoonful after eating, as a corrective give one teaspoonful every hour until relieved.

When prescribing, please specify **Upjohn's.**

For prices, see page 142.

OTHER CARIPEPTIC PREPARATIONS

CARIPEPTIC TABLETS (Upjohn)

A concentrated preparation combining all the active digestive ferments of Carica Papaya (Papaw) with Calcium Glycerinophosphate, Ginger and Aromatics. An active digestant of all forms of food, being active in either acid, alkaline, or neutral conditions, it is indicated in all digestive derangements where a powerful digestant, antiseptic and stomachic tonic is needed. Especially valuable in those cases of atonic dyspepsia requiring an easily assimilable Nerve Tonic and Reconstructive.

Dose:—One or two Tablets either before or after meals as indicated, followed by a glass of water—preferably hot

When prescribing, please specify **Upjohn's.**

For prices, see page 160.

CARIPEPTIC TABLETS (Upjohn)

With Charcoal and Soda

A concentrated preparation, combining all the active digestive ferments of Carica Papaya (Papaw) with pure Willow Charcoal, Sodium Bicarbonate and Aromatics. An active digestant of all forms of food, combining digestive, antacid, and absorbent properties. Indicated in stomachic and intestinal Indigestion, and are especially valuable in hyperacidity, or acid dyspepsia, to correct fermentation, flatulence, sour stomach, heartburn and acid eructations

Dose:—One or two Tablets after meals as indicated, followed by a glass of water—preferably hot.

When prescribing, please specify **Upjohn's.**

For prices see page 160.

PILL CARIPEPTIC COMPOUND (Upjohn)

Coated Violet

The Vegetable Digestant, Antiseptic and Tonic Laxative

A concentrated preparation containing all the active digestive ferments of Carica Papaya (Papaw) with Ext. Nux Vomica, 1-10 gr., Casarin, pure, 1-8 gr., Capsicum, 1-8 gr. and Aromatics.

It will be found advantageous to administer **Pill Caripeptic Compound** (Upjohn), in connection or alternation with Caripeptic Liquid (Upjohn) and Caripeptic Tablet (Upjohn), in order to overcome the tendency to constipation, and lack of tonicity of the digestive tract.

Dose:—One to three Pills, as indicated, before meals or at bed-time, followed by a glass of water—preferably hot

When prescribing, please specify **Upjohn's.**

For prices see page 160.

CARIPEPTIC POWDER (Upjohn)

Especially prepared for topical use in the treatment of diphtheric or other false membranes, and as a surgical dressing for indolent or sloughing ulcers, etc. It represents the purified active enzymes of Carica Papaya in the form of an impalpable powder.

Its digestive, antiseptic, stomachic, and tonic properties render it valuable also for internal administration. Directions with each package.

Dose: 1 to 3 grains.

When prescribing, please specify **Upjohn's.**

For prices see page 163.

PALMO-DIONIN (Upjohn)

The Cough Sedative

Palmo-Dionin (Upjohn) represents in palatable form chemically pure Dionin (1-16 gr. to each fluidrachm), purified Ammonium Muriate (1 grain to each fluidrachm), Saw Palmetto, Eucalyptus, Tolu and Hydrastis Canadensis. It combines the valuable cough sedative, analgesic and anti-spasmodic properties of Dionin (Ethyl-Morphine Hydrochlorate), the expectorant properties of Ammonium Muriate, the antiseptic action of Eucalyptol, together with the soothing, healing action of Tolu, Hydrastis, and Saw Palmetto upon the mucous structure of the respiratory tract.

Indicated in bronchial, pulmonary, and laryngeal irritation, and in all cases marked by spasmodic cough. Effective in bronchitis, bronchial asthma, spasmodic croup, laryngismus stridulus, whooping cough, pleuritus, and acute or chronic laryngitis and pharyngitis accompanied by reflex and ineffective coughing. Especially valuable in the cough of phthisis. Useful in the "stomach cough" of chronic gastritis, in emphysema and in the cough of chronic heart disease.

Palmo-Dionin (Upjohn) is very palatable. The ingredients are so blended that the nauseating effects of many cough preparations containing Ammonium Muriate are entirely overcome. It is readily acceptable to the stomach, and can be used freely where indicated, without deleterious secondary effects.

The consensus of a large number of authorities who have investigated the therapy of the sedative principle, Dionin, seems to be that, while its use is not accompanied with the disagreeable by-effects of morphine, and sometimes of other derivatives of the morphine series, it is more powerful and persistent in action than the latter and proves especially valuable in chronic cases where continued action is essential, and that it does not nauseate, constipate, produce difficulty of expectoration, nor beget a morphine habit.

Dose:—Adult, one to two fluidrachms. Repeat every hour until relieved; then at longer intervals.

When prescribing please specify **Upjohn's.**

For prices, see page 146.

PILL HEMATIC TONIC (Upjohn)

Coated silver or hemoglobin red.

Hematinic. Tonic. Alterative. Laxative

Each pill represents

Blaud's Mass,	3 grs.
Manganese Binoxide,	1-4 gr.
Strychnine Sulphate,	1-60 gr.
Arsenous Acid,	1-100 gr.
Mercuric Chloride,	1-80 gr.
Aloin,	1-20 gr.
Zinc Phosphide,	1-16 gr.

In this formula the hematinic properties of Iron and Manganese are supplemented by important alteratives and nerve tonics, as well as by a mild laxative and intestinal antiseptic action. Stimulates the nutritive functions and the blood forming organs, causing increase in blood corpuscles and hemoglobin, while improving the activity and nutrition of nerve, gland and muscle. Also stimulates elimination, thus lessening tendency to auto-toxemia.

Useful in Anemia, Chlorosis, Debility, Impotence, Neurasthenia, Nervous Dyspepsia, Senile Weakness and in cachectic states following exhausting diseases.

Dose: One or two pills after each meal.
When prescribing, please specify **Upjohn's.**
Supplied in pounds only. For prices, see page 140.

PILL HYPOPHOSPHITES COMP. HEMATIC (Upjohn)

Coated hemoglobin red.

Each pill represents two fluidrachms of Syrup Hypophosphites Comp. Hematic with the addition of Arsenous Acid 1-50 gr., and Cascarin (Upjohn) sufficient to overcome the natural constipating tendency of the Iron.

Calcium Hypophosphite,	1-4 gr.
Potassium Hypophosphite,	3-8 gr.
Manganese Hypophosphite,	1-4 gr.
Quinine Hypophosphite,	1-8 gr.
Iron Hypophosphite,	3-8 gr.
Strychnine Hypophosphite,	1-64 gr

With Arsenous Acid, 1-50 gr. and Cascarin (Upjohn), 1-8 gr.

A convenient and efficient Hematic tonic and reconstructive, presenting many advantages over the syrup in that they will not sour and cannot cause fermentation in the stomach or bowels. In addition they act as an intestinal antiseptic lessening fermentation and flatulence and favoring elimination.

Indicated in the treatment of anemia or cachexia and in the lassitude and weakness attendant on nutritional disorders generally; of special value in convalescence from wasting diseases; in functional disorders of the nervous system: in neurasthenia, and in rickets.

Dose: 1 to 2 pills three or four times daily.
When prescribing, please specify **Upjohn.**
For prices, see page 140.

UPJOHN'S LAXATONIC GRANULES

(No. 999)

A true Tonic Laxative Treatment, indicated in all forms of Constipation. May be safely and advantageously prescribed for all ages, from children to adults.

These granules have been prepared in response to a demand for a tonic Laxative granule made by our well known friable process in which the ingredients are thoroughly triturated and the dose subdivided so that they may be prescribed for a wide range of cases. Some of our medical friends have aptly termed these granules "A graduated treatment for chronic constipation," and as we believe the suggestion a good one we will outline the plan of administration followed by them.

"Commence with a minimum dose of from one to three granules, two to four times a day, instructing the patient to increase the dose one granule at a time after the first day and continue increasing the dose in the same way until at least one good full daily movement is established. After the normal dose for the individual patient is thus determined, continue with this dose for a time taking particular pains to instruct the patient to go to stool regularly at a certain specified time each day (preferably the first thing after breakfast in the morning), and when in your judgment the patient's bowels have become accustomed to this regular habit decrease the dosage by one pill each dose, until you have tapered the treatment down and discontinued it altogether."

In making these granules we have taken particular pains in the careful selection of the materials. Our Cascarin represents the purified concentrated active principles made from well seasoned two year old prime Cascara Sagrada and contains not only the valuable laxatives but all of the tonic principles of the bark as well. Our Aloin is carefully purified by re-crystallization, rendering it absolutely free from the irritating principles of the commercial article. The other ingredients of this formula are specially prepared and as presented in this combination are strictly pure and in their most active concentrated form. In addition, our own peculiar process of manufacture in which the materials are thoroughly and continuously triturated for 48 hours, insures thorough subdivision, making the combination more active than it would be if prepared by the ordinary old fashioned process.

Each granule represents:

Cascarin, purified (Upjohn),	1-24 gr.
Aloin, re-purified (Upjohn),	1-24 gr.
Extract Nux Vomica,	1-24 gr.
Extract Belladonna,	1-48 gr.
Ipecac,	1-300 gr.
Capsicine,	1-500 gr.
Aromatic Oils,	q. s.

Average dose: 2 years old, 1 granule, 6 years old, 1 to 2 granules, 12 years old, 2 to 3 granules.

For older persons, commence with small doses, several times daily, increasing according to indications, as described above.

Be sure and get the genuine **Laxatonic Granules, No. 999 (Upjohn's).**

For prices see page 140.

SPECIALTIES

PILLS MERCURY PROTIODIDE AROMATIC
(Upjohn)

These Pills are made to our standard 1 grain size, pleasantly flavored and may be crushed with slight pressure to a palatable aromatic powder.

Supplied in a variety of colors either 1-8 gr., or 1-4 gr.

These pills will be found of advantage in the treatment of infants and children, or for adults where for any reason it is desirable to vary the mode of administration. Being agreeably flavored, they may be eaten like candy or may readily be crushed to an aromatic powder which may be given to infants in a teaspoonful of warm water.

As these pills are made by our own special process, in which the ingredients are thoroughly and continuously triturated for 48 hours, the material is reduced to the finest possible subdivision and a uniform and correct dosage is absolutely insured. Owing to the prolonged and thorough trituration and minute subdivision the full constitutional effects of the Mercury are promptly secured with the least possible local irritation to the digestive tract.

As the contents of these pills are perfectly and permanently protected from chemical change, the Mercury Protiodide will not undergo the darkening of color which occurs in gelatine coated pills, as a result of slow decomposition. Each pill contains **pure** Mercury Protiodide in the **exact dose** stated.

Pill Mercury Protiodide, Aromatic, (Upjohn) either 1-8 gr., or 1-4 gr , can be furnished in pink or chocolate coating, or with charcoal, coated black.

Unless otherwise ordered, pink will be sent.

When prescribing please specify **Upjohn's.**

For prices, see page 141.

See also Pill Dover's Powder, 1-2 gr., Aromatic, for children. Page 140.

NET LIST

PILLS

When prescribing, please specify UPJOHN'S

No.		PRICE TO TRADE
66	ANTI-CONSTIPATION (Upjohn), Coated black, pink or chocolate	
	Per bottle of 100	28
	Per bottle of 500	1 24
	Per bottle of 1000	2 25
	Per bottle of 5000	8 00
	For formula and description, see page 129	
158	CACTUS COMPOUND, (Heart Tonic.) Coated green or red	
	Per bottle of 100	25
	Per bottle of 500	1 05
	Per bottle of 1000	2 00
	For formula and description, see general list, page 21	
301	CARIPEPTIC COMPOUND (Upjohn), Coated violet	
	Per bottle of 100	55
	Per bottle of 500	2 35
	Per bottle of 1000	4 50
	For formula and description, see page 134.	
240	CATHARTIC, 1-2 gr., Per bottle of 5000	3 00
	Coated white or pink	
232	CATHARTIC COMP. IMP. 2 1-2 grs., Per lb.	1 00
	Coated black, white, or pink	
231	CATHARTIC COMP. IMP., 1 1-4 grs., Per lb.	1 00
	Coated black, white, or pink	
302	CATHARTIC COMP. IMP. 2 grs., (1700 to lb.) Per lb.	1 00
	Dark coated only	
238	CATHARTIC COMP. U. S. P., 3 grs., Per lb.	1 00
	Coated black, white, or pink	
237	CATHARTIC COMP. U. S. P., 1 1-2 grs., Per lb.	1 00
	Coated black, white, or pink	

Please specify color when ordering. On unspecified orders the first named color will be sent.

No.		PRICE TO TRADE
242	CATHARTIC VEGETABLE. Liver, (4000 to lb.), per lb. ..... Coated black, pink, white, or red	2 40
	For formulae and description of Cathartic Pills, see General List, also note, page 25	
	DOVER'S POWDER, 1-2 gr., Aromatic, for children. Coated chocolate. [No. 777.]	
	In Bottles of 500 and 1000 only.	
	Per 500	60
	Per 1000..	1 00
	Each pill represents 1-2 gr. Dover's Powder; made to our standard 1 gr. size. May be crushed to a pleasantly flavored aromatic powder.	
359	FERRUGINOUS (Bland's), 3 grs., per lb. Coated black, pink, chocolate or white	1 00
	(See also page 132)	
361	FERRUGINOUS (Bland's), 5 grs. per lb. Coated black, pink, chocolate, white or red	1 00
	(See also page 132)	
367	FERRUGINOUS (Bland's), Modified, 3 grs., per lb. ..... Coated black or pink	1 25
	For formula and description, see page 132	
368	FERRUGINOUS (Bland's), Modified, 5 grs., per lb. ..... Coated black or pink	1 25
	For Formula and description, see page 132	
155	HEMATIC TONIC, red coated, per lb.....	1 50
156	HEMATIC TONIC, silver coated, per lb.	2 00
	For formula and description, see page 136	
773	HYPOPHOSPHITES COMP., Hematic Coated Hemoglobin red	
	Per bottle of 100	33
	Per bottle of 500	1 39
	Per bottle of 1000	2 70
	For formula and description, see page 135	
999	LAXATONIC GRANULES Coated dark chocolate	
	Per bottle of 5000 granules	1 25
	Per bottle of 10000 granules	2 25
	Per bottle of 20000 granules	4 00
	Supplied only in bottles of 5000, 10000, and 20000.	

For formula and description, see page 137.

Please specify color when ordering. On unspecified orders the first named color will be sent.

No.		PRICE TO TRADE
774	MERCURY PROTIODIDE, 1-8 gr., Aromatic, pink	Per 100.....15
775	MERCURY PROTIODIDE, 1-8 gr., Aromatic, chocolate	Per 500 45
776	MERCURY PROTIODIDE, 1-8 gr., Aromatic with Charcoal, black	Per 1000 80
778	MERCURY PROTIODIDE, 1-4 gr., Aromatic, pink	Per 100. 17
779	MERCURY PROTIODIDE, 1-4 gr., Aromatic, chocolate	Per 500.....65
780	MERCURY PROTIODIDE, 1-4 gr., Aromatic, with Charcoal, black	Per 1000....1 20

For description of Mercury Protiodide Pills, Aromatic, see page 138.

504	METHYLENE BLUE COMP. (Upjohn). Coated blue.	
	Per bottle of 100	65
	Per bottle of 500	3 00
	Per bottle of 1000	5 85

For description and formula, see page 130.

641	RESTONAL (Upjohn). Coated pink.	
	Per bottle of 100.....	30
	Per bottle of 500	1 39
	Per bottle of 1000.....	2 70

For description and formula, see page 131.

LIQUIDS

BLOOD-ROOT COMPOUND.

Red Cough Syrup

Per pint.....	45
Per 5 pints.....	2 00
Per gallon	3 00

Each fluid ounce represents:

Blood Root, 4 grs.
Grindelia, 40 grs.
Senega, 12 grs.
Yerba Santa, 56 grs.
Ammonium Chloride, 16 grs.
Codeine, 1-2 gr.
Chloroform, 2 m.
Menthol, 1-8 gr.

A most elegant and palatable preparation, especially noteworthy in the success with which the Blood Root, Senega and Ammonium Chloride are so combined as

make an agreeable and non-irritating mixture, whereas these indispensable stimulating expectorants as ordinarily prescribed produce an unpleasant and nauseating effect. Indicated in all coughs of laryngeal, bronchial or pulmonary origin; acute and chronic laryngitis, bronchitis, catarrhal pneumonia, bronchial asthma, emphysema, and phthisis.

Dose:—One to two fluidrachms.

	PRICE TO TRADE
BLOOD ROOT COMPOUND with HEROIN HYDROCHLORATE.	
Per pint	45
Per 5 pints	2 00
Per gallon	3 00

Each fluid ounce represents:
- Blood Root, 4 grs
- Grindelia, 40 grs.
- Senega, 12 grs.
- Yerba Santa, 56 grs.
- Ammonium Chloride, 16 grs.
- Heroin Hydrochlorate, 1-3 gr.
- Chloroform, 2 m.
- Menthol, 1-8 gr.

This preparation will be preferred in cases where it is desired to secure a more powerful sedative action than that of codeine.

Dose: For adults, 1 to 2 fluidrachms.

CARIPEPTIC LIQUID (Upjohn),

The Vegetable Digestant.

Per pint	1 00
In 4 oz. bottles, per doz.	4 00

For description and dose see page 133.

CHLORODYNE,

Per oz. bottle	25
Per 1-4 lb. bottle	85
Per 1-2 lb. bottle	1 60
Per 1 lb. bottle	3 00

Each fluid ounce contains:
- Morphine Hydrochlorate, 2 7-8 grs.
- Cannabis Indica, 46 m
- Hydrocyanic Acid, Dilute, 9 m.
- Oil Peppermint 1 1-2 m.
- Tincture Capsicum, 1 1-2 m.
- Chloroform, 16 m.

Indicated in intestinal colic, gastralgia, diarrhea, or cholera morbus.

Dose:—Adult, 15 minims, repeated in one-half hour if necessary.

	PRICE TO TRADE
CORRECTIVE SYRUP for CHILDREN. Gently Purgative and Anthelmintic.	
Per pint	45
Per 5 pints	2 00
Per gallon	3 00

Each fluid ounce represents:
- Senna Leaves, 84 grs.
- Chenopodium, 5 grs.
- Pumpkin Seed, 7 1-2 grs.
- Rochelle Salts, 15 grs.
- Soda Bicarbonate, 5 grs.
- Aromatics, q. s.

This Syrup, being intended for administration to children, is prepared with special reference to palatability. It will be noted that the formula contains no opium or morphine and that in composition it is harmless.

It will be found a reliable and efficient remedy for general use in the numerous minor ailments of children, arising from erimprop feeding, dietetic errors, exposure to cold, etc.

Indicated in the treatment of colic, sour stomach, dyspeptic diarrhea, constipation, and worms in the small or large intestine.

Dose:—Infants from 3 to 6 months, 10 to 20 drops; 1 year, ½ teaspoonful; older children, 1 to 2 teaspoonfuls. Dose to be repeated as frequently as needed.

DIASTASIC WINE, (Upjohn's).

A pleasant tonic and digestive wine.

Per pint	45
Per 5 pints	1 80
Per gallon	2 50

Each fluidrachm represents Diastase (Upjohn), ½ gr.

Upjohn's Diastasic Wine possesses remarkable tonic and diastasic properties and will be found to have avaluable digestive action both when prescribed alone and when combined with other remedies.

Recommended especially as a pleasant nutrient and stomachic for debility and anemia dependent on the gastric disturbances of advanced age, and in convalescence from wasting diseases. Taken a few minutes before meals, Upjohn's Diastasic Wine stimulates both the acid and peptic glands, improving digestion of albumins, in addition to its specific starch digesting powers.

This preparation will also be found desirable as a valuable and convenient vehicle for administering indicated remedies. It will be found to make an attractive clear preparation when combined with almost any of the Tinctures, Fluid Extracts, Elixirs, or Salts commonly used. Being non-toxic in any medicinal dose it has no contra-indications.

Upjohn's Diastasic Wine is carefully blended and properly aged and has an alcoholic strength of 10 per cent.

Dose as a tonic digestive: 1-2 to 2 tablespoonfuls, three or four times daily, as indicated.

ECZEMA LOTION.

Per pint	60
Per 5 pints	2 70
Per gallon	4 00

A combination of antiseptic oils with Hydrocyanic Acid, Nitric Acid, Mercuric Chloride and chemically pure Glycerin.

This lotion is of surprising efficiency in the local treatment of Eczema, confirming the theory of Unna that Eczema depends on the inoculation of a specific germ. It is powerfully antiseptic, antipruritic, and astringent; allays itching, softens crusts, and promotes prompt resolution. Relief is usually

secured within a few minutes after application and healing progresses rapidly.

Eczema Lotion (Upjohn) is indicated in many forms of Eczema both acute and chronic; is peculiarly effective when properly applied in acute "Moist" or "Weeping" Eczema; also in the various forms of acute Eczema attended by itching or burning, as prickly heat, extensive heat rash in children as well as local "Moist" Eczema occurring in confined situations.

Also highly useful for softening the skin when subject to the milder forms of dry or scaly Eczema and for preventing and curing chapped hands, etc.; particularly useful for Eczemas of infective or parasitic origin.

Apply by lightly moistening the affected parts, allowing to dry spontaneously.

	PRICE TO TRADE
ESSENCE OF PEPSIN,	
Per pint	60
Per 5 pints	2 70
Per gallon	3 50

One fluidrachm will digest 3000 grains of coagulated egg-albumen. The same quantity will curdle two pints of warm milk.

FLUID ALTERATIVE, (McDade Formula)	
Per pint	90
Per 5 pints	4 20
Per gallon	4 80

From the fresh juice of Stillingia sylvatica, Smilax Sarsaparilla, Phytolacca decandra, Lappa minor and Xanthoxylum Carolinanum. A powerful vegetable alterative.

DOSE: 1 to 2 fluidrachms.

FLUID LITHIUM and HYDRANGEA COMPOUND,	
Per pint	75
Per 5 pints	3 50
Per gallon	5 40

Each fluidrachm represents:
- Lithium Benzo-Salicylate, 3 grs.
- Hydrangea (fresh), 30 grs.

DOSE—1 to 2 fluidrachms.

FLUID TONGA COMPOUND,	
Per pint	90
Per 5 pints	4 00
Per gallon	6 00

In this preparation are combined the medicinal properties of Tonga, Cimicifuga Racemosa, Calamus and the Salicylates of Sodium, Pilocarpine and Colchicine.

Indicated in all forms of Rheumatism, Neuralgia, Gout, Nervous Headaches, Lumbago and LaGrippe.

DOSE: One or two teaspoonfuls.

GLYCERO-PHOSPHO-MANGAN. (A Nerve and Blood Builder)	
Per pint	75
Per 5 pints	3 50
Per gallon	5 40

Each fluid ounce contains:
- Glycerophosphate of Lime, 4 grs.
- Glycerophosphate of Soda, 8 grs.
- with Solution Peptonate Iron and Manganese (double strength.

Indicated in neurasthenia, chorea, and other functional nervous diseases, in anemia, chlorosis, and in all conditions accompanied by cachexia or malnutrition.

Dose:—One-half to one tablespoonful, before meals.

	PRICE TO TRADE
HIVE SYRUP and TOLU COMPOUND with EUCALYPTUS HONEY, (Upjohn)	
Per pint	45
Per 5 pints	2 00
Per gallon	3 00

Each fluid ounce represents:
- Squill, 15 grs.
- Senega, 15 grs
- Tolu Soluble, 45 grs.
- Skunk Cabbage, 15 grs.
- Tartar Emetic, 1 gr.
- Lobelia, 4 grs.

This preparation is a remedy in croup, whooping cough, bronchitis, asthma, hoarseness, and all inflammation of the throat, bronchial tubes and lungs. Containing no opiates and being very palatable and pleasant to take, it is especially indicated for administration to children.

Dose:—For children 10 to 30 minims (0.6-1.85 c. c.) according to age, repeated in case of croup every fifteen or twenty minutes until relieved.

As an expectorant for adults 20 to 30 minims (1.25 to 1.9 c. c.) repeated as necessary.

LAXATIVE WHITE PINE EXPECTORANT (Upjohn),	
Per pint	45
Per 5 pints	1 70
Per gallon	2 40

Each fluid ounce represents:
- White Pine Bark, 30 grs.
- Cherry Bark, 30 grs.
- Blood Root, 3 1-2 grs.
- Balm Gilead Buds, 4 grs.
- Spikenard, 4 grs.
- Sassafras, 2 grs.
- Morphine Acetate, 3-16 gr.
- Chloroform, 4 m.
- Ammonium Chloride, 16 grs.

With prime Cascara Sagrada (bitterless) and True Alexandria Senna, (with the griping principle removed) combined in the proper proportions to give a pleasant, painless, laxative action.

This valuable anodyne and stimulant expectorant has the advantage of a secondary laxative action overcoming the unavoidable constipation produced by the sedatives which are essential to all cough and expectorant preparations for their action on the catarrhal conditions of the respiratory tract. Invaluable for children.

Dose:—One to two fluidrachms (4 to 8 c. c.).

LAXSALINE (Upjohn),	
Per pint	45
Per 5 pints	2 00
Per gallon	3 00

A 50 per cent solution of pure Magnesium Sulphate, ready for administration, so combined with flavoring agents as to render the mixture very palatable, and to disguise almost wholly the taste of the Epsom Salt.

Dose:—One to two fluid ounces to be followed immediately by a glass of water.

LIME JUICE and PEPSIN,

	PRICE TO TRADE
Per pint	60
Per 5 pints	2 70
Per gallon	4 00

Each fluidrachm represents:
{ Lime Juice, 30 m.
{ Pepsin, U. S. P., 2 grs.

An active aid to digestion and a pleasant appetizer. Useful in atonic dyspepsia. Stimulates gastric digestion and relieves distress after eating.

Dose:—One to two fluidrachms.

LIQUID PEPTONES,
(Nutrient and Digestant)

Per pint	55
Per 5 pints	2 45
Per gallon	3 75

The albuminous principles of Beef, Milk and Wheat are here represented in soluble form ready for immediate absorption. Aside from being a thoroughly predigested food, Liquid Peptones also has the property of aiding in the digestion of other foods, thus possessing the double value of nutrient and digestant.

Indicated in typhoid, gastric, and intestinal disorders, persistent anemia, disease of the nervous system, and in all cases where the condition of the patient requires a readily assimilable food.

Dose:—One or two teaspoonfuls.

LIQUID PEPTONES with CREOSOTE and GUAIACOL,

Per pint	60
Per 5 pints	2 70
Per gallon	4 00

Liquid Peptones, with the addition to each fluid ounce of four minims of Creosote and two minims of Guaiacol. Recommended in phthisis; reduces irritability of the stomach and allays nausea. Useful in the treatment of fermentative dyspepsia.

Dose:—One teaspoonful to one tablespoonful.

"NEBULOL" Solutions

See page 166.

PALMO-DIONIN (Upjohn),
The Cough Sedative

Per pint	90
Per 5 pints	4 00
Per gallon	6 00

For description and dose, see page 135.

PHOSPHO-GLYCERINE TONIC COMPOUND,

	PRICE TO TRADE
Per pint	50
Per 5 pints	2 35
Per gallon	3 50

Each fluid ounce represents:
{ Glycerine, 160 m.
{ Sherry Wine, 160 m.
{ Gentian Root, 20 grs.
{ Ext. Taraxacum, 30 grs.
{ Acid Phosphoric, Dilute, 24 m.
{ Carminatives, q. s.

An excellent reconstructive tonic in all depressed and exhausted conditions, and as a restorative in all derangements of the stomach and nerves.

Dose: 2 to 4 fluidrachms.

SOAP LINIMENT,
(Liniment Saponis, U. S. P.)

Per pint	65
Per 5 pints	2 75
Per gallon	4 00

Local anodyne, stimulant. For the relief of sprains, bruises, glandular swellings, and rheumatic pains.

SOLUTION HYPOPHOSPHITES COMPOUND, (No sugar) No. 1,

Per pint	1 00

Each fluid ounce contains:
{ Calcium Hypophosphite, 8 grs.
{ Potassium Hypophosphite, 12 grs.
{ Manganese Hypophosphite, 8 grs.
{ Iron Hypophosphite, 12 grs.
{ Quinine Hypophosphite, 3 1-2 grs.
{ Strychnine Hypophosphite, 1-2 gr.

For the extemporaneous making of Syrup Hypophosphites Compound, Hematic.

FORMULA
{ Solution Hypophos. Comp., 1 pt.
{ Simple Syrup, 7 pts.

Hematic, tonic and reconstructive. Of value in anemia, neurasthenia, and in malnutrition, cachexia, or depressed nervous function from any cause.

Dose: 1 to 2 fluidrachms.

SOLUTION HYPOPHOSPHITES COMPOUND, (No sugar) No. 2,

Per pint	60
Per 5 pints	2 70
Per gallon	4 00

Each fluid ounce contains:
{ Calcium Hypophosphite, 4 grs.
{ Sodium Hypophosphite, 1 gr.
{ Potassium Hypophosphite, 4 grs.
{ Iron Hypophosphite, 2 grs.
{ Quinine Hypophosphite, 1 gr.
{ Manganese Hypophosphite, 1 gr.
{ Strychnine Hypophosphite, 1-32 gr.

Properties and indications similar to the preceding preparation.

Dose:—One to four fluidrachms.

SOLUTION PEPTONATE IRON and MANGANESE, (Liquor Mangano-Ferri Peptonatus)

	PRICE TO TRADE
Per pint	55
Per 5 pints	2 45
Per gallon	3 60

This preparation contains peptonized albuminate of Iron and Manganese in neutral aromatized combination.

It is non-astringent and will not constipate or derange the normal action of the alimentary secretions and will not affect the teeth. It is admirably adapted to the treatments of chlorosis, anemia, amenorrhea and all cases where iron or manganese are indicated.

Dose:—For adult, one tablespoonful three times daily taken in sweet wine or milk.

Dose for a child one to two teaspoonfuls.

SOLUTION PEPTONATE IRON and MANGANESE, Arsenated.

Per pint	55
Per 5 pints	2 45
Per gallon	3 60

Same as last, with addition of Arsenous Acid, 1-200 gr., in each dram.

SOLUTION SODIUM PHOSPHATE.

Per pint	45
Per 5 pints	2 00
Per gallon	3 00

Each fluid ounce contains:
Sodium Phosphate, 1 ounce.

DOSE: 2 to 4 fluidrachms.

SOLUTION SODIUM PHOSPHATE and IRON CHLORIDE.

Per pint	55
Per 5 pints	2 45
Per gallon	3 75

Each fluid ounce contains:
{ Sodium Phosphate, 300 grs.
{ Tinct. Chloride Iron, 48 drops.

DOSE: 1 to 2 fluidrachms.

THYMO-LYPTOL (Upjohn).

Per pint	50
Per 5 pints	2 25
Per gallon	3 00

This preparation represents in permanent solution the purified active principles of Eucalyptus, Mentha Arvensis, Thyme and Gaultheria in combination with Sodium Biborate, Sodium Benzoate, Sodium Salicylate and Glycerine, forming an Alkaline, Antiseptic, Deodorizing Solution that is non-toxic, and non-irritating. May be freely used wherever indicated, either externally or internally.

TY-MO-ROL,

	PRICE TO TRADE
Per pt. bottle	55
Per 5 pt. bottle	2 45
Per gallon	3 00

TY-MO-ROL is particularly well adapted to meet the demand for an antiseptic solution for use wherever such a preparation is indicated. Its non-toxic properties render it perfectly safe and its efficiency is beyond question, combining as it does the antiseptic properties of Formaldehyde, Boric Acid, Thymol, Eucalyptus, Wintergreen, Peppermint and Thyme.

For internal administration it is palatable, and when used as a mouth wash or dentifrice it leaves a clean and cooling effect. For local use, wherever desired, it is unexcelled, and can be relied upon to give entire satisfaction.

Put up regularly in one and five pound packages.

Special quotations furnished on bulk lots when requested

UTERINE TONIC COMPOUND.

Per pint	80
Per 5 pints	3 60
Per gallon	5 20

Each fluid ounce represents:
{ Black Haw, 40 grs.
{ Squaw Vine, 40 grs.
{ Jamaica Dogwood, 30 grs.
{ Golden Seal, 20 grs.
{ Black Cohosh, 20 grs.
{ Cascara Sagrada, 10 grs.
{ Henbane, 4 grs.
{ Potassium Bromide, 10 grs.
in a pleasant aromatic vehicle

Sedative, Tonic, Anodyne, Antispasmodic. Recommended in congestion of the female pelvic viscera, accompanied by excessive or perverted discharges from the mucous membranes. Employed in passive congestion of the uterus and its adnexa, in leucorrhea, menorrhagia, metrorrhagia, and non-obstructive dysmenorrhea.

Dose:—Two fluidrachms, three times daily.

VIN-CARNOL,

Per pint	50
Per 5 pints	2 25
Per gallon	3 00

In Vin-Carnol (Upjohn) are presented the extractive medicinal principles of pure Cod Liver Oil without the nauseating, fatty substance so objectionable to the average stomach. Being combined in addition with a superior concentration of prime, lean beef and malted cereals, to each fluid ounce of which is added fourteen grains of the Hypophosphites of Sodium and Potassium, the whole offers a preparation that will appeal at once to the physician as a valuable medicine in the treatment of anemic conditions and wasting diseases.

While **Vin-Carnol** is **Primarily a Predigested Food and Tissue Builder** it also has a marked value as a **Digestant** by its **Catalytic Action** and will give tone and strength to the impaired digestive organs enabling them to perform their functions in a natural manner. Indicated in the convalescence from fevers or after operations, in neurasthenia, and in anemias, chronic wasting diseases, debility or exhaustion from any cause.

Dose:—One tablespoonful before meals and on retiring For children, according to age.

	PRICE TO TRADE
WHITE LINIMENT, Improved. (Upjohn)	
Per pint	65
Per 5 pints	2 75
Per gallon	4 00

An efficient ammoniated liniment, with stimulating oils, so combined as to avoid unpleasant or excessive irritation while insuring a maximum stimulant action on the tissues.

Very valuable wherever an active stimulating and discutient local application is desired.

WILD CHERRY and AMMONIUM COMPOUND.	
Per pint	40
Per 5 pints	1 75
Per gallon	2 35

This valuable Balsamic, Anodyne Expectorant contains in permanent solution Ammonium Chloride, 4 grs., Morphine Acetate, 8-50 gr., Antimonium and Potassium Tartrate, 8-100 gr., Chloroform, 2 mins. to each fluid ounce, in combination with Red Spruce Gum, White Pine Bark, Sanguinaria, and Wild Cherry Bark. Being efficient and palatable, this preparation will recommend itself for all ordinary coughs and colds and will also be found of great value in chronic and acute bronchitis.

Directions:—One teaspoonful every one or two hours, as indicated, until relief is obtained.

WINE of COD LIVER OIL, TASTELESS, with CREOSOTE.	
Per pint	50
Per 5 pints	2 25
Per gallon	3 25

This preparation contains the extractive medicinal ingredients representing one-fourth of its volume of Pure Cod Liver Oil with the fatty and nauseating properties removed, in combination with Extract of Malt, Wild Cherry, and the Hypophosphites of Lime, Soda Potassium, Iron Manganese, Quinine and Strychnine.

A pleasant tonic stimulant and reconstructive. Well borne by sensitive stomachs and valuable in all forms of malnutrition.

Dose:—For an adult one tablespoonful before meals and at bedtime.

TERRAPLASM (Upjohn)

A Non-poisonous, Non-irritating, Hygroscopic, Antiseptic Poultice.

	PRICE TO TRADE
Per lb.	40
Per 1-2 lb.	25
Per 5 lbs.	1 75

Antiphlogistic, anodyne, local prophylactic and curative.

A bland, hygroscopic, antiseptic poultice, composed of a specially prepared Dehydrated Boro Silicate of Alumina and Magnesia in combination with the active principles of Thyme, Eucalyptus, Gaultheria and Mentha Arvensis, forming an antiseptic anodyne application, having great affinity for water, which through its absorbent and revulsive properties gives immediate relief in all cases of acute and chronic inflammation, either superficial or deeply seated. It is invaluable in the treatment of pneumonia, appendicitis, peritonitis, inflamed breasts, boils, felons, phlegmon, cellulitis, sprains, pleurisy, pelvic inflammation, or any conditions where inflammation, either external or internal, is a factor.

Terraplasm (Upjohn) when employed with Dermocel, according to appended directions, constitutes an ideal cataplasm, supplying continuous warmth and moisture in a sterile medium. It relieves pain, depletes engorged or edematous tissue, hastens absorption and promotes resolution.

The use of Terraplasm should be commenced as early in the disease as possible, to gain the benefit of its favorable influence before irreparable damage has occurred.

DERMOCEL

Our New Protective Covering for use with Terraplasm (Upjohn)

That poultice is best which remains longest moist. The best protective is one which will prevent drying.

We present as a part of each package, without increase of price, one sheet of our **Dermocel**. Dermocel is designed as an impervious, protective covering for Terraplasm, to facilitate its application to the body, effectually preventing any change in its properties, so that its full therapeutic influence may be exerted continuously for many hours.

Dermocel is a specially prepared cellulose tissue of remarkable properties. It is soft and pliable, non-absorbent, impervious to moisture and a non-conductor of heat. Possessing in addition to these features a smooth, impenetrable surface.

dry and clean from the beginning, it forms a barrier to the entrance of micro-organisms, greatly favors asepsis, (still further insured by the antiseptic character of Terraplasm (Upjohn), retains the warmth and moisture so necessary to the action of an earthy poultice, and perfectly protects the clothing.

DIRECTIONS FOR APPLYING TERRAPLASM WITH DERMOCEL

Apply Terraplasm Hot. Warm the Terraplasm by setting the can in hot water. Cut from the sheet of Dermocel a piece to fit the part to be covered, allowing for margin. Spread the hot Terraplasm quickly and evenly on the Dermocel, 1-4 inch thick, leaving an edge of 3-4 inches uncovered. Apply at once, smoothing with the fingers. It is of advantage to cover all with a thick layer of warm cotton wool or flannel cloth. Thus prepared the application will remain soft and moist, and may be left in place as long as desired.

DERM-ANODYNE
(Upjohn)

A penetrating embrocation (non-greasy). for relief of pain.

Contains pain-relieving alkaloids in such form as to be promptly absorbed by the skin.

Supplied in collapsible tubes, in dozens and half-dozens only. Labels may be removed readily.

Collapsible tubes, plain carton.	PRICE TO TRADE
1 1-3 oz. per doz.	3 00
1 1-3 " ½ doz	1 50
1-2 " doz	1 50
1 2 " ¼ doz	75

Derm-Anodyne (Upjohn) is composed of Camphor, Capsicum, and stimulating volatile oils **combined with the alkaloids of Aconite and Belladonna.** Each ounce represents in highly concentrated and **readily absorbable** form the active constituents of one ounce Tr. Aconite and 1 1-7 oz Fld. Extract Belladonna, U. S P., so prepared that the endermic effects are more promptly and decidedly elicited than is possible by other means. Although the Alkaloids are present in no greater strength than is represented by standard official preparations for external use, their pain-relieving properties are readily induced, as the active ingredients are at once taken up by the cutaneous absorbents, producing first a sedative influence on the local nerve endings, quieting pain and later exerting a more general and prolonged sedative effect.

Gives prompt relief in many forms of neuralgia, myalgia, grippe, pleurisy, intercostal neuralgia, supra-orbital neuralgia, rheumatism, sprains, lumbago, neuritis, synovitis, headache and all forms of pain which can be influenced by endermic medication. Also of great value in the early stages of tonsillitis, or laryngitis, and for relief of gastralgia and nervous palpitation.

Derm-Anodyne (Upjohn) is prepared with **a bland, non-greasy base,** which is rapidly taken up by the skin, **leaving the surface dry, clean and unstained. It is therefore suit-**

able for application at any time to any portion of the body, whether exposed or covered. No bandages or other covering are necessary; on the other hand, if a covering is used, there is no danger of vesication.

Derm-Anodyne is not only counter-irritant, but directly **analgesic** as well; it is promptly absorbed; and is so made that it insures a valuable and efficient massage of the affected parts, during the act of application.

Descriptive leaflet mailed to any physician on request.

OINTMENTS

Our ointments are prepared by the aid of improved machinery. Care is taken to insure thorough incorporation of the drug and perfect smoothness in consistency. Several official ointments are included in the list, together with a number of others for which we have found a particular demand.

ACID CARBOLIC and NUTGALL COMP.,
Antiseptic, Astringent, Anodyne, Tonic.

	PRICE TO TRADE
Per lb. jar	1 15
In 5 lb. tins, per lb.	1 10
Per doz. 1 oz. tins	1 15

Each ounce contains:
- Acid Carbolic, 6 grs
- Powd Nutgalls, 15 grs.
- Acid Tannic, 15 grs.
- Ext. Belladonna, 30 grs.
- Ext. Stramonium, 30 grs.
- Powd. Opium, 30 grs.
- Petrolatum Benzoinated, q. s.

Indicated in the treatment of diseases of the rectum, anus and vulva, to relieve bleeding, pain, and itching from hemorrhoids, for anal fissure or prolapsus, and as a powerful anti-pruritic and sedative in pruritus of the anus or vulva from any cause.

BORIC ACID,

Per lb. jar	60
In 5 lb. tins, per lb.	55
Per doz. 1 oz. tins	75

Contains in each ounce 54 grains boric acid.
Indicated in chafing, intertrigo, mild eczema, etc.

CITRINE, (Unguent, Hydrarg, Nitratis, U. S. P.)
Powerfully antiseptic and antiparasitic; Stimulant.

Per lb. jars	60
In 5 lb. jars, per lb.	55
Per doz. 1 oz. jars	75

Indicated in chronic skin diseases, particularly in psoriasis, ringworm, sycosis, chronic eczema, pediculosis, and in chronic syphilitic lesions of the skin.

COLD CREAM, (Rose Ointment)

Per lb. jars	75
In 5 lb. tins, per lb.	70
Per doz. 1 oz. tins	90

A superior preparation.

ICHTHOLINE (Upjohn), Antiseptic, Astringent, Anesthetic, Antipruritic,

	PRICE TO TRADE
Per lb. jar	1 00
Per 1-2 lb. jar	60
In 5 lb. tins per lb.	90
Per doz. 1 oz. tins	1 00

A superior surgical dressing, and healing ointment Contains chemically pure Alum (non-irritating), with Ichthyol, Carbolic Acid, Resublimed Sulphur, Zinc Oxide Boric Acid, and our improved ointment base. Indicated in acute and chronic inflammatory diseases of the skin, indolent ulcers, fungous granulations, burns, etc. Has no superior as a soothing, healing, antiseptic dressing Use freely spread on sterilized gauze.

LASSAR'S PASTE,

Per lb.	60
In 5 lb. tins, per lb.	55
Per doz. 1 oz. tins	75

Each ounce contains:
- Zinc Oxide, 105 grs.
- Starch, 105 grs.
- Salicylic Acid, 18 grs.
- Petrolatum, 210 grs.

A favorite and valuable protective, antipruritic, and healing agent for use in all forms of eczema and dermatitis. Apply freely on gauze.

MERCURIAL, 50 %. (Unguent. Hydrarg. U. S. P.)

Per lb.	75
In 5 lb. jars, per lb.	65
Per doz. 1 oz. jars	90

MERCURIAL, 33⅓%, Blue Ointment.
(Unguent, Hydrarg, Dilutum, U. S. P.)

Per lb.	65
In 5 lb. jars, per lb.	55

Used for inunction in syphilis, and to destroy pediculus pubis, and other animal parasites.

MERCURY, Yellow Oxide, (yellow mercuric oxide ointment)

Per lb.	75
In 5 lb. jars, per lb.	70
Per doz. 1 oz. jars	90

Each ounce contains:
- Yellow Oxide of Mercury, 3 1-2 grs.
- Zinc Oxide, pure, 3 1-2 grs.

This preparation is perfectly smooth and absolutely free from grit and is designed for use in chronic inflammation of the margin of the eyelids (blepharitis marginalis), and is of the right strength to apply undiluted. Also useful in chronic indolent ulcers, and old syphilitic sores.

PHENOSORCIN (Upjohn),
Sedative, Antiseptic, Antipruritic,

	PRICE TO TRADE
Per lb. jar	1 50
Per 1-2 lb. jar	85
Per 1-4 lb. jar	50
In 5 lb. tins, per lb.	1 35
Per doz. 1 oz. tins	1 50
Per lb., in 20 prescription tins, with detachable label	1 75

Contains Resorcin, 3%, and Oil Cade, 10%, with Sulphur, Zinc Oxide and Bismuth Subnitrate, in our Improved Ointment base. Indicated in all acute and chronic inflammation of the skin, particularly in eczema, parasitic diseases, psoriasis, etc. Immediately effective for the relief of itching or pain in hemorrhoids; relieves pruritus of the anus or vulva. Use freely. Apply on gauze.

Note:—Changes of color in this ointment are unavoidable and do not effect its usefulness or action in any way.

SULPHUR,
Antiparasitic, Antiseptic, Antipruritic.

Per lb.	50
In 5 lb. jars, per lb.	45
Per doz. 1 oz. tins	65

Each ounce contains:
- Washed Sulphur, 131 grs.
- Salicylic Acid, 10 grs.

Indicated in parasitic skin diseases, especially in scabies, tinea versicolor, sycosis, etc.

ZINC OXIDE, 20 per cent. zinc oxide,
(Unguent, Zinc Oxide, U. S. P.)
Protective, Astringent, mildly Stimulant.

Per lb.	60
In 5 lb. jars, per lb.	55
Per doz. 1 oz. tins	75

Used for acute and subacute eczema, in simple abrasion, ulceration, or chafing, for fissures of the anus and nipple, and for acute inflammations and eruptions of the skin generally.

ZINC OXIDE COMPOUND,
Antiseptic, Astringent, Protective.

	PRICE TO TRADE
Per lb. jar	60
In 5 lb. tins, per lb.	55
Per doz. 1 oz. tins	75
Per lb., in 20 prescription tins with detachable label.	85

Composed of strictly pure Zinc Oxide, Boric Acid and Eucalyptol in combination with our improved ointment base.

A valuable antiseptic dressing for general use in the treatment of acute and inflammatory infections of the skin.

Cleanse the parts with pure soap and warm soft water Dry carefully and apply the ointment freely.

GRANULAR EFFERVESCENT SALTS

Our Granular Effervescent Salts are put up in wide mouth bottles supplied with a non-corrosive aluminum screw cap. This screw cap is designed as a dose cup When level full it represents one-fourth ounce of the effervescent salt. One-half full it represents one teaspoonful (60 grains).

CAFFEINE HYDROBROMATE,

In lb. bottles, per bot.	75
In 4 oz. bottles, per doz.	3 00
In 2 oz. bottles, per doz.	1 80

Each heaping teaspoonful (60 grains) represents: Caffeine Hydrobromate, 1 gr.

A reliable preparation of definite strength. Indicated in all forms of headache, especially those caused by over-indulgence in food or drink, loss of sleep or over-work.

DOSE: A heaping teaspoonful dissolved in one-half of a glass of water. Drink while effervescing; repeat in one-half hour if not relieved.

KISSENGEN,

In lb. bottles, per bot.	75
In 4 oz. bottles, per doz.	3 00
In 2 oz. bottles, per doz.	1 80

This salt dissolved in water makes an agreeable and refreshing drink; an excellent substitute for the natural spring water.

It is recommended very highly when alternated with our Granular Effervescent Vichy as a successful treatment for the reduction of obesity.

DOSE: One dessertspoonful dissolved in a glassful of water Take after eating and at bedtime. Drink while effervescing. Alternate with our Granular Effervescent Vichy, taking Kissengen one day and Vichy the next.

LAXSALINE

(Effervescent Seidlitz Salt Improved)
Laxative, Cathartic, Diuretic, Anti-Lithic.

	PRICE TO TRADE
In lb. bottles, per bot.	1 00
In 4 oz. bottles, per doz.	4 00
In 2 oz. bottles, per doz.	2 50

Each dose cup (see note at head of this section) represents one fourth ounce of chemically pure, crystalline magnesium sulphate, in agreeable effervescent combination.

A pleasant and effective saline laxative.

Of great value for the relief of habitual constipation, and in larger dose for producing a single complete evacuation of the bowel, in lessening intestinal putrefaction, as a diuretic, and for removing dropsical accumulations in the body, when due to cardiac or renal disease.

DIRECTIONS:—The best results will be obtained by administering Laxsaline (Upjohn) on an empty stomach; preferably in the morning before breakfast. DRINK PLENTY OF WATER.

AS A LAXATIVE: One heaping teaspoonful dissolved in one-half or two-thirds of a glass of water. Drink while effervescing.

AS A CATHARTIC: Two to four heaping teaspoonfuls dissolved in one-half or two-thirds of a glass of water. Drink while effervescing.

AS A DIURETIC: One heaping teaspoonful dissolved in three-fourths of a glass of water. This also stimulates the secretions of the skin so as to rid the body of accumulations of detritus wherever it may be located.

LAXATIVE LITHIA,

	PRICE TO TRADE
In lb. bottles, per bot.	1 35
In 4 oz. bottles per doz.	5 00
In 2 oz. bottles, per doz.	3 00

Each heaping teaspoonful represents:
Lithium Citrate, 5 grs.
Potassium Citrate, 30 grs.
Sodium Phosphate, 30 grs.

A pleasant laxative, diuretic and refrigerant. Indicated in rheumatic and gouty conditions; very acceptable to the most delicate stomach.

DOSE: A heaping teaspoonful dissolved in half of a glass of water; repeat as necessary, three or four times daily.

LITHIUM CITRATE,

In lb. bottles, per bot.	90
In 4 oz. bottles, per doz.	3 75
In 2 oz. bottles, per doz.	2 25

Each heaping teaspoonful (60 grs.) represents:
Lithium Citrate, pure, 5 grs.

Indicated in all rheumatic and gouty conditions. More acceptable to delicate stomachs than the Lithium Carbonate.

DOSE: A heaping teaspoonful dissolved in one-half of a glass of water three or four times daily.

MAGNESIUM CITRATE,

In lb. bottles, per bot.	75
In 4 oz. bottles, per doz.	3 00
In 2 oz. bottles, per doz.	1 80

Possesses all the valuable laxative properties of Solution Magnesium Citrate, U. S. P.; is agreeable to take and can be quickly prepared.

DOSE: For a laxative action, one to two heaping teaspoonfuls dissolved in a glass of water. For a purgative action repeat the dose.

SALICYLATES COMP., (Alkaline)

In lb. bottles, per bot.	90
In 4 oz. bottles, per doz.	3 75
In 2 oz. bottles, per doz.	2 25

Each heaping dessertspoonful represents:
Strontium Salicylate, 5 grs.
Ammonium Salicylate, 5 grs.
Lithium Bitartrate, 2 grs.
Combined with an alkaline effervescent base.

This preparation is entirely free from the disadvantages of the ordinary combinations of the salicylates. It will not nauseate or irritate the stomach, and the presence of the Lithium Bitartrate insures elimination of the salicylates without any irritating action upon the kidneys. In this pleasing effervescing form, quick results are obtained from small doses without any toxic effect.

Indicated wherever the salicylates are: In rheumatism, lithemia, uric acid diathesis and all gouty affections. It is a reliable and safe antipyretic and analgesic in neuralgia, sciatica, migraine and ingrippe; it is especially useful as it has no depressant action on the heart.

DOSE: A heaping dessertspoonful dissolved in a glass of water and drank while effervescing; repeat three or four times daily as required.

SODIUM PHOSPHATE,

	PRICE TO TRADE
In lb. bottles, per bot.	75
In 4 oz. bottles, per doz.	3 00
In 2 oz. bottles, per doz.	1 80

Each heaping teaspoonful represents 60 grains of chemically pure Sodium Phosphate.

An agreeable form for administering this valuable salt. Indicated in constipation, hepatic torpor, obesity, rickets, jaundice, the diarrhea of children and also as a pleasant laxative.

As this salt contains from two to four times the quantity of Sodium Phosphate commonly found in similar preparations, a smaller dose is required, and it will be found unusually convenient of administration.

DOSE: A heaping teaspoonful dissolved in half of a glass of water; repeat as necessary.

VICHY,

In lb. bottles, per bot.	75
In 4 oz. bottles, per doz.	3 00
In 2 oz. bottles, per doz.	1 80

This salt dissolved in water makes an agreeable and refreshing drink; an excellent substitute for the natural spring water. It is recommended very highly when alternated daily with our Granular Effervescent Kissingen as a successful treatment for the reduction of obesity.

DOSE: One dessertspoonful dissolved in a glass of water and drank while effervescing; take after eating and at bedtime. Alternate daily with our Granular Effervescent Kissingen, taking Vichy one day and Kissingen the next.

TABLETS IN BULK

ACETANILID COMP., No. 1 (Compression) [No. 11]

Per lb.	1 70
Per 1-2 lb.	90

Acetanilid, 2 1-2 grs.
Soda Bicarbonate, 1 1-2 grs.
Caffeine, 1-2 gr.

ALKALINE and ANTISEPTIC, [No. 124]

Per 100	24
Per lb.	65

Sodium Bicarbonate, 5 grs.
Sodium Biborate, 5 grs.
Sodium Benzoate, 7-24 gr.
Sodium Salicylate, 7-24 gr
Sodium Chloride, 5 grs.
Eucalyptol, 7-48 gr.
Thymol, 7-48 gr.
Menthol, 7-96 gr.
Ol. Gaultheria, 7-96 gr.

DIRECTIONS: Dissolve one tablet in two fluid ounces of warm water, and use as a spray or wash. This combination is used as an antiseptic cleansing wash in nasal catarrh, etc.

ANTISEPTIC, (Bernay's) blue, large, to make blue solution [No. 1075.] PRICE TO TRADE

Per bottle of 100	35
Per bottle of 500	1 50
Per bottle of 1000	3 00

Each tablet represents:
{ Mercuric Chloride Corrosive, 7 3-10 grs.
{ Citric Acid, 3 1-2 grs.

For a 1:1000 solution, dissolve one tablet in one pint of sterilized rain water or distilled water.

ANTISEPTIC, (Bernay's) blue, small, also supplied in white. [No. 1076.]

Per bottle of 100	15
Per bottle of 500	55
Per bottle of 1000	1 05

{ Corrosive Sublimate, 1 41-50 grs.
{ Citric Acid, 87-100 gr.

For a 1:1000 solution, dissolve one tablet in four ounces of distilled or rain water.

ANTISEPTIC, (Wilson's) white or blue. [No. 1077]

Per bottle of 100	35
Per bottle of 500, one lb.	1 50
Per bottle of 1000	3 00

Each tablet represents:
{ Mercuric Chloride Corrosive, 7 3-10 grs.
{ Ammonium Chloride, 7 7-10 grs.

Solution for Surgical use:

Each tablet dissolved in a pint of water makes a 1:1000 solution. By increasing or diminishing the amount of water the solution may be changed at pleasure. 1:2000 is the proper strength for vaginal douching, etc.

These tablets dissolve more quickly in warm water than in cold. Hard water should not be used.

CARIPEPTIC, (Upjohn) [No. 351]

Per bottle of 100	40
Per bottle of 500	1 60
Per bottle of 1000	3 00

For description and formula, see page 134.

CARIPEPTIC with CHARCOAL, [No. 543]

Per bottle of 100	40
Per bottle of 500	1 60
Per bottle of 1000	3 00

For description and formula, see page 134.

CARIPEPTIC with CHARCOAL, Special No. 544]

Prices same as for Caripeptic with Charcoal.

PRICE TO TRADE

COLD SPECIAL, No. 1. [No. 1078]

Per bottle of 100	35
Per bottle of 500	1 55
Per bottle of 1000	3 00

{ Acetanilid, 2 grs.
{ Quinine Sulphate, 1-2 gr.
{ Camphor, 1-4 gr.
{ Podophyllin, 1-40 gr.
{ Aloin, 1-16 gr.
{ Aconite Root, 1-20 gr.
{ Capsicum, 1-4 gr.
{ Morphine Sulphate, 1-100 gr.
{ Atropine Sulphate, 1-2000 gr.

(Coated red, chocolate or white. Red will be supplied on orders where color is not specified.)

A reliable and efficient combination for the treatment of common colds and influenza. The formula includes remedies adapted to meet the indications common to the majority of cases. Lessens nasal secretion; diminishes reflex irritation and sneezing; relieves headache and aching pains and allays feverishness.

Slightly diaphoretic and laxative. A stimulant to appetite and digestion.

Dose: One tablet every half hour until four or six are taken; then one every two or four hours according to severity and duration of attack.

See also, Pill Cold Laxative.

LUPULIN and BROMIDE COMP., Improved Coated purple [No. 1079]

Per bottle of 100	35
Per bottle of 500	1 03
Per bottle of 1000	2 00

{ Lupulin, 1-2 gr.
{ Scutellarin, 1-2 gr.
{ Ergotin, 1-4 gr.
{ Macrotin, 1-4 gr.
{ Hyoscyamine Sulphate, 1-1000 gr.
{ Zinc Bromide, 1-10 gr.

Indicated in ovarian neuralgia, pelvic congestion, and spermatorrhea, a reliable sexual sedative.

Dose: 1 or 2 tablets every 15 to 20 minutes, until relieved. In spermatorrhea, 2 to 3 tablets four times daily.

POTASSIUM CHLORATE, 5 grains. [No. 833]

In lb. bottles	50
In flasks, per gross	7 00

POTASSIUM CHLORATE and AMMONIUM CHLORIDE [No. 834]

In lb. bottles	50
In flasks, per gross	7 00

{ Potassium Chlorate, 3 1-2 grs.
{ Ammonium Chloride, 1 1-2 grs.

SODA MINT, 5 grains. [No. 934]

In lb. bottles	45
In flasks, per gross	7 00

{ Sodium Bicarbonate
{ Ammonium Carbonate.
{ Oil Peppermint.

	PRICE TO TRADE
THROAT TROCHES, (Compression)[No. 1080]	
Per 1-4 lb.	35
Per lb.	1 35

Powdered Gum Benzoin
Powdered Rhatany
Powdered Guaiac
Powdered Cubebs
Oil Eucalyptus

The frequent demand upon the general practioner for an efficient, reliable and at the same time palatable preparation that shall meet the indications in relaxed, irritable or congested conditions of throat or bronchial tubes, has led us to list, under the name of Throat Troaches, a preparation which will be found to exert a mild local astringent and tonic effect upon the mucous surface, relieving the relaxed or congested condition and allaying irritation. They possess at the same time the destrable features of being convenient of administration and pleasant to the taste.

LOZENGES

BRONCHIAL,	
Per lb.	40
36 in slide box, per gross	6 50

Coltsfoot, Licorice, Horehound, Cherry Bark, Cubebs, Capsicum and Aromatics.

CHARCOAL, 5 grs., per lb.	50
CHARCOAL, 10 grs., per lb.	45
CHARCOAL and BISMUTH, per lb.	80

Charcoal, 5 grs.
Bismuth Subnitrate, 2 grs.

CHARCOAL and PEPSIN, per lb.	50

Charcoal, 5 grs.
Sacch. Pepsin, 2 grs.

LAXATIVE, per lb.	65

Powdered Alex. Senna, 10 grs.
Extract Cascara Sag., bitterless, 1 gr.
Licorice, Sugar and Aromatic.

PEPSIN, CHARCOAL, MAGNESIA and GINGER, per lb.	60

Pepsin, pure, 1 gr.
Charcoal, 3 grs.
Magnesia, 2 grs.
Ginger, 1 gr.

SANTONIN and CALOMEL, white or pink, per lb.	1 20

Santonin, 1-2 gr.
Calomel, 1-2 gr.

	PRICE TO TRADE
WHITE PINE COMPOUND,	
Per lb.	55

White Pine Bark, 4 grs.
Balm Gilead Buds, 1-2 gr.
Spikenard, 1-2 gr.
Sassafras, 1-2 gr.
Veratrum, 1-8 gr.
Cherry Bark, 4 grs.
Blood Root, 3-8 gr.
Morphine Sulph., 1-100 gr.

WORM (with Chocolate and Sugar),	
Per lb.	1 20

Santonin, 1-2 gr.
Calomel, 1-10 gr.

POWDERS

BLUE PILL, (Blue Mass)	
Per lb. bottle	60
BOROTAL, per lb.	50
Packaged, in screw cap, shaker top bottle,	
3 1-2 oz. in ea., per gross	15 00
Per 1-2 gross	8 50
Per 1-4 gross	4 25
Per doz.	1 50
EMPTY SHAKER TOP BOTTLES, 3 1-2 oz., per doz.	75
per 1-4 doz.	20

Borotal is a sanitary inorganic powder, delicately perfumed, and thoroughly aseptic, for general use as a dusting powder. A soothing toilet preparation, perfectly smooth and impalpable, absorbent, deodorant, protective and cooling. Specially prepared for the use of physicians.

CARIPEPTIC POWDER, (Upjohn)	
Per oz.	1 50
COTO BARK, SACCHARATED EXT.,	
Per lb. bottle	2 00
Per 1-2 lb. bottle	1 10
Per 1-4 lb. bottle	60
GENTIAN, SACCHARATED EXT.,	
Per lb. bottle	1 35
Per 1-2 lb. bottle	70
Per 1-4 lb. bottle	40
LACTATED PEPSIN,	
Per lb. bottle	3 50
Per 1-2 lb. bottle	1 80
Per 1-4 lb. bottle	95
PANCREATIN, Pure,	
In oz. bottles, per oz.	40
In 1-4 lb. bottles, per lb.	6 20
In 1-2 lb. bottles, per lb.	6 10
In 1 lb. bottles, per lb.	6 00

NET LIST

	PRICE TO TRADE
PEPSIN, Scales or Powder, (1:3000),	
In oz. bottles, per oz.	30
In 1-4 lb. bottles, per lb.	3 70
In 1-2 lb. bottles per lb.	3 60
In 1 lb. bottles, per lb.	3 50
SACCHARATED PEPSIN, U. S. P.,	
Per lb. bottle	1 15
Per 1-2 lb. bottle	60
Per 1-4 lb. bottle	35

PILLS UNDER SPECIAL LABEL

(No Discount)

CATHARTIC COMPOUND IMP. Per gross of bottles	6 00
CATHARTIC COMPOUND, U. S. P. Per gross of bottles	6 00
CATHARTIC VEGETABLE, (Liver) Per gross of bottles	6 00

25 pills in each bottle, put up in white enameled carton printed in red. The purchaser's card printed on carton if desired.

CATHARTIC, 1-2 gr. Per gross of bottles	6 00

40 pills in each bottle neatly wrapped and with purchaser's card if desired.

PHYSICIAN'S CASES

GRANULE CASE, No. 1. filled, with name stamped in gold 1 75

We are prepared to supply for the convenience of our patrons a handsome leather Granule Case, 3 1-2x8 inches, containing twelve two drachm vials, to be filled with Pills or Granules selected from those listed at 20c per hundred.

Where the items are not specified with the order, we fill the case as follows: Aconite Root 1-10 gr., Anti-Constipation 1-2 gr., Arsenous Acid, 1-60 gr., Cactus Compound, Calomel 1-8 gr., Diarrhea Pellets, Mercury Protiodide 1-8 gr., Morphine Sulphate 1-16 gr., Nitroglycerin 1-100 gr., Podophyllin 1-8 gr., Quinine Sulphate 1-2 gr., Strychnine Sulphate 1-50 gr.

HYPODERMIC TABLET CASE, No. 2 ..... 2 00

Contains 16 tubes, 25 tablets each, assorted as follows:

Apomorphine Hydrochlor., 1-10 gr.	Morphine, 1-6 gr., and Atropine, 1-180 gr.
Atropine Sulph., 1-100 gr.	Morphine Hydrochlor., 1-4 gr.
Cocaine Hydrochlor., 1-8 gr.	Morphine Sulph., 1-8 gr.
Digitalin, 1-60 gr.	Nitroglycerin, 1-100 gr.
Digitalin, 1-80 gr.	Strychnine Sulph., 1-30 gr.
Hyoscine Hydrobrom., 1-100 gr.	Strychnine Sulph., 1-40 gr.
Morphine, 1-4 gr., and Atropine, 1-150 gr.	Strychnine Nitrate, 1-60 gr.
Morphine Sulph., 1-3 gr	Strychnine Sulph., 1-100 gr.

For the benefit of those who may desire to make their own selection of tablets, we will, on receipt of $2.00, furnish the case free, filled with any assortment of tubes specified, to the amount of $2.20 list prices. Any further amounts will be billed in the regular way.

THE UPJOHN NEBULIZER

with THE UPJOHN NASAL DOUCHE and NEBULOL SOLUTIONS (Upjohn)

THE UPJOHN HAND NEBULIZER

This new nebulizer, which marks a great advance in construction over all old style instruments, is made of heavy glass and hard rubber with tight joints that do not allow the usual leakage of oil, and with only straight tubes that do not become clogged. There are no metal parts. The hand bulb is exceptionally large, which makes the use of the instrument more effective and less fatiguing.

This instrument possesses the unique advantage of being so constructed that it cannot leak or spill, even when inverted or carelessly laid down. Indeed, it is intended for carrying about, filled, ready for immediate use, in the pocket, suit case or grip.

The name is blown in every instrument.

For the purpose of preventing change in the Nebulizer Solutions, the Upjohn Nebulizer is made from a fine quality of BLUE glass, which protects the contents from the chemical action of light.

Price: Nebulizer complete, packed in neat box with one Upjohn Nasal Douche $1.50

Retail price (printed on box) 2.00

THE UPJOHN NASAL DOUCHE

This simple form of nasal douche, devised by us, is designed for cleansing the nasal passages prior to using the nebulizer treatments.



One Upjohn Nasal Douche is supplied without extra charge with each Upjohn Nebulizer.

NEBULIZER SOLUTIONS

FORMULARY AND PRICE LIST

The preparations in the following list represent permanent, clear solutions and are the result of careful research as to the best methods of preparation. Believing that harm frequently results from the use of irritating solutions in nose and throat diseases, we base our claim to superiority for our Special Bases, Lenitol, Vapo-Glycine, Nebulol, plain, and the NEBULOL solutions largely on the fact that every effort has been made to eliminate all possible irritant and harmful properties. This has been accomplished mainly by improved processes of manufacture. As a result we are able to offer an unequaled line of highly efficient preparations, without the usual pungent, irritating features.

We omit from our list any alcoholic vehicle. Alcohol has been largely used in Nebulizer preparations, owing to its extensive solvent properties. It is, however, pungent, irritating and painful, and is highly disagreeable to the patient.

For more complete information concerning the Nebulizer Solutions, see our "Nebulizer Booklet," which will be mailed to any physician on request.

OUR SPECIAL PREPARATIONS

LENITOL (Upjohn).

Lenitol (Upjohn) is an oil base for use with the Nebulizer, in which may be dissolved many of the active agents used in diseases of the nose and throat. It also possesses valuable therapeutic properties peculiar to itself, as it is a non-poisonous local anesthetic for mucous membranes. Lenitol is prepared from pure neutral vegetable oils made by special processes from several tropical plants. Certain of these oily constituents have been found by us to possess remarkable local anesthetic properties hitherto unrecognized as being of value in local medication. Lenitol contains no harmful or poisonous substances and its constituents are so combined as to produce a perfectly bland healing preparation which exerts its grateful sedative effect on the mucous membrane of the nose and throat, relieving irritation, lessening pain, and protecting the inflamed surfaces from contact with air, dust, etc.

Lenitol possesses further the property of making a clear solution with many of the medicaments commonly used in the treatment of the nose and throat.

Prices: 4 ounces $0.50
Pint 1.50

NEBULOL (Upjohn) Plain.

It is customary to use preparations of fluid Petrolatum as a base for sprays, nebulizers, etc. While liquid Petrolatum has useful properties, it possesses the disadvantage of dissolving only a limited number of substances. In Nebulol (Upjohn), we offer a specially prepared, modified Petrolatum base made by combining with pure refined liquid Petrolatum perfectly bland vegetable oils. It is a solvent of many substances, and this makes possible the use of a large number of drugs insoluble in unmodified Petrolatum. Being equally as bland as the finest petroleum products, and of similar physical properties, it is far more satisfactory for use in the Nebulizer. It nebulizes perfectly and mixes freely in all proportions with Lenitol (Upjohn), or other oily bases. Nebulol will not become rancid.

Nebulol, though slightly aromatized, is not medicated, and possesses as its only medicinal property that of forming a protective and soothing film over the surface of mucous membranes. It is intended solely as a base for use in preparing nebulizing fluids.

Prices: 4 oz. bottle.....$0.20
Pint ..... .60

VAPO-GLYCINE (Upjohn).

An aqueous base, for use in the nebulizer. Watery solutions will not nebulize without the addition of some such substance as Vapo-glycine. Vapo-glycine is used for addition to aqueous prescriptions for use in the nebulizer. It is prepared from pure glycerine together with demulcents and harmless substances used to impart the necessary physical properties to the fluids. It contains in addition a small percentage of a carefully prepared solution of the active principles of Echinacea, which is well known as an antiseptic and alterative remedy of special use when applied to inflamed and suppurating surfaces.

This preparation of Echinacea is non-irritating and perfectly harmless and increases the beneficial action of Vapo-glycine.

Vapo-glycine, when diluted with 1 to 4 parts of water, forms a solution which nebulizes well, and serves as an excellent base for all substances soluble in water.

Prices: 4 ounce bottle $0.40
Pint 1.25

EUCAMENTHOL (Upjohn).

In this preparation are combined the sedative and vaso-constrictor action of Camphor-Menthol, with the powerfully antiseptic properties of Eucalyptol. We employ a specially prepared, highly refined Eucalyptol, which is so combined as to avoid the irritating properties which this drug sometimes possesses, while retaining a slightly stimulating and very agreeable action on the mucous membrane.

Eucamenthol, by proper manipulation, combines with Cocaine, Eucaine, Resorcin, Carbolic Acid and Iodine, and mixes with Alcohol and with fixed and essential oils, forming clear solutions. It is of general use in the treatment of diseases of the nose and throat, as it may be mixed in any desired proportion with Lenitol, Nebulol, or other oily or Alcoholic bases.

Prices: 2 ozs. $0.75
4 ozs. 1.35

EUCAMENTHOL-COCAINE (Upjohn) 25%.

Eucamenthol-Cocaine (Upjohn) contains 25% alkaloid, so that 4 minims represent 1 grain of pure Cocaine. This preparation is more active than one containing 25% Cocaine Muriate.

Eucamenthol-Cocaine (Upjohn) unites freely with oils or with alcoholic bases in any proportion and may be used as a convenient method for preparing solutions of any desired strength up to 25%.

Prices: 1 dram vial $0.65
1 oz. 4.75

EUCAMENTHOL-IODINE (Upjohn) 12½%.

Unites readily with alcoholic or oily bases in any desired strength. Each ounce contains ⅛ ounce chemically pure Iodine, in combination with Eucamenthol.

Stronger solutions of Iodine, as usually made, are excessively irritating and are capable of producing decidedly disagreeable symptoms. In Eucamenthol-Iodine (Upjohn) will be found a preparation by which Iodine can be applied in greater strength than by any other method without producing equally irritating results. Iodine is so combined in this preparation as to secure its full therapeutic activity while eliminating almost entirely its disagreeable properties.

Prices: 1 dram vial $0.15
1 ounce ..... .65

EUCAMENTHOL-RESORCIN (Upjohn) 25%.

Resorcin is a favorite and effective remedy for intranasal treatment, but owing to its limited solubility is not ordinarily available for use with oily mixtures. Eucamenthol (Upjohn) is combined with 25% Resorcin, in such form that it readily makes clear solutions with Lenitol, Nebulol and other oily or alcoholic bases.

It may be combined with advantage in oily mixtures with Eucamenthol-Iodine (Upjohn), for the treatment of chronic catarrhs.

Prices: 1 dram $0.15
1 ounce 1.00

"NEBULOL" PREPARATIONS

The following list of preparations, for which we have adopted the general name "Nebulol," as a convenience to prescribers in specifying the non-irritating nebulizer solutions of our manufacture, represent the full therapeutic properties of the ingredients in permanent solution, ready for use in the nebulizer. They are designed especially for use in the Upjohn Nebulizer, but may be used with any nebulizing outfit. The "Nebulol" solutions are agreeably blended, and are free from the irritating properties commonly present in preparations of this kind. The different formulae are designated by number, as well as by a descriptive title applied to each.

PRICES OF NEBULOL SOLUTIONS IN BULK

(without Tablets).

NEBULOL No. 1. Lenitol with Camphor-Menthol.

A 6% solution of Camphor-Menthol in Lenitol (Upjohn)
4 oz. bottle $0.75
Pint 2.25

NEBULOL No. 2. Lenitol with Eucamenthol-Cocaine.

Contains 40 minims of Eucamenthol-Cocaine (Upjohn) to each fluid ounce, equal to 2% Cocaine Alkaloid.
4 oz. bottle $2.00
Pint 6.00

NEBULOL No. 4. Nebulol with Eucamenthol-Iodine.

Nebulol .....14 ozs.
Eucamenthol-Iodine ..... 2 ozs.
4 oz. bottle $0.60
Pint 1.80

NEBULOL No. 8. Camphor-Menthol-Iodine Solution.

Camphor-Menthol .....1 oz.
Iodine .....6½ grs.
Nebulol (Upjohn) q. s. ad...1 pint.
4 oz. bottle $0.40
Pint 1.20

NEBULOL No. 10.

Eucalyptol .....230 mins.
Carbolic Acid Crystals.. 77 grs.
Menthol ..... 31 grs.
4% Oleate of Aconitine.. 8 mins.
Ol. Sassafras ..... 77 mins.
Nebulol q. s. ad..... 1 pint.
4 oz. bottle $0.30
Pint ..... .90

NEBULOL No. 15. Boulton's Solution, Improved.

Carbolic Acid C. P. Crystals 80 grs.
Tr. Iodine Comp. .....260 mins.
Vapo-Glycine .....
Water aa q. s. ad..... 1 pint.
4 oz. bottle $0.75
Pint 2.25

NEBULOL No. 19. Astringent Compound.

Zinc Sulphocarbolate .....80 grs.
Zinc Chloride .....80 grs.
Distilled Ext. Witch Hazel. 8 ozs.
Vapo-Glycine ..... 8 ozs.
4 oz. bottle $0.40
Pint 1.20

NEBULOL No. 22. Intumescent Rhinitis.

Eucalyptol ..... 80 grs.
Menthol .....288 grs.
Terebene ..... 4 ozs.
Ol. Cassia ..... 80 mins.
Camphor .....160 grs.
Ol. Pini Sylvestris ..... 4 ozs.
Lenitol q. s. ad..... 1 pint.
4 oz. bottle $0.75
Pint 2.25

NET LIST

NEBULOL No. 25. Alterative and Stimulant for Chronic Catarrhs.

Eucamenthol-Iodine .....2 ozs.
Eucamenthol-Resorcin .....2 ozs.
Benitol q. s. ad.....1 pint.
4 oz. bottle $0.75
Pint 2.25

NEBULOL No. 27.

Thymol .....30 grs.
Eucamenthol ..... 4 fld. drs.
Ol. Cubebs ..... 3 fld. drs.
Nebulol sufficient to make... 1 pt.
4 oz. bottle $0.40
Pint 1.20

NEBULOL No. 30. Astringent and Alterative Compound

Glycerol of Tannin.....2½ ozs.
Iodine .....120 grs.
Ammonium Muriate .....120 grs.
Water and Vapo-Glycine
aa q. s. to make..... 1 pint.
4 oz. bottle $0.75
Pint 2.25

NEBULOL No. 31. Iodine and Carbolic Acid Comp.

Iodine .....240 grs.
Phenol .....160 grs.
Water and Vapo-Glycine
aa q. s. ad..... 1 pint.
4 oz. bottle $0.75
Pint 2.25

NEBULOL No. 33. Alterative and Antiseptic.

Iodine .....80 grs.
Zinc Sulphocarbolate .....80 grs.
Creosote .....40 mins.
Carbolic Acid .....40 mins.
Water and Vapo-Glycine
aa q. s. ad..... 1 pint.
4 oz. bottle $0.50
Pint 1.50

NEBULOL No. 41. Hay Fever and Asthma No. 1.

Antipyrin. ..... 20 grs.
Cocaine Muriate .....10 grs.
Vapo-Glycine .....½ oz.
2% Sodium Chloride Solution q. s. ad..... 1 oz.
4 oz. bottle $2.00
Pint 6.00

NEBULOL No. 45. Tonsilitis.

Tr. Chloride of Iron
Vapo-Glycine aa .....½ oz.
4 oz. bottle $0.40
Pint 1.20

NEBULOL No. 47. For Tubercular Laryngitis or Bronchitis

Each fluidram contains:

Dionin .....1-16 gr.
Ammonium Muriate ..... 1 gr.
Combined with Saw Palmetto, Tolu and Hydrastis in a special base prepared from our Vapo-Glycine.
4 oz. bottle $0.40
Pint 1.20

For full description of above solutions, with indications for use, see "Nebulizer Booklet;" mailed to any physician on request.

HYPODERMIC TABLETS

It is occasionally desirable to use hypodermic tablets for administration by the mouth. In such cases our tablets will be found well suited for the purpose.

Our hypodermic tablets are freely soluble.

For LIST price on 500 tablets, multiply the list price for 100 by five and subtract 15 cents.

For LIST price on single tubes of 25, take one fourth the price of 100 in tubes of 25, and add 2 cents.

No.		PER BOT. OF 100	BOX OF 4 TUBES OF 25 EA.
	ACONITINE, (Potent Cryst.) 1-120 gr. [No. 19]	70	80

Slows the pulse rate and relaxes blood vessels. One of the most powerful alkaloids. Use cautiously.
Dose: 1-600 to 1-200 gr.

	*APOMORPHINE MURIATE, 1-20 gr. [No. 18]	50	60
	*APOMORPHINE MURIATE, 1-12 gr. [No. 65]	65	75
	*APOMORPHINE MURIATE, 1-10 gr. [No. 57]	70	80
	*APOMORPHINE MURIATE, 1-8 gr. [No. 64]	90	1 00

Prompt and reliable emetic in doses of 1-20 to ¼ gr. hypodermically. The larger doses are indicated in cases of narcotic poisoning, where the vomiting centers are depressed, or where very quick action is necessary. The emesis is followed in some subjects by a hypnotic effect. Given by the mouth is a valuable expectorant in dose of 1-60 to 1-20 gr., particularly applicable in cases of bronchial disease with thick, scanty secretion.

	ATROPINE SULPHATE, 1-200 gr.....[No. 41]	30	40
1	ATROPINE SULPHATE, 1-60 gr	30	40
2	ATROPINE SULPHATE, 1-100 gr	30	40
3	ATROPINE SULPHATE, 1-150 gr	30	40

Respiratory and circulatory stimulant. Antispasmodic, mydriatic. Checks nearly all secretions. Used hypodermically as an antidote to morphine or opium poisoning in doses of 1-60 to 1-40 gr., and in the treatment of shock and collapse. Used also for the relief of spasmodic affections, as lead colic, intestinal obstruction, asthma, etc. 1-200 to 1-60 gr. at bedtime will usually arrest night sweats. These tablets may be used to prepare solutions for instilling into the eye to dilate the pupils in iritis and corneal ulcer or to paralyze accommodation for refraction.

	COCAINE HYDROCHLORATE, 1-10 gr. [No. 14]	35	45
	COCAINE HYDROCHLORATE, 1-8 gr. [No. 15]	45	55

*Hypodermic Tablets of Apomorphine undergo after a time a darkening of color. This change of color affects chiefly the surface of the Tablet and does not materially impair its therapeutic efficiency.

PER BOX OF BOT. 4 TUBES OF 100 OF 25 EA.

COCAINE HYDROCHLORATE, 1-4 gr. [No. 16] 90 1 00

Local anesthetic. These tablets may be used in preparing small amounts of solution for injection. Given by the mouth in small doses, is valuable in relieving severe vomiting.

The dose is variously stated, as, 1-6 to 1 gr.; ½ to 1½ gr., etc. Doses larger than ¾ to 1 gr. should be used with special caution. Children are more susceptible than adults and bear cocaine badly.

CODEINE PHOSPHATE, 1-2 gr. ..... [No. 58] 1 90 2 00

CODEINE SULPHATE, 1-8 gr. ..... [No. 20] 60 70

CODEINE SULPHATE, 1-4 gr. ..... [No. 21] 1 00 1 10

CODEINE SULPHATE, 1-2 gr. ..... [No. 63] 1 90 2 00

May be used hypodermically to relieve severe cough hiccough, or in diabetes.

Dose for injection, ¼ to 1 gr.

CORROSIVE SUBLIMATE, 1-60 gr. . [No. 22] 30 40

CORROSIVE SUBLIMATE, 1-50 gr.... [No. 23] 30 40

Used hypodermically in treatment of syphilis, in doses of 1-100 gr. to 1-6 gr. injected deeply into gluteal region.

DIGITALIN, 1-100 gr. ..... [No. 62] 30 40

DIGITALIN, 1-80 gr. ..... [No. 61] 35 45

DIGITALIN, 1-60 gr. ..... [No. 8] 40 50

DIGITALIN, 1-40 gr. ..... [No. 60] 45 55

Heart tonic, diuretic; used where a prompt effect is required. Slows pulse rate, increases force of heart beat, strengthens arterial tone.

Indicated in failing compensation in valvular heart disease, and in cardiac and renal dropsy. Used in dose of 1-100 to 1-40 gr.

Recommended by Merck in dose of 1-10 to ½ gr.

ESERINE SULPHATE, 1-100 gr. ..... [No. 24] 45 55

ESERINE SULPHATE, 1-50 gr. ..... [No. 25] 80 90

Used in ophthalmology to diminish intraocular tension in glaucoma, and to contract pupil. Applied in eye in 1 per cent solution.

Has been used as an antispasmodic in tetanus and epilepsy.

Dose: 1-120 to 1-30 gr.

HEROIN HYDROCHLORATE, 1-24 gr. [No. 36] 30 40

HEROIN HYDROCHLORATE, 1-12 gr. [No. 31] 40 50

HEROIN HYDROCHLORATE, 1-6 gr. [No. 32] 65 75

HEROIN HYDROCHLORATE, 1-4 gr. [No. 35] 1 00 1 10

Sedative in cough. Less constipating than Morphine Used for relieving attacks of asthma.

Dose: 1-24 to 1-6 gr.

PER BOX OF BOT. 4 TUBES OF 100 OF 25 EA.

No.

HYOSCINE HYDROBROMATE, 1-100 gr. [No. 26] 55 65

Hypnotic. Employed in excessive cerebral excitement insomnia, insanity, mania, and as a sexual sedative.

Dose: 1-200 to 1-100 gr. For the insane, 1-50 to 1-30 gr doses are given. Use cautiously.

HYOSCYAMINE, Crystals, 1-100 gr. [No. 66] 55 65

HYOSCYAMINE, Crystals, 1-50 gr.... [No. 44] 50 60

Used in insomnia, delirious insanity, delirium tremens epilepsy, and various forms of tremor.

Dose: 1-120 to 1-60 gr. For insane ⅛ to ¼ gr. cautiously used.

MORPHINE and ATROPINE ..... [No. 7] 40 50
{ Morphine Sulphate, 1-8 gr.
{ Atropine Sulphate, 1-250 gr.

MORPHINE and ATROPINE ..... [No. 56] 40 50
{ Morphine Sulphate, 1-8 gr.
{ Atropine Sulphate, 1-200 gr.

MORPHINE and ATROPINE ..... [No. 29] 40 50
{ Morphine Sulphate, 1-8 gr.
{ Atropine Sulphate, 1-150 gr.

MORPHINE and ATROPINE, ... [No. 68] 45 55
{ Morphine Sulphate, 1-8 gr.
{ Atropine Sulphate, 1-100 gr.

5 MORPHINE and ATROPINE 50 60
{ Morphine Sulphate, 1-6 gr.
{ Atropine Sulphate, 1-180 gr.

MORPHINE and ATROPINE, ... [No. 67] 60 70
{ Morphine Sulphate, 1-4 gr.
{ Atropine Sulphate, 1-200 gr.

6 MORPHINE and ATROPINE 60 70
{ Morphine Sulphate, 1-4 gr.
{ Atropine Sulphate, 1-150 gr.

MORPHINE and ATROPINE, ... [No. 27] 60 70
{ Morphine Sulphate, 1-4 gr.
{ Atropine Sulphate, 1-100 gr.

MORPHINE and ATROPINE ..... [No. 30] 75 85
{ Morphine Sulphate, 1-3 gr.
{ Atropine Sulphate, 1-120 gr.

MORPHINE and ATROPINE ..... [No. 59] 1 00 1 10
{ Morphine Sulphate, 1-2 gr.
{ Atropine Sulphate, 1-150 gr

A modified Morphine injection, to avoid the nausea and depression frequently seen following use of Morphine alone.

Valuable in erethistic shock, and as a preliminary to anesthesia.

The above selection of Morphine and Atropine combinations will afford an ample range of dosage.

HYPO. TABLETS

No.		PER BOT. OF 100	BOX OF 4 TUBES OF 25 EA.
MORPHINE MURIATE, 1-8 gr.	[No. 50]	40	50
MORPHINE MURIATE, 1-6 gr.	[No. 42]	45	55
MORPHINE MURIATE, 1-4 gr.	[No. 49]	55	65
MORPHINE MURIATE, 1-3 gr.	[No. 48]	65	75
MORPHINE SULPHATE, 1-8 gr.	[No. 11]	35	45
MORPHINE SULPHATE, 1-6 gr.	[No. 10]	40	50
MORPHINE SULPHATE, 1-4 gr.	[No. 9]	50	60
MORPHINE SULPHATE, 1-3 gr.	[No. 28]	70	80
MORPHINE SULPHATE, 1-2 gr.	[No. 55]	95	1 05
NITROGLYCERIN, 1-100 gr.	[No. 33]	30	40
NITROGLYCERIN, 1-150 gr.	[No. 34]	30	40

To relax arterial tension, and lower blood pressure, as in angina pectoris or asthma.
Dose: 1-500 to 1-600 gr.

PHYSOSTIGMINE SULPH. (See Eserine Sulph.)			
SODIUM ARSENATE, 1-30 gr.	[No. 37]	30	40
SPARTEINE SULPHATE, 1-30 gr.	[No. 45]	35	45
STRYCHNINE ACETATE, 1-50 gr.	[No. 12]	30	40
STRYCHNINE NITRATE, 1-100 gr.	[No. 38]	30	40
STRYCHNINE NITRATE, 1-60 gr.	[No. 43]	30	40
STRYCHNINE NITRATE, 1-50 gr.	[No. 69]	30	40
STRYCHNINE NITRATE, 1-40 gr.	[No. 54]	30	40
STRYCHNINE NITRATE, 1-30 gr.	[No. 53]	30	40
STRYCHNINE NITRATE, 1-20 gr.	[No. 52]	35	45
STRYCHNINE SULPH. and ATROPINE { Strych. Sulphate, 1-50 gr. / Atropine Sulphate, 1-150 gr.	[No. 39]	50	60
STRYCHNINE SULPHATE, 1-100 gr.	[No. 40]	30	40
STRYCHNINE SULPHATE, 1-60 gr.	[No. 47]	30	40
STRYCHNINE SULPHATE, 1-40 gr.	[No. 46]	30	40
STRYCHNINE SULPHATE, 1-30 gr.	[No. 51]	30	40

Cardiac and respiratory stimulant in shock and collapse; in respiratory failure during anesthesia; and as a stimulant to failing circulation in pneumonia and other infectious diseases.
Dose: 1-60 to 1-15 gr.

HYPO. TABLETS

No.		PER BOT. OF 100	BOX OF 4 TUBES OF 25 EA.
7	See Morphine and Atropine { Morphine Sulphate, 1-8 gr. / Atropine Sulphate, 1-250 gr.	40	50
8	See Digitalin, 1-60 gr.	40	50
9	See Morphine Sulphate, 1-4 gr.	50	60
10	See Morphine Sulphate, 1-6 gr.	40	50
11	See Morphine Sulphate, 1-8 gr.	35	45
12	See Strychnine Acetate, 1-50 gr.	30	40
14	See Cocaine Hydrochlorate, 1-10 gr.	35	45
15	See Cocaine Hydrochlorate, 1-8 gr.	85	95
16	See Cocaine Hydrochlorate, 1-4 gr.	1 65	1 75
18	See Apomorphine Muriate, 1-20 gr.	50	60
19	See Aconitine, (Cryst.) 1-120 gr.	70	80
20	See Codeine Sulphate, 1-8 gr.	60	70
21	See Codeine Sulphate, 1-4 gr.	1 00	1 10
22	See Corrosive Sublimate, 1-60 gr.	30	40
23	See Corrosive Sublimate, 1-50 gr.	30	40
24	See Eserine Sulphate, 1-100 gr.	45	55
25	See Eserine Sulphate, 1-50 gr.	80	90
26	See Hyoscine Hydrobromate, 1-100 gr.	55	65
27	See Morphine and Atropine { Morphine Sulphate, 1-4 gr. / Atropine Sulphate, 1-100 gr.	60	70
28	See Morphine Sulphate, 1-3 gr.	70	80
29	See Morphine and Atropine { Morphine Sulphate, 1-8 gr. / Atropine Sulphate, 1-150 gr.	40	50
30	See Morphine and Atropine { Morphine Sulphate, 1-3 gr. / Atropine Sulphate, 1-120 gr.	75	85
31	See Heroin Hydrochlorate, 1-12 gr.	30	40
32	See Heroin Hydrochlorate, 1-6 gr.	60	70
33	See Nitroglycerin, 1-100 gr.	30	40
34	See Nitroglycerin, 1-150 gr.	30	40
35	See Heroin Hydrochlorate, 1-4 gr.	1 00	1 10
36	See Heroin Hydrochlorate, 1-24 gr.	30	40
37	See Sodium Arsenate, 1-30 gr.	30	40
38	See Strychnine Nitrate, 1-100 gr.	30	40
39	See Strychnine Sulphate and Atropine { Strychnine Sulphate, 1-50 gr. / Atropine Sulphate, 1-150 gr.	50	60
40	See Strychnine Sulphate, 1-100 gr.	30	40

HYPO. TABLETS

No.		PER BOT. OF 100	BOX OF 4 TUBES OF 25 EA
41	See Atropine Sulphate, 1-200 gr.	30	40
42	See Morphine Muriate, 1-6 gr	45	55
43	See Strychnine Nitrate, 1-60 gr.	30	40
44	See Hyoscyamine, 1-50 gr.	50	60
45	See Sparteine Sulphate, 1-30 gr.	35	45
46	See Strychnine Sulphate, 1-40 gr	30	40
47	See Strychnine Sulphate, 1-60 gr.	30	40
48	See Morphine Muriate, 1-3 gr.	65	75
49	See Morphine Muriate, 1-4 gr.	55	65
50	See Morphine Muriate, 1-8 gr	40	50
51	See Strychnine Sulphate, 1-30 gr.	30	40
52	See Strychnine Nitrate, 1-20 gr.	35	45
53	See Strychnine Nitrate, 1-30 gr.	30	40
54	See Strychnine Nitrate, 1-40 gr.	30	40
55	See Morphine Sulphate, 1-2 gr	95	1 05
56	See Morphine and Atropine (Morphine Sulphate, 1-8 gr. / Atropine Sulphate, 1-200 gr.)	40	50
57	See Apomorphine Muriate, 1-10 gr.	70	80
58	See Codeine Phosphate, 1-2 gr.	1 90	2 00
59	See Morphine and Atropine (Morphine Sulphate, 1-2 gr / Atropine Sulphate, 1-150 gr.)	1 00	1 10
60	See Digitalin, 1-40 gr.	45	55
61	See Digitalin, 1-80 gr.	35	45
62	See Digitalin, 1-100 gr	30	40
63	See Codeine Sulphate, 1-2 gr	1 90	2 00
64	See Apomorphine Muriate, 1-8 gr	90	1 00
65	See Apomorphine Muriate, 1-12 gr	65	75
66	See Hyoscyamine, Crystals, 1-100 gr.	55	65
67	See Morphine and Atropine (Morphine Sulphate, 1-4 gr. / Atropine Sulphate, 1-200 gr.)	60	70
68	See Morphine and Atropine (Morphine Sulphate, 1-8 gr. / Atropine Sulphate, 1-100 gr.)	45	55
69	See Strychnine Nitrate, 1-50 gr.	30	40

FOR HYPODERMIC TABLET CASES, SEE PAGE 164.

TABLETS

PLAIN AND COATED

In the manufacture of this line of Compressed Tablets, we exercise the greatest care possible in the selection of the best materials procurable for the purpose.

We have adopted the most approved methods and up-to-date machinery, and aim to keep the degree of excellence fully up to the standard of the most exacting patron.

Ask for quotations on bulk quantities.

Send us your Special Formulæ for quotations.

No.		PER BOTTLE OF 1000	500	100
1	ACETANILID, 1 gr.	55	31	15
2	ACETANILID, AROMATIC 1 gr., pink	65	36	15
3	ACETANILID, 2 grs	65	36	15
4	Coated chocolate	85	46	15
5	ACETANILID, 3 grs	85	46	15
6	ACETANILID, AROMATIC, 3 grs. pink	95	50	15
7	ACETANILID, 4 grs	1 05	56	17
8	ACETANILID, 5 grs	1 15	61	18
9	ACETANILID, AROMATIC 5 grs., pink	1 35	71	19
10	Coated chocolate	1 35	71	19
11	ACETANILID COMPOUND, No. 1 (Acetanilid, 2 1-2 grs. / Sodium Bicarbonate, 1 1-2 grs. / Caffeine, 1-[illegible] gr.)	1 80	93	23
	(For prices in bulk see Net List, page 150)			
12	ACETANILID COMPOUND, No. 2	1 60	84	21
13	Coated chocolate (Acetanilid, 3 grs. / Sodium Bicarbonate, 1 gr. / Ammonium Chloride, 1-2 gr. / Caffeine, Citrated, 1-2 gr.)	1 80	94	23
14	ACETANILID COMPOUND, No. 3 (Acetanilid, 3 grs. / Sodium Bicarbonate, 3-4 gr. / Caffeine, Citrated, 1-2 gr. / Capsicum, 1-10 gr.)	1 60	84	21
15	ACETANILID and QUININE (Acetanilid, 2 1-2 grs. / Quinine Sulphate, 2 1-2 grs.)	5 80	2 94	63
16	ACETANILID and QUININE COMP. (Acetanilid, 2 grs. / Camphor, 1-4 gr. / Quinine Sulphate, 1-2 gr. / Capsicum, 1-4 gr. / Podophyllin, 1-80 gr. / Aconite Root, 1-20 gr. / Morphine Sulphate, 1-120 gr.)	4 00	2 03	45

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
17	ACETANILID and SALOL..... (Acetanilid, 2 1-2 grs. Salol, 2 1-2 grs.)	2 50	1 28	31
18	ACETANILID and SALOL COMP.... (Acetanilid, 2 grs. Caffeine Citrate, 1-2 gr. Salol, 2 grs.)	3 00	1 54	35
19	ACETANILID and SODA.....	70	38	15
20	Coated chocolate..... (Acetanilid, 2 1-2 grs. Sodium Bicarbonate, 2 1-2 grs.)	90	48	15
21	ACETANILID and SODIUM COMP., No. 1.....	1 60	83	22
22	Aromatic, pink.....	1 80	93	24
23	Coated chocolate..... (Acetanilid, 3 1-2 grs. Sodium Bicarbonate, 9-10 gr. Sodium Bromide, 1-10 gr. Caffeine, Citrated, 1-2 gr.)	1 80	93	24
24	ACETANILID and SODIUM COMP., No. 2.....	2 20	1 13	28
25	Coated chocolate..... (Acetanilid, 3 1-2 grs. Sodium Bicarbonate, 2 1-2 grs. Caffeine, Citrated, 1 gr. Tinct. Gelsemium, 3 m.)	2 40	1 23	30
26	ACETANILID and SODIUM COMPOUND with CODEINE.....	7 30	3 68	79
27	Coated chocolate..... (Acetanilid, 3 1-2 grs. Sodium Bicarbonate, 9-10 gr. Sodium Bromide, 1-10 gr. Caffeine, 1-4 gr. Codeine, 1-4 gr.)	7 50	3 78	81
28	ACETANILID and SODIUM COMPOUND with QUININE, chocolate coated only..... (Acetanilid, 3 1-2 grs. Sodium Bicarbonate, 9-10 gr. Sodium Bromide, 1-10 gr. Quinine Sulphate, 2 grs. Caffeine, 1-4 gr.) Employed in treatment of grip.	6 15	3 11	67
29	ACETANILID and SODIUM SALICYLATE COMP..... (Acetanilid, 2 1-2 grs. Sodium Salicylate, 2 1-2 grs. Caffeine Alk., 1-2 gr.)	2 50	1 29	30
30	ACETPHENETIDIN, U. S. P., 2 grs..	1 85	81	21
31	ACETPHENETIDIN, U. S. P., 3 grs..	2 20	1 13	28
32	ACETPHENETIDIN, U. S. P., 5 grs. Chemically identical with Phenacetine.	3 40	1 73	40
33	ACETPHENETIDIN and SALOL. (Acetphenetidin, U. S. P., 2 1-2 grs. Salol, 2 1-2 grs.)	3 60	1 82	40

No.		PER BOTTLE OF 1000	500	100
34	ACID BORIC and POTASSIUM COMP., (Throat)..... (Boric Acid, 2 grs. Potassium Chlorate, 1 gr. Sodium Benzoate, 1 gr. Cocaine Muriate, 1-40 gr. Sugar, 3 grs. Oil Wintergreen, 1-5 gtt.)	2 75	1 40	35

For singers and speakers. Indicated in chronic pharyngitis and laryngitis with sensations of dryness and tickling. One tablet to be dissolved in the mouth every hour or two.

ACID GALLIC and ERGOTIN COMP. (See Menorrhagic, Dr. Hirst)

35	ACONITE ROOT, Fluid Extract, 1-10 m.	55	31	15
36	ACONITE ROOT, Fluid Extract, 1 m.	60	33	15
37	ACONITE ROOT, TINCTURE, 1-10 m	55	31	15
38	ACONITE ROOT, TINCTURE, 1-4 m	55	31	15
39	ACONITE ROOT, TINCTURE, 1-2 m	55	31	15
40	ACONITE ROOT, TINCTURE, 1 m..	60	33	15
41	Coated chocolate.....	80	43	15
42	ACONITE ROOT, TINCTURE, 2 m..	65	36	15
43	ACONITE and BELLADONNA, No. 1 (Tinct. Aconite Root, 1-100 m. Tinct. Belladonna Leaves, 1-100 m.)	65	36	15
44	ACONITE and BELLADONNA, No. 2 (Tinct. Aconite Root, 1 m. Tinct. Belladonna Leaves, 1 m.)	65	36	15
45	ACONITE and BRYONIA..... (Tinct. Aconite Root, 1 m. Tinct. Bryonia, 1 m.)	65	36	15
46	ACONITE and BRYONIA COMP.... (Tinct. Aconite, 1-4 m. Tinct. Bryonia, 1-2 m. Tinct. Gelsemium, 1-4 m.)	75	40	15
47	ACONITE and GELSEMIUM..... (Tinct. Aconite Root, 2 m. Tinct. Gelsemium, 1 m. Tinct. Belladonna Leaves, 2 m)	75	40	15
48	ACONITINE, CRYSTALS, 1-500 gr.	55	31	15
49	ACONITINE, CRYSTALS, 1-200 gr.	65	36	15
50	ACONITINE, CRYSTALS, 1-150 gr.	80	43	15
51	ACONITINE, CRYSTALS, 1-100 gr.	85	46	15
52	AGARICIN COMP. purple coated only (Agaricin, 1-12 gr. Picrotoxin, 1-60 gr. Atropine Sulph., 1-120 gr.)	2 14	1 10	27

ALKALINE (See Antacid)

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
	ALKALINE AND ANTISEPTIC, [No. 124] (See Net List, page 159)			
53	ALOIN, 1-100 gr.	55	31	15
54	ALOIN, 1-10 gr	55	31	15
55	Coated chocolate	75	41	15
56	ALOIN, 1-4 gr.	60	33	15
57	Coated chocolate	80	43	15
58	ALOIN, 1-2 gr.	65	36	15
59	ALOIN, 1 gr	85	46	15
60	ALOIN, BELLADONNA and NUX VOMICA	65	36	15
61	Coated chocolate Aloin, 1-5 gr. Ext. Belladonna Leaves, 1-8 gr. Ext. Nux Vomica, 1-6 gr.	85	46	15
62	ALOIN, BELLADONNA and PODOPHYLLIN	65	36	15
63	Coated chocolate Aloin, 1-8 gr. Ext. Belladonna Leaves, 1-8 gr. Podophyllin, 1-8 gr.	85	46	15
64	ALOIN, BELLADONNA, PODOPHYLLIN and NUX VOMICA	65	36	15
65	Coated chocolate Aloin, 1-10 gr. Ext. Belladonna Leaves, 1-10 gr. Podophyllin, 1-10 gr. Ext. Nux Vomica, 1-10 gr.	85	46	15
66	ALOIN and CASCARIN COMPOUND, No. 1, (Dr. Duncan) chocolate coated only Aloin, 1-5 gr. Cascarin, 1-4 gr. Ext. Belladonna Leaves, 1-8 gr. Strychnine Sulphate, 1-60 gr.	1 05	56	17
67	ALOIN and CASCARIN COMPOUND, No. 2, (Dr. Duncan) chocolate coated only Aloin, 1-4 gr. Cascarin, 1-4 gr. Podophyllin, 1-4 gr. Ext. Belladonna Leaves, 1-8 gr.	1 10	58	17
68	ALOIN and PODOPHYLLIN	60	33	15
69	Coated chocolate Aloin, 1-8 gr. Podophyllin, 1-8 gr.	80	43	15
70	ALOIN STRYCHNINE and BELLADONNA, No. 1	65	36	15
71	Coated chocolate Aloin, 1-5 gr. Strychnine Sulphate, 1-120 gr. Ext. Belladonna Leaves, 1-8 gr	85	46	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
72	ALOIN, STRYCHNINE and BELLADONNA, No. 2	65	36	15
73	Coated chocolate or pink Aloin, 1-5 gr. Strychnine Sulphate, 1-60 gr. Ext. Belladonna Leaves, 1-8 gr.	85	46	15
74	ALOIN, STRYCHNINE, BELLADONNA and CASCARA, No. 1	85	46	15
75	Coated chocolate Aloin, 1-5 gr. Strychnine Sulphate, 1-120 gr. Ext. Belladonna Leaves, 1-8 gr. Ext. Cascara Sagrada, 1-2 gr.	1 05	56	17
76	ALOIN, STRYCHNINE, BELLADONNA and CASCARA SAGRADA, No. 2, chocolate coated only. Aloin, 1-2 gr. Strychnine, 1-120 gr. Ext. Belladonna Leaves, 1-16 gr. Ext. Cascara Sagrada, 1-2 gr.	1 05	56	17
77	ALOIN, STRYCHNINE, BELLADONNA and IPECAC	70	38	15
78	Coated chocolate Aloin, 1-8 gr. Strychnine Sulphate, 1-60 gr. Ext. Belladonna Leaves, 1-8 gr. Powd. Ipecac, 1-16 gr.	90	48	15
79	ALTERATIVE TONIC, coated pink or chocolate Phytolaccin, 1 gr. Xanthoxylin, 1 gr. Hydrarg. Salicylate, 1-10 gr. Ext. Stillingia, 2 grs	2 40	1 23	29

Indicated in chronic rheumatic, hepatic, scrofulous, skin and syphilitic affections.

Dose—One or two tablets three times a day after meals.

80	ALUM, 1-10 gr	55	31	15
81	ALUM, 1-5 gr.	60	33	15
82	ALUM COMPOUND for INJECTION Alum, 2 1-2 grs. Zinc Sulphate, 2 grs. Fluid Golden Seal, colorless, 1 m. Morphine Sulphate, 1-32 gr.	1 50	78	21
83	ALUM COMPOUND, No. 2 Alum, 1-2 gr. Zinc Sulphate, 1 gr. Zinc Sulphocarbolate, 2 grs. Hydrastine Muriate, 1-16 gr. Morphine Sulphate, 1-60 gr.	4 45	2 28	50
84	AMMONIUM CHLORIDE, 1-10 gr.	55	31	15
85	AMMONIUM CHLORIDE, 1-2 gr.	55	31	15
86	AMMONIUM CHLORIDE, 1 gr	55	31	15
87	AMMONIUM CHLORIDE, 3 grs.	55	31	15
88	AMMONIUM CHLORIDE, 5 grs.	65	36	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
89	AMMONIUM CHLORIDE COMPOUND Ammonium Chloride, 1-4 gr. Cubeb, 1-8 gr. Ext. Licorice, 1-10 gr.	65	36	15
90	AMMONIUM CHLORIDE COMPOUND with CODEINE Ammonium Chloride, 1-4 gr. Cubeb, 1-3 gr. Ext. Licorice, 1-10 gr. Codeine, 1-25 gr.	1 50	78	20
91	AMMONIUM CHLORIDE COMPOUND with HEROIN Ammonium Chloride, 1-4 gr. Ext. Licorice, 1-10 gr. Powd. Cubebs, 1-6 gr. Heroin, 1-16 gr.	2 40	1 24	29
92	AMMONIUM CHLORIDE and HYOSCYAMUS COMPOUND Ammonium Chloride, 1 gr. Tartar Emetic, 1-24 gr. Ext. Hyoscyamus, 1-6 gr.	60	33	15
93	AMMONIUM SALICYLATE COMPOUND Ammonium Salicylate, 3 grs. Phenacetine, 1 gr. Caffeine, Citrated, 1-2 gr. Salicin, 1 1-2 grs.	10 45	5 25	1 11
94	AMMONIUM SALICYLATE and ACETANILID COMPOUND chocolate coated only Ammonium Salicylate, 2 grs. Acetanilid, 1 1-2 grs. Dover's Powder, 1 1-2 grs. Camphor, 1-2 gr. Caffeine, 1 gr.	5 38	2 72	60
95	ANALGESIC Acetanilid, 3 grs. Sodium Bicarbonate, 1 gr. Caffeine, Citrated, 1-2 gr.	1 60	83	22
96	ANEMIA, chocolate coated only Ferrous Carbonate (Blaud's Mass), 3 grs. Arsenous Acid, 1-60 gr. Manganese Binoxide, 1 gr.	1 35	71	19
97	ANEMIA, Improved (Dr. Morton), chocolate coated only Arsenous Acid, 1-240 gr. Corrosive Sublimate, 1-120 gr. Strychnine Sulph., 1-30 gr. Blaud's Mass, 4 grs.	1 50	78	20
98	ANISE OIL, 1-50 gr	55	31	15
99	ANODYNE, 1-4 gr Camphor, 1-8 gr. Ext. Hyoscyamus, 1-8 gr. Morphine Sulphate, 1-60 gr. Oil Capsicum, 1-60 gr.	1 00	53	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
100	ANODYNE, 2 grs.	2 10	1 08	26
101	Coated chocolate Camphor, 1 gr. Ext. Hyoscyamus, 1 gr. Morphine Acetate, 1-20 gr. Oleoresin Capsicum, 1-20 m.	2 20	1 13	27
102	ANODYNE, No. 4, (Dr. Loving) Morphine Sulphate, 1-16 gr. Ext. Cannabis Ind., 1-8 gr. Oil Peppermint, 1-6 m. Oleoresin Capsicum, 1-16 gr.	2 50	1 28	30
103	ANODYNE for INFANTS, (Dr. Waugh) Nickel Bromide, 1-134 gr. Codeine Sulphate, 1-67 gr. Lithium Carbonate, 1-25 gr. Powd. Ipecac, 1-134 gr. Oil Anise 1-134 gr.	1 20	63	18
104	ANTACID Powd. Rhubarb, 1 gr. Sodium Bicarbonate, 3 grs. Magnesia, Calcined, 1 gr. Powd. Cardamom, 1-8 gr. Oil Peppermint, 1-8 gr.	1 65	86	22
105	ANTI-ASTHMATIC, (Hare) Potassium Iodide, 2 grs. Sodium Bromide, 2 grs. Fld. Ext. Euphorbia Pil., 3 m Tinct. Lobelia, 2 m. Nitroglycerin, 1-200 gr.	3 95	2 00	45
106	ANTI-ASTHMATIC, (Dr. Stevens) Potassium Iodide, 5 grs. Fowler's Solution, 1 m. Tinct. Lobelia, 4 m. Tinct. Belladonna, 1 1-2 m. Tinct. Opium, deod., 1-2 m. Oil Wintergreen, 1-4 m.	6 50	3 30	75
107	ANTI-COLD, No. 2 Morphine Sulph., 1-24 gr. Tinct. Aconite, 1-2 gtt. Tartar Emetic, 1-60 gr. Powd. Ipecac, 1-8 gr.	1 35	71	18
108	ANTI-CONSTIPATION	1 30	68	19
109	Coated chocolate Ext. Cascara Sagrada, 1 gr. Ext. Nux Vomica, 1-8 gr. Podophyllin, 1-8 gr. Ext. Belladonna Leaves, 1-8 gr. Powd. Ipecac, 1-8 gr.	1 50	78	12
110	ANTI-DYSPEPTIC, No. 1	1 95	1 00	26
111	Coated chocolate Powd. Ipecac, 1-10 gr. Blue Mass, 2 grs. Ext. Colocynth Comp., 2 grs.	2 15	1 11	27

TABLETS
Plain and Coated

No		PER BOTTLE OF 1000	500	100
112	ANTI-DYSPEPTIC, No. 2	85	46	15
113	Coated chocolate Strychnine Sulph., 1-60 gr Powd. Ipecac, 1-10 gr. Powd. Capsicum, 1-4 gr. Ext Rhubarb, 1-4 gr. Ext. Gentian, 1-2 gr. Sodium Bicarb., 2 grs.	1 05	56	17
114	ANTI-DYSPEPTIC, (Fothergill) Improved	1 15	61	18
115	Coated chocolate Ext. Gentian, 1 gr. Blue Mass, 1 gr. Powd. Ipecac, 1-10 gr. Powd. Capsicum, 1-10 gr. Strychnine, 1-40 gr.	1 35	71	19
116	ANTI-FERMENTATIVE, chocolate coated only Sodium Salicylate, 2 grs. Powd. Ginger, 2 grs. Powd. Capsicum, 1-10 gr. Cardamom Comp., 1-4 gr.	1 61	84	25
117	ANTI-LITHIC, (Dr. Hewish) Sodium Phosphate, 4 grs. Lithium Benzoate, 1 gr. Sodium Bicarbonate, 1 gr. Sodium Chloride, 1 gr. Potassium Bicarbonate, 1 gr.	1 95	1 00	26
118	ANTI-MALARIAL	5 60	2 83	62
119	Coated chocolate Powd. Nux Vomica, 1-4 gr. Powd. Capsicum, 1-2 gr. Ext. Hyoscyamus, 1-2 gr. Quinine Sulphate, 3 grs.	5 80	2 93	63
120	ANTIMONY and IPECAC, (Dr. Fowler) Tartar Emetic, 1-100 gr. Powd. Ipecac, 1-100 gr.	55	31	15
121	ANTI-NEURALGIC, (Dr. Arthur) Acetanilid, 2 grs. Quinine Sulphate, 2 grs. Morphine Sulphate, 1-8 gr.	6 00	3 04	65
122	ANTI-RHEUMATIC Acid Salicylic, 3 grs. Sodium Bicarbonate, 2 1-2 grs. Wine of Colchicum, 2 m.	1 40	74	19
123	ANTI-RHEUMATIC, Effervescing. Lithium Salicylate, 2 grs. Potassium Salicylate, 1 1-2 grs.	4 40	2 23	50
124	ANTISEPTIC, ALKALINE Sodium Bicarb nate, 5 grs. Sodium Biborate, 5 grs. Sodium Benzoate, 7-24 gr. Sodium Salicylate, 7-24 gr. Sodium Chloride, 5 grs. Eucalyptol, 7-48 gr. Thymol, 7-48 gr. Menthol, 7-96 gr. Ol. Gaultheria, 7-96 gr			

For price in lb. bottles see Net List, page 159

TABLETS
Plain and Coated

No		PER BOTTLE OF 1000	500	100
	ANTISEPTIC TABLETS for Solution. See Net List page 160			
125	ANTI-SYPHILITIC No. 1 Mercury Protiodide, 1-8 gr. Charcoal 1-8 gr.	1 00	54	15
126	ANTI-SYPHILITIC, No. 2 Mercury Protiodide, 1-3 gr. Powd. Opium, 1-10 gr. Ext. Henbane, 1-4 gr	175	91	22
127	APERIENT, chocolate coated only Ext. Colocynth Comp., 2 grs. Ext. Hyoscyamus, 1 2 gr. Ext. Nux Vomica, 1-3 gr.	175	91	23
128	APERIENT, (DaCosta) Calomel, 1-2 gr. Sodium Bicarbonate, 1 gr. Podophyllin, 1-12 gr. Powd. Ipecac, 1-8 gr.	1 50	78	20
129	APHRODISIAC	1 70	88	23
130	Coated chocolate Ext. Damiana, 2 grs. Zinc Phosphide., 1-10 gr. Ext. Nux Vomica, 1-8 gr Cantharides, 1-25 gr.	1 90	98	25
131	APOMORPHINE HYDROCHLORATE, 1-100 gr. (See list of Hypodermic Tablets for other sizes)	1 00	53	16
132	ARSENIC BROMIDE, 1-200 gr.	55	31	15
133	ARSENIC BROMIDE, 1-100 gr.	55	31	15
134	ARSENIC BROMIDE, 1-60 gr.	55	31	15
135	ARSENIC BROMIDE, 1-50 gr.	55	31	15
136	ARSENIC BROMIDE, 1-40 gr.	55	31	15
137	ARSENIC BROMIDE, 1-20 gr.	60	33	15
138	ARSENIC IODIDE, 1-1000 gr.	55	31	15
139	ARSENIC IODIDE, 1-100 gr.	60	33	15
140	ARSENIC IODIDE, 1-50 gr.	60	33	15
141	ARSENIC IODIDE, 1-35 gr.	60	33	15
142	ARSENIC IODIDE, 1-20 gr.	65	36	15
143	ARSENIC SULPHIDE, 1-1000 gr.	55	31	15
144	ARSENIC SULPHIDE, 1-100 gr.	60	33	15
145	Coated chocolate	80	43	15
146	ARSENIC SULPHIDE, 1-50 gr.	60	33	15
147	Coated chocolate	80	43	15
148	ARSENIC SULPHIDE, 1-40 gr.	65	36	15
149	ARSENIC SULPHIDE, 1-30 gr.	65	36	15
150	Coated chocolate	85	46	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
	ARSENIC and IRON ..... (See Iron and Arsenic)			
	ARSENIC, Red Sulphuret (See Arsenic Sulphide)			
151	ARSENIC and STRYCHNINE..... { Arsenous Acid, 1-100 gr. { Strychnine Sulphate, 1-60 gr.	80	43	15
152	ARSENOUS ACID, 1-1000 gr.....	55	31	15
153	ARSENOUS ACID, 1-500 gr.....	55	31	15
154	ARSENOUS ACID, 1-200 gr.....	55	31	15
155	ARSENOUS ACID, 1-150 gr.....	55	31	15
156	ARSENOUS ACID, 1-120 gr.....	55	31	15
157	ARSENOUS ACID, 1-100 gr.	55	31	15
158	ARSENOUS ACID, 1-60 gr.....	60	33	15
159	ARSENOUS ACID, 1-50 gr.....	60	33	15
160	Coated chocolate	80	43	15
161	ARSENOUS ACID, 1-40 gr.....	60	33	15
162	ARSENOUS ACID, 1-32 gr.....	60	33	15
163	ARSENOUS ACID, 1-30 gr.....	60	33	15
164	Coated chocolate	80	43	15
165	ARSENOUS ACID, 1-20 gr.....	60	33	15
166	Coated chocolate	80	43	15
167	ARSENOUS ACID, 1-10 gr.....	60	33	15
168	ASAFETIDA, 1 gr. chocolate coated only.....	80	43	15
169	ASAFETIDA, 2 grs. chocolate coated only.....	90	48	15
170	ASAFETIDA, 3 grs., chocolate coated only	1 10	58	17
171	ASAFETIDA, 4 grs. chocolate coated only	1 33	70	19
172	ASAFETIDA, 5 grs., chocolate coated only	1 55	81	21
173	ASAFETIDA and NUX VOMICA, chocolate coated only ..... { Asafetida, 3 grs. { Ext. Nux Vomica, 1-4 gr.	1 20	63	18
174	ASTRINGENT WASH ..... { Lead Acetate, 2 grs. { Zinc Acetate, 2 grs. { Berberine Muriate, 1-20 gr. { Morphine Acetate, 1-32 gr.	1 60	83	21
175	ATROPINE SULPHATE, 1-1000 gr.	60	33	15
176	ATROPINE SULPHATE, 1-500 gr.	60	33	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
177	ATROPINE SULPHATE, 1-200 gr.	70	38	15
178	ATROPINE SULPHATE, 1-150 gr.	80	43	15
179	ATROPINE SULPHATE, 1-120 gr.	85	46	15
180	ATROPINE SULPHATE, 1-100 gr.	90	48	15
181	Coated chocolate.....	1 10	58	17
182	ATROPINE SULPHATE, 1-50 gr..	1 10	58	17
183	BAPTISIA, TINCTURE, 1 m.....	60	33	15
184	BELLADONNA LEAVES, EXTRACT, 1-3 gr.....	55	31	15
185	BELLADONNA LEAVES, EXTRACT, 1-4 gr.....	65	36	15
186	BELLADONNA LEAVES, FLUID EXTRACT, 1-4 m.....	55	31	15
187	BELLADONNA LEAVES, FLUID EXTRACT, 1-2 m.....	55	31	15
188	BELLADONNA LEAVES, FLUID EXTRACT, 1 m.....	60	33	15
189	Coated chocolate.....	80	43	15
190	BELLADONNA LEAVES, TINCTURE, 1-2 m	55	31	15
191	BELLADONNA LEAVES, TINCTURE, 1 m	60	33	15
192	BELLADONNA LEAVES, TINCTURE, 2 m	60	33	15
193	BELLADONNA LEAVES, TINCTURE, 5 m	65	36	15
194	BENZOIC ACID, 1-50 gr.....	55	31	15
195	BENZOIC ACID, 1-10 gr.....	55	31	15
196	BENZOIC ACID, 1-4 gr.....	60	33	15
197	BENZOIC ACID, 1-2 gr.....	65	36	15
198	BISMUTH and CALOMEL ..... { Bismuth Subnitrate, 2 grs. { Calomel, 1-10 gr. { Aromatic Powder, 1 gr.	3 27	1 67	39
199	BISMUTH, CALOMEL and IPECAC { Bismuth Subnitrate, 1 gr. { Calomel, 1-40 gr. { Powd. Ipecac, 1-60 gr.	1 75	91	23
200	See Bismuth Subgallate, 1 gr.....	1 75	91	23
201	See Cascara Sagrada Ext., 5 grs., chocolate coated.....	2 70	1 38	33
202	BISMUTH and CERIUM OXALATE { Bismuth Subnitrate, 1 gr. { Cerium Oxalate, 1-2 gr.	1 50	78	21
203	BISMUTH and CHARCOAL..... { Bismuth Subnitrate, 2 grs. { Charcoal, 5 grs.	2 50	1 28	31

No.		PER BOTTLE OF 1000	500	100
204	BISMUTH and IPECAC COMP., No. 1	2 50	1 28	31
205	Coated chocolate (Bismuth Subnitrate, 2 grs. Calomel, 1-20 gr. Powd. Ipecac, 1-50 gr. Aromatic Powder, 1 gr.)	2 70	1 38	32
206	BISMUTH and IPECAC COMP., No. 2 (Bismuth Subnitrate, 1 gr. Calomel, 1-10 gr. Powd. Ipecac, 1-20 gr. Powd. Opium, 1-40 gr.)	1 90	98	25
207	BISMUTH and PAREGORIC COMP. (Bismuth Subnitrate, 2 grs. Zinc Sulphocarbolate, 1-4 gr. Paregoric, 5 m. Powd. Ipecac, 1-24 gr. Oil Peppermint., 1-20 gr.)	3 50	1 79	40
208	BISMUTH SALICYLATE COMP., (Dr. Haworth) (Bismuth Salicylate, 3 grs Prepared Chalk, 2 grs. Aromatic Powder, 1 gr. Zinc Sulphocarbolate, 1-4 gr.)	4 45	2 27	50
200	BISMUTH SUBGALLATE, 1 gr.	1 75	91	23
209	BISMUTH SUBGALLATE, 2 1-2 grs.	3 70	1 88	43
210	BISMUTH SUBGALLATE, 5 grs	5 85	2 95	63
211	Coated chocolate	6 05	3 06	67
212	BISMUTH SUBNITRATE, 1 grs.	1 50	78	21
213	BISMUTH SUBNITRATE, 2 gr.	2 50	1 28	31
214	BISMUTH SUBNITRATE, 5 grs.	5 50	2 78	61
215	BISMUTH SUBNITRATE, OPIUM and CARBOLIC ACID, chocolate coated only (Bismuth Subnitrate, 5 grs. Powd. Opium, 1-4 gr. Aromatic Powder, 1 gr. Carbolic Acid, 1-2 gr.)	5 70	2 88	63
217	BITTER TONIC	70	38	15
218	Coated chocolate (Wine Ipecac, 1 m. Tinct. Capsicum, 2 m. Tinct. Nux Vomica, 5 m. Tinct. Gentian Comp., 5 m.)	90	48	15
219	BLANK TABLETS, Placebo (Absorbent, not medicated). In white, pink, yellow, black or brown	55	31	15
220	Coated chocolate or in any of above colors	75	41	17

No.		PER BOTTLE OF 1000	500	100
221	BLAUD'S, 3 grs. chocolate coated only (Iron Sulph., exsic., 1 1-2 grs. Potass. Carb., 1 1-2 grs.)	78	42	15
222	BLAUD'S, 5 grs. chocolate coated only (Iron Sulph., exsic., 2 1-2 grs. Potass. Carb., 2 1-2 grs.)	94	50	15
223	BLAUD'S COMP., MODIFIED, chocolate coated only (Blaud's Mass, 4 grs. Arsenous Acid, 1-50 gr. Ext. Nux Vomica, 1-8 gr. Ext. Cascara Sagrada, 1 gr.)	2 05	1 06	26
224	BLAUD'S and EXT. NUX VOMICA chocolate coated only (Iron Sulph., exsic., 1 1-2 grs. Potass. Carb., 1 1-2 grs. Ext. Nux Vomica, 1-6 gr.)	83	45	15
225	BLAUD'S MODIFIED, 3 grs., chocolate coated only (Iron Sulph., exsic., 1 1-2 grs. Potass. Carb., 1 1-2 grs. Arsenous Acid, 1-60 gr.)	83	45	15
226	BLAUD'S, MODIFIED, 5 grs., chocolate coated only (Iron Sulph., exsic., 2 1-2 grs. Potass. Carb., 2 1-2 grs. Arsenous Acid, 1-40 gr.)	1 00	53	16
227	BLAUD'S, NUX VOMICA and ARSENIC, chocolate coated only (Blaud's Mass, 5 grs. Ext. Nux Vomica, 1-10 gr. Arsenous Acid, 1-50 gr.)	1 05	56	16
228	BLAUD'S and SUMBUL COMPOUND	1 20	63	17
229	Coated chocolate (Ferrous Carbonate (Blaud's Mass), 3 grs. Ext. Sumbul, 1 gr. Arsenous Acid, 1-60 gr. Strychnine Sulphate, 1-60 gr.)	1 40	73	20
230	BLAUD'S, NUX VOMICA and CASCARA, chocolate coated only (Iron Sulph., exsic., 1 1-2 grs. Potass. Carb., 1 1-2 grs. Ext Cascara Sagrada, 1 gr. Ext. Nux Vomica, 1-10 gr.)	1 50	78	21

No.		PER BOTTLE OF 1000	500	100
231	BLAUD'S TONIC LAXATIVE coated pink only Blaud's Mass, 3 grs. Quinine Sulphate, 1-2 gr. Ext. Nux Vomica, 1-10 gr. Aloin, 1-10 gr.	1 83	95	24
232	BLUE MASS, 1-4 gr	60	33	15
233	BLUE MASS, 1-2 gr	65	36	15
234	BLUE MASS, 1 gr	80	43	15
235	BLUE MASS COMPOUND Blue Mass, 1-2 gr. Powd. Opium, 1-8 gr. Powd. Ipecac, 1-8 gr.	1 00	53	16
236	BORAX, 5 grs	60	33	15
237	BORIC ACID, 5 grs	70	38	15
238	BROMIDE and CAFFEINE COMP. Sodium Bromide, 5 grs. Caffeine, 1-2 gr. Acetanilid, 2 grs. Tinct. Gelsemium, 3 gtt.	3 15	1 61	38
239	BRONCHIAL Ammonium Chloride, 1-3 gr. Ext. Licorice, 1 gr. Balsam Tolu, 1-5 gr. Powd. Hyoscyamus, 1-4 gr. Oleores. Cubeb, 1-6 gr. Powd. Senega, 1-5 gr. Powd. Ipecac, 1-50 gr.	80	43	15
240	BRONCHITIS, No. 1	70	38	15
241	Coated chocolate Tinct. Bryonia, 1-10 m. Tinct. Aconite, 1-5 m. Sulphurated Antimony, 1-100 gr. Tinct. Belladonna Leaves, 1-10 m. Potassium Bichromate, 1-100 gr.	90	48	15
242	BRONCHITIS, No. 2 Creosote, pure, 1 m. Strychnine Sulphate, 1-60 gr. Terpin Hydrate, 2 grs. Eucalyptol, 1-2 gr.	3 00	1 54	35
243	BRONCHITIS, No. 3 Ammonium Chloride, 1 gr. Terpin Hydrate, 1-2 gr. Ext. Licorice, 1-2 gr. Powd. Squill, 1-8 gr. Codeine, 1-64 gr. Oil Anise, 1-12 gr.	2 40	1 23	30
244	BRONCHITIS, (Dr. Delafield) Ext. Belladonna Leaves, 1-40 gr. Dover's Powder, 1-10 gr. Powd. Ipecac, 1-20 gr. Quinine Sulphate, 1-4 gr.	1 15	61	18

No.		PER BOTTLE OF 1000	500	100
245	BRONCHITIS, Improved Heroin, 1-16 gr. Creosote, pure, 1 m. Strychnine Sulphate 1-60 gr. Terpin Hydrate, 2 grs. Eucalyptol, 1-2 gr.	4 00	2 03	45
246	BROWN MIXTURE, 30 minims Ext. Licorice, 2-10 gr. Benzoic Acid, 3-200 gr. Tartar Emetic, 3-400 gr. Powd. Opium, 3-200 gr. Camphor, 3-200 gr. Oil Anise, 3-200 gr.	60	33	15
247	BROWN MIXTURE, 60 minims Ext. Licorice, 53-80 gr. Benzoic Acid, 3-100 gr. Tartar Emetic, 3-200 gr. Powd. Opium, 3-100 gr. Camphor, 3-100 gr. Oil Anise, 3-100 gr.	65	36	15
248	BROWN MIXTURE, 100 minims Each tablet represents 100 mins. compound mixture of Glycyrrhiza of the U. S. P. 1890 and contains: Ext. Glycyrrhiza, 3 grs. Powd. Opium, 1-20 gr. Benzoic Acid, 1-20 gr. Camphor, 1-20 gr. Tartar Emetic, 1-40 gr. Oil Anise, 1-20 m.	1 65	86	21
249	BROWN MIXTURE COMPOUND Ext. Glycyrrhiza, 1 4-5 grs. Powd. Opium, 3-100 gr. Benzoic Acid, 3-100 gr. Ammonium Chloride, 1 gr. Tartar Emetic, 3-200 gr. Oil Anise, 3-100 m. Camphor, 3-100 gr.	85	46	15
250	BRYONIA, TINCTURE, 1-2 m	55	31	15
251	BRYONIA, TINCTURE, 1 m	60	33	15
252	BRYONIA, TINCTURE, 2 m	60	33	15
253	BRYONIA, TINCTURE, 5 m	65	36	15
254	BUCHU COMPOUND, (Infusion) Infusion Buchu, 120 m. Tinct. Hyoscyamus, 20 m. Potassium Bicarbonate, 6 grs.	1 95	1 00	25
255	CACTUS GRANDIFLORUS, FLUID EXTRACT, 1 m	70	38	15
256	CAFFEINE, CITRATED, 1-2 gr	1 05	56	17
257	CAFFEINE, CITRATED, 1 gr	1 70	88	23
258	Coated chocolate	1 90	98	25
259	CALCIUM SULPHIDE, 1-100 gr	55	31	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
260	CALCIUM SULPHIDE, 1-20 gr.	60	33	15
261	CALCIUM SULPHIDE, 1-10 gr.	60	33	15
262	Coated chocolate	80	43	15
263	CALCIUM SULPHIDE, 1-8 gr.	60	33	15
264	Coated chocolate	80	43	15
265	CALCIUM SULPHIDE, 1-4 gr.	60	33	15
266	Coated chocolate	80	43	15
267	CALCIUM SULPHIDE, 1-2 gr.	65	36	15
268	Coated chocolate	85	46	15
269	CALCIUM SULPHIDE, 1 gr.	80	43	15
270	Coated chocolate	1 00	53	16
271	CALOMEL, 1-1000 gr.	55	31	15
272	CALOMEL, 1-500 gr.	55	31	15
273	CALOMEL, 1-200 gr.	55	31	15
274	CALOMEL, 1-100 gr.	55	31	15
275	CALOMEL, 1-50 gr.	55	31	15
276	CALOMEL, 1-30 gr.	55	31	15
277	CALOMEL, 1-20 gr.	55	31	15
278	CALOMEL, 1-12 gr.	60	33	15
279	CALOMEL, 1-10 gr.	60	33	15
280	Coated chocolate	80	43	15
281	CALOMEL, AROMATIC, 1-10 gr., pink	70	38	15
282	CALOMEL, 1-8 gr.	60	33	15
283	CALOMEL, 1-6 gr.	60	33	15
284	CALOMEL, 1-5 gr.	60	33	15
285	CALOMEL, 1-4 gr.	65	36	15
286	Coated chocolate	85	46	15
287	CALOMEL, AROMATIC, 1-4 gr., pink	75	40	15
288	CALOMEL, 1-3 gr.	65	36	15
289	CALOMEL, 1-2 gr.	70	38	15
290	Coated chocolate	90	48	15
291	CALOMEL, AROMATIC, 1-2 gr., pink	80	43	15
292	CALOMEL, 1 gr.	85	46	15
293	Coated chocolate	1 05	56	17

No.		PER BOTTLE OF 1000	500	100
294	CALOMEL, AROMATIC, 1 gr., pink	95	50	15
295	CALOMEL, 2 grs.	1 15	61	18
296	Coated chocolate	1 35	71	19
297	CALOMEL, 3 grs.	1 50	78	21
298	CALOMEL, 5 grs.	2 30	1 18	29
299	CALOMEL and DOVER'S, No. 1 (Calomel, 1-4 gr. / Dover's Powder, 1 gr.)	95	50	16
300	CALOMEL and DOVER'S, No. 2 (Calomel, 1-2 gr. / Dover's Powder, 1 gr.)	1 00	53	16
301	CALOMEL and IPECAC, No. 1 (Calomel, 1-8 gr. / Powd. Ipecac, 1-8 gr.)	70	38	15
302	CALOMEL and IPECAC, No. 2 (Calomel, 1-4 gr. / Powd. Ipecac, 1-4 gr.)	90	48	15
303	CALOMEL, IPECAC and SODIUM BICARBONATE, No. 1	65	36	15
304	Coated chocolate (Calomel, 1-5 gr. / Powd. Ipecac, 1-10 gr. / Sodium Bicarbonate, 1 gr.)	85	46	15
305	CALOMEL, IPECAC and SODIUM BICARBONATE, No. 2 (Calomel, 1-8 gr. / Powd. Ipecac, 1-8 gr / Sodium Bicarbonate 1 gr.)	65	36	15
306	CALOMEL, IPECAC and SODIUM BICARBONATE, No. 3 (Calomel, 1-10 gr. / Powd. Ipecac, 1-10 gr. / Sodium Bicarbonate, 1 gr)	65	36	15
307	CALOMEL, IPECAC and SODIUM BICARBONATE, No. 4 chocolate coated only (Calomel, 1 gr. / Powd. Ipecac, 1-10 gr. / Sodium Bicarbonate, 1 gr.)	1 00	53	16
308	CALOMEL, PODOPHYLLIN and IPECAC, (Dr. Kenyon) (Calomel, 1-10 gr. / Podophyllin, 1-30 gr. / Powd. Ipecac, 1-8 gr.)	65	36	15

No.		PER BOTTLE OF 1000	500	100
309	CALOMEL and SODIUM BICARBONATE, No. 1	83	45	15
	Calomel, 1 gr. Sodium Bicarbonate, 1 gr.			
310	CALOMEL and SODA BICARBONATE, No. 1, AROMATIC, pink	93	50	15
311	Coated chocolate	1 03	55	15
312	CALOMEL and SODIUM BICARBONATE, No. 2	1 38	73	19
313	Coated chocolate	1 58	83	21
	Calomel, 2 1-2 grs. Sodium Bicarbonate, 2 1-2 grs.			
314	CALOMEL and SODIUM BICARBONATE, No. 3	60	33	15
	Calomel, 1-10 gr. Sodium Bicarbonate, 1 gr.			
315	CALOMEL and SODA BICARBONATE, No. 3, AROMATIC, pink	70	38	15
316	Coated chocolate	80	43	15
317	CALOMEL and SODIUM BICARBONATE, No. 4	65	36	15
	Calomel, 1-4 gr. Sodium Bicarbonate, 1 gr.			
318	CALOMEL and SODA BICARBONATE, No. 4, AROMATIC, pink	75	41	15
319	Coated chocolate	85	46	15
320	CALOMEL and SODIUM BICARBONATE, No. 5	65	36	15
	Calomel, 1-4 gr. Sodium Bicarbonate, 1-4 gr.			
321	CALOMEL and SODIUM BICARBONATE, No. 6	72	40	15
	Calomel, 1-2 gr. Sodium Bicarbonate, 1-2 gr.			
322	CALOMEL and SODA BICARBONATE, No. 6, AROMATIC, pink	80	43	15
323	Coated chocolate	92	49	15
324	CALOMEL and SODIUM BICARBONATE COMP., No. 1	83	45	15
325	Coated chocolate	1 03	55	15
	Calomel, 1-2 gr. Sodium Bicarbonate, 1-2 gr. Podophyllin, 1-12 gr.			

No.		PER BOTTLE OF 1000	500	100
326	CALOMEL and SODIUM BICARBONATE COMP., No. 2	72	40	15
327	Coated chocolate	92	49	15
	Calomel, 1-4 gr. Sodium Bicarbonate, 1-2 gr. Podophyllin, 1-12 gr.			
328	CAMPHOR, 1-50 gr	55	31	15
329	CAMPHOR, HYOSCYAMUS and VALERIAN, (Nervine)	1 30	68	19
330	Coated chocolate	1 50	78	20
	Camphor, 1 gr. Ext. Hyoscyamus, 1-2 gr. Ext. Valerian, 1-2 gr.			
331	See Cannabin Comp.			
332	CAMPHOR MONOBROMATED, 1 gr	1 20	63	17
333	CAMPHOR MONOBROMATED, 2 grs	1 50	78	20
331	CANNABIN COMPOUND, coated green or red	2 14	1 10	27
	Cannabin, true, 1-10 gr. Zinc Phosphide, 1-10 gr. Strychnine Phosphate, 1-40 gr. Avenine, true, 1-200 gr			

(Green will be supplied on orders where color is not specified.)

A nerve tonic and stimulant; with valuable aphrodisiac, reconstructive, nervine, and anodyne properties; useful in the treatment of nervous exhaustion, depression, impotence, neurasthenia, insomnia, neuralgia, rheumatism, painful kidney affections and functional dyspepsia.

GENERAL DIRECTIONS—One tablet after each meal and at bedtime; gradually increase the dose to two tablets four times a day when necessary.

334	CANNABIS INDICA, EXTRACT, 1-4 gr. chocolate coated only	1 77	92	23
336	CANNABIS INDICA, TINCTURE, 1 m	60	33	15
337	CANNABIS INDICA, TINCTURE, 2 m	65	36	15
338	CANNABIS and ZINC PHOSPHIDE	1 50	78	20
	Ext. Cannabis Indica, 1-10 gr. Zinc Phosphide, 1-10 gr.			
339	CAPSICUM, 1-100 gr	55	31	15
340	CAPSICUM, 1-50 gr	55	31	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
341	CAPSICUM, 1-10 gr	55	31	15
342	CAPSICUM, 1-3 gr	55	31	15
343	CAPSICUM, 1-4 gr	55	31	15
344	CAPSICUM, 1-3 gr	55	31	15
345	CAPSICUM, 1-2 gr	55	31	15
346	CAPSICUM, 1 gr	55	31	15
347	CAPSICUM and NUX VOMICA Powd. Capsicum, 1-10 gr. Powd. Nux Vomica, 1-4 gr.	60	33	15
348	CARBOLIC ACID, 1-10 gr	55	31	15
349	CARDIAC, (Dr. Waldstein) Sparteine Sulphate, 1-10 gr. Tinct. Strophanthus, 3 m. Caffeine, Citrated, 1-2 gr. Codeine, 1-20 gr.	3 25	1 66	39
350	CARDIAC, No. 2 Powd. Digitalis Leaves, 1 gr. Strychnine Sulphate, 1-60 gr. Caffeine, 1-2 gr. Ext. Cactus Grandiflora, 1-2 gr.	3 90	1 98	44
351	CARIPEPTIC, (Upjohn) (See Net List, page 160)			
	CARIPEPTIC with CHARCOAL, (See Net List, page 160)			
352	CARMINATIVE, (Fothergill) Strychnine, 1-40 gr. Powd. Ipecac, 1-3 gr. Black Pepper, 1-3 gr. Powd. Gentian, 1-2 gr. Oleoresin Capsicum, 1-8 m.	1 05	56	17
353	CASCARA CATHARTIC, (Dr. Hinkle), Coated pink, blue, red, yellow, violet or chocolate Aloin, 1-4 gr. Cascarin, 1-4 gr. Podophyllin, 1-6 gr. Ext. Belladonna Leaves, 1-8 gr. Strychnine, 1-60 gr. Gingerine, 1-8 gr.	1 45	76	20
354	CASCARA SAGRADA EXTRACT, 1 gr	1 00	53	15
355	Coated chocolate	1 20	63	17
356	CASCARA SAGRADA EXTRACT, 2 grs. chocolate coated only	1 40	73	20
357	CASCARA SAGRADA EXTRACT, 3 grs.	1 60	83	22
358	Coated chocolate	1 80	93	24

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
359	CASCARA SAGRADA, EXTRACT, 5 grs.	2 50	1 28	31
	Coated chocolate, [No. 201]	2 70	1 38	33
360	CASCARIN COMPOUND	1 00	53	15
361	Coated chocolate Cascarin, 1-4 gr. Aloin, 1-4 gr. Podophyllin, 1-4 gr.	1 20	63	18
362	CATHARTIC, Active	72	39	15
363	Coated chocolate Aloin, 1-10 gr. Ext. Nux Vomica, 1-10 gr. Podophyllin, 1-5 gr. Oleoresin Capsicum, 1-120 gr. Ext. Colocynth Comp., 1-10 gr. Croton Oil, 1-15 gr.	92	48	15
364	CATHARTIC COMPOUND, Improved, 1 gr. chocolate coated only Ext. Colocynth Comp., 1-3 gr. Ext. Hyoscyamus, 1-12 gr. Podophyllin, 1-12 gr. Ext. Gentian, 1-6 gr. Leptandrin, 1-12 gr. Ext. Jalap, 1-6 gr. Oil Peppermint, q. s.	1 05	56	16
365	CATHARTIC COMPOUND, Improved, 2 1-2 grs. chocolate coated only Ext. Colocynth Comp., 1 gr. Ext. Jalap, 1-2 gr. Leptandrin, 1-4 gr. Ext. Henbane, 1-4 gr. Ext. Gentian, 1-2 gr. Podophyllin, 1-4 gr. Aromatic Oils, 1-20 gr.	1 83	95	24
366	CATHARTIC COMP., U. S. P.	1 50	78	20
367	Coated chocolate Ext. Colocynth Comp., 1 1-4 grs. Calomel, 1 gr. Gamboge, 1-4 gr. Ext. Jalap, 1-2 gr.	1 70	88	22
368	CATHARTIC COMP., U. S. P., 1-10 gr Ext. Colocynth Comp., 1-24 gr. Calomel, 1-30 gr. Ext. Jalap, 1-60 gr. Gamboge, 1-120 gr.	60	33	15
369	CATHARTIC COMP., U. S. P., 1 gr. Ext. Colocynth Comp., 5-12 gr. Calomel, 1-3 gr. Ext. Jalap, 1-6 gr. Gamboge, 1-12 gr.	83	46	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
370	CATHARTIC, VEGETABLE	1 80	93	25
	Ext. Colocynth, 1-3 gr. Podophyllin, 1-4 gr. Resin Scammony, 1-3 gr. Aloes, purified, 1 1-4 grs. Cardamom, 1-4 gr. Soap, 1-2 gr.			
371	CATHARTIC COMP., VEGETABLE, 1 gr.....	1 00	53	16
	Ext. Colocynth, 4-29 gr. Podophyllin, 3-29 gr. Resin Scammony, 4-29 gr. Soap, 3-58 gr. Cardamom, 3-58 gr. Aloes, Socotrine, 15-29 gr.			
372	CERIUM OXALATE, 1-2 gr.....	60	33	15
373	CERIUM OXALATE, 1 gr.....	72	38	15
374	CHARCOAL, 5 grs.	55	31	15
375	CHARCOAL, 10 grs.....	85	46	15
376	CHARCOAL and PEPSIN	85	46	15
	Charcoal, 5 grs. Pepsin, Saccharated, U. S. P., 2 grs.			
377	CHLORODYNE	4 15	2 11	45
378	Coated chocolate.....	4 35	2 21	49
	Morphine Muriate, 1-6 gr. Ext. Cannabis Indica, 1-4 gr. Nitroglycerin, 1-300 gr. Ext. Hyoscyamus, 1-2 gr. Oil Peppermint, 1-10 m. Oleoresin Capsicum, 1-10 m.			
379	CHLORODYNE, half strength	2 50	1 38	30
380	Coated chocolate.....	2 70	1 38	33
381	CHOLAGOGUE, (Dr. C. M. Drake) chocolate coated only.....	1 05	56	16
	Calomel, 1-10 gr. Powd. Ipecac. 3-10 gr.			
382	CHOLERA INFANTUM, No. 1.....	1 65	87	23
383	Coated chocolate	1 85	97	25
	Zinc Sulphocarbolate, 1-20 gr. Salol, 1-10 gr Bismuth Subnitrate, 1-2 gr. Calomel, 1-60 gr. Pancreatin, pure, 1-2 gr.			
384	CHOLERA INFANTUM, No. 2....	1 45	76	20
	Zinc Sulphocarbolate, 1-20 gr. Salol, 1-5 gr. Bismuth Subgallate, 1-2 gr. Calomel, 1-60 gr. Digestive Powder, 1-2 gr. Paregoric, 3 m.			
385	CIMICIFUGA, FLUID EXTRACT, 1 m	80	43	15
386	COCAINE MURIATE, 1-100 gr.....	1 00	53	15
387	COCAINE MURIATE, 1-50 gr	1 10	58	17

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
388	COCAINE MURIATE, 1-20 gr	2 00	1 03	25
389	COCAINE MURIATE, 1-10 gr	3 70	1 88	43
390	COCAINE MURIATE, 1-5 gr.....	6 50	3 28	70
391	COCAINE MURIATE, 1 1-3 grs., (for preparing solutions) per bottle of 25, .95.....			3 75
392	CODEINE, 1-10 gr.....	3 55	1 80	41
393	CODEINE, 1-3 gr	4 35	2 20	49
394	Coated chocolate.....	4 55	2 30	51
395	CODEINE, 1-4 gr.....	8 20	4 13	87
396	Coated chocolate.....	8 40	4 23	89
397	CODEINE, 1-2 gr.....		8 00	1 65
398	Coated chocolate.....		8 10	1 67
399	CODEINE, 1 gr.....		15 55	3 15
400	CODEINE SULPHATE, 1-10 gr....	3 50	1 78	40
401	CODEINE SULPHATE, 1-3 gr.....	4 00	2 03	45
402	CODEINE SULPHATE, 1-4 gr.....	7 65	3 85	82
403	Coated chocolate	7 85	3 95	84
404	CODEINE SULPHATE, 1-2 gr.		7 35	1 52
405	CODEINE SULPHATE, 1 gr.....		14 40	2 93
406	COLD, No. 2.....	4 80	2 43	53
	Quinine Sulphate, 2 grs. Dover's Powd. 2 gr. Powd. Capsicum, 1-4 gr. Tinct. Aconite Root, 1 m. Podophyllin, 1-40 gr. Aloin, 1-20 gr.			
407	COLD, No. 3.....	4 80	2 43	53
408	Coated chocolate	5 00	2 53	55
	Quinine Sulphate, 2 grs. Dover's Powder, 2 grs. Powd. Capsicum, 1-4 gr. Tinct. Aconite Root, 1 m.			
409	COLD LAXATIVE, chocolate coated only.....	5 32	2 69	59
	Quinine Hydrobromate, 2 grs. Dover's Powder, 2 1-2 grs. Aloin, 1-8 gr. Calomel, 1-8 gr. Capsicum, powd., 1-2 gr. Tinct. Aconite, 1-2 m.			

TABLETS
Plain and Coated

No		PER BOTTLE OF 1000	500	100
	COLD SPECIAL, No. 1. (See Net List)			
410	CONIUM COMPOUND..... (Ext. Conium Fruit, 1-30 gr. Ext. Cubeb, 1-10 gr. Ext. Licorice, 1-10 gr.)	60	33	15
411	COPPER ARSENITE, 1-5000 gr ..	55	31	15
412	COPPER ARSENITE, 1-1000 gr....	55	31	15
413	COPPER ARSENITE, 1-500 gr	55	31	15
414	COPPER ARSENITE, 1-200 gr	55	31	15
415	COPPER ARSENITE, 1-100 gr.....	60	33	15
416	COPPER ARSENITE, 1-50 gr.	60	33	15
417	COPPER and OPIUM..... (Copper Sulphate, 1-30 gr. Tinct. Opium, deodorized, 1-4 m.)	65	35	15
418	CORRECTIVE, INFANTS, (Dr. A. W. Ives).....	1 12	59	16
419	Coated chocolate ..... (Calomel, 1-20 gr. Powd. Ipecac. 1-50 gr. Sodium Bicarbonate, 1-2 gr. Bismuth Subnitrate, 1 gr.)	1 32	69	18
420	CORRECTIVE, INFANTS, No. 2, .. (Dr. A. W. Ives)..... (Calomel, 1-20 gr. Powd. Ipecac. 1-50 gr. Sodium Bicarbonate, 1-2 gr. Bismuth Subnitrate, 1 gr. Saccharin, 1-100 gr. Oil Anise, 1-20 m.)	1 20	63	17
421	CORROSIVE SUBLIMATE, 1-1000 gr	55	31	15
422	CORROSIVE SUBLIMATE, 1-500 gr	55	31	15
423	CORROSIVE SUBLIMATE, 1-200 gr	55	31	15
424	CORROSIVE SUBLIMATE, 1-100 gr	55	31	15
425	Coated chocolate	75	41	15
426	CORROSIVE SUBLIMATE, 1-60 gr.	55	31	15
427	CORROSIVE SUBLIMATE, 1-50 gr	55	31	15
428	CORROSIVE SUBLIMATE, 1-40 gr.	55	31	15
429	CORROSIVE SUBLIMATE, 1-30 gr.	60	33	15
430	Coated chocolate	80	43	15
431	CORROSIVE SUBLIMATE, 1-20 gr.	60	33	15
432	CORROSIVE SUBLIMATE, 1-16 gr.	60	33	15
433	CORROSIVE SUBLIMATE, 1-12 gr	60	33	15

No.		PER BOTTLE OF 1000	500	100
434	CORROSIVE SUBLIMATE, 1-10 gr	60	33	15
435	CORYZA.....	1 95	1 00	25
436	Coated chocolate..... (Quinine Sulphate, 1-2 gr. Ammonium Chloride, 1-2 gr. Camphor, 1-2 gr. Powd. Opium, 1-10 gr. Ext. Belladonna Leaves, 1-20 gr. Ext. Aconite Root, 1-10 gr.)	2 15	1 11	27
437	CORYZA, (Dr. Kenyon).....	2 15	1 10	27
438	Coated chocolate ..... (Camphor, 1-2 gr. Quinine Sulphate, 1-2 gr. Morphine Sulphate, 1-64 gr. Atropine Sulphate, 1-2000 gr.)	2 35	1 21	29
439	CORYZA, (Dr. MacCuen Smith) chocolate coated only ..... (Atropine Sulphate, 1-600 gr. Acid Arsenous, 1-240 gr. Strychnine Sulphate, 1-240 gr. Morphine Sulphate, 1-100 gr. Quinine Sulphate, 1-10 gr. Camphor, 1-4 gr.)	1 22	64	18
440	CORYZA, Improved, chocolate coated only ..... (Camphor, 1-4 gr. Quinine Sulphate, 1-4 gr. Morphine Sulphate, 1-64 gr. Atropine Sulphate, 1-2000 gr. Ext. Licorice, 1-2 gr.)	2 10	1 11	28
441	CORYZA (Dr. Bishop)..... (Atropine Sulph. 1-6 0 gr. Morphine Sulph. 1-12 gr. Caffeine Citrate, 1-6 gr.)	2 14	1 10	25
442	COUGH..... (Ext. Licorice, 1-10 gr. Camphor, 1-25 gr. Acid Benzoic, 1-25 gr. Oil Anise, 1-25 gr. Powd. Opium, 1-25 gr. Tartar Emetic, 1-60 gr.)	58	32	15
443	COUGH, (Dr. Drossner) No. 1..... (Tinct. Sanguinaria, 3 gtt. Morphine Acetate, 1-32 gr. Wine Antimony, 5 gtt. Syrup Wild Cherry, q. s.)	2 10	1 08	26
444	COUGH, (Dr. Drossner) No. 2 .... (Ammonium Muriate, 2 grs. Fld. Ext. Senega, 2 gtt. Ext. Squill, acetic, 1-4 gr. Heroin, 1-25 gr Ipecac Powd , 1-4 gr.)	2 60	1 34	30
445	CREOSOTE, Beechwood, 1-10 m ..	55	31	15
446	Coated chocolate	75	41	15

No.		PER BOTTLE OF 1000	500	100
447	CREOSOTE, Beechwood, 1-2 m....	80	43	15
448	CREOSOTE, BEECHWOOD, 1-4 m chocolate coated only.....	85	46	15
449	CREOSOTE, Beechwood, 1 m.....	1 40	73	20
450	Coated chocolate.....	1 60	83	22
451	CREOSOTE, COMPOUND.....	2 50	1 28	31
452	Coated chocolate.....	2 70	1 38	33

Beechwood Creosote, 1-8 m.
Cocaine Muriate, 1-20 gr.
Cerium Oxalate, 2 grs.
Pepsin, aseptic (1:3000), 1-4 gr.
Tinct. Nux Vomica, 1-4 m.

453	CREOSOTE and IODINE COMPOUND, chocolate coated only.....	1 00	53	16

Beechwood Creosote, 1-3 m.
Iodine, 1-16 gr.

Stimulant expectorant and alterative. Valuable in treatment of cough of phthisis and in chronic bronchitis.
Dose: 1 to 3 tablets every three or four hours.

454	CUBEB COMPOUND.....	1 38	72	19
455	Coated chocolate.....	1 50	78	20

Powd. Cubebs, 3-4 gr.
Dried Iron Sulph., 1-8 gr.
Copaiba Mass, 1-2 gr.
Venice Turpentine, 1-4 gr.
Oil Santal, 1-10 m.
Ol. Gaultheria, 1-20 m.

456	CYSTITIS, No. 1.....	2 05	1 06	27
457	Coated chocolate.....	2 27	1 16	29

Boric Acid, 2 grs.
Potassium Bicarbonate, 2 grs.
Ext. Buchu, 1 gr.
Ext. Hydrangea, 1-2 gr.
Ext. Corn Silk, 1-2 gr.
Ext. Triticum, 1 gr.
Atropine Sulphate, 1-500 gr.

458	CYSTITIS, No. 2.....	2 50	1 28	31
459	Coated chocolate.....	2 72	1 39	33

Benzoic Acid, 3 grs.
Sodium Borate, 2 grs.
Ext. Buchu, 1 gr.
Ext. Triticum, 1 gr.
Ext. Corn Silk, 1-2 gr.
Ext. Hydrangea, 1-2 gr.
Atropine Sulphate, 1-500 gr.

460	CYSTITIS, No. 3 chocolate coated only.....	3 90	1 98	45

Oleores. Saw Palmetto, 2 m.
Sodium Benzoate, 3 grs.
Ext. Nux Vomica, 1-4 gr
Ext. Corn Silk, 1 gr.
Ext. Couch Grass, 1 gr.

No.		PER BOTTLE OF 1000	500	100
461	DAMIANA COMPOUND.....	1 83	95	23
462	Coated chocolate.....	2 05	1 06	26

Ext. Damiana, 2 grs.
Ext. Nux Vomica, 1-4 gr.
Phosphorus, 1-30 gr.

463	DAMIANA COMPOUND, No. 4, (Dr. LaMadrid) chocolate coated only.....	2 38	1 22	29

Zinc Phosphide, 1-10 gr.
Ext. Cannabis Indica, 1-4 gr.
Strychnine Sulphate, 1-40 gr.
Ext. Damiana, 1 1-2 grs.

464	DIAPHORETIC, (Dr. Whitford)...	1 50	78	20

Opium, 1-4 gr.
Camphor, 1 gr.
Asclepias, 1-2 gr.
Potassium Bitartrate, 3 1-4 grs.

465	DIARRHEA, No. 1.....	3 85	1 96	44

Bismuth Subnitrate, 3 grs.
Pepsin, Saccharated, U. S. P., 2 grs.
Aromatic Chalk Powd., 2 grs.

466	DIARRHEA, No. 2.....	1 60	83	21
467	Coated chocolate.....	1 80	93	24

Calomel, 1-8 gr.
Morphine Sulphate, 1-16 gr.
Powd. Capsicum, 1-16 gr.
Powd. Ipecac, 1-32 gr.
Camphor, 1-16 gr.

468	DIARRHEA, Improved.....	90	48	15

Comp. Chalk Powd., 1 gr.
Acid Tannic, 1-20 gr.
Opium Powd., 1-40 gr.
Camphor, 1-40 gr.
Oil Cinnamon, q. s.

469	DIGESTIVE, Aromatic, 5 grs.....	3 60	1 83	42

Pepsin (1:3000), 1 gr.
Calcium Lactophosphate, 2 grs.
Pancreatin, pure, 1 gr.
Aromatics

470	DIGESTIVE, Aromatic, 5 grs. No. 2.....	2 00	1 03	25

Saccharated Pepsin, U. S. P., 4 grs.
Pancreatin, pure, 1-2 gr.
Diastase (Upjohn), 1-2 gr.
Aromatic Powder, 1-4 gr.
Lactic Acid,
Hydrochloric Acid.

471	DIGESTIVE, No. 1 chocolate coated only.....	3 80	1 93	44

Pepsin, pure (1:3000), 1 gr.
Pancreatin, pure, 1 gr.
Calcium Lactophosphate, 2 grs.

No.		PER BOTTLE OF 1000	500	100
472	DIGESTIVE, No. 2	5 33	2 70	59
473	Coated chocolate	5 55	2 81	61
	Pepsin, pure (1:3000), 3 grs. Diastase, 1-4 gr. Ext. Nux Vomica, 1-8 gr. Powd. Ipecac, 1-12 gr.			
474	DIGITALIN, pure, 1-200 gr	65	36	15
475	DIGITALIN, pure, 1-100 gr	85	46	15
476	DIGITALIN, pure, 1-60 gr	1 15	61	18
477	Coated chocolate	1 35	71	19
478	DIGITALIN, pure, 1-50 gr	1 35	71	19
479	DIGITALIS LEAVES, POWD., 1-20 gr.	55	31	15
480	DIGITALIS LEAVES, POWD., 1-10 gr	55	31	15
481	DIGITALIS LEAVES, POWD., 1-5 gr	55	31	15
482	DIGITALIS, FLUID EXTRACT, 1-20 m	55	31	15
483	DIGITALIS, FLUID EXTRACT, 1-10 m	55	31	15
484	DIGITALIS, FLUID EXTRACT, 1-5 m	55	31	15
485	DIGITALIS, FLUID EXTRACT, 1-2 m	60	33	15
486	DIGITALIS, FLUID EXTRACT, 1 m	60	33	15
487	Coated chocolate	80	43	15
488	DIGITALIS, TINCTURE, 1-2 m	55	31	15
489	DIGITALIS, TINCTURE, 1 m	60	33	15
490	DIGITALIS, TINCTURE, 2 m	60	33	15
491	DIGITALIS, TINCTURE, 3 m	60	33	15
492	DIGITALIS and ACONITE Fld. Ext. Digitalis, 1-2 m Fld. Ext. Aconite, 1-2 m.	65	36	15
493	DIGITALIS COMP., (Dr. Wood) No. 1 Tinct. Digitalis, 2 m. Brucia, 1-100 gr.	65	36	15
494	DIGITALIS COMP., (Dr. Wood) No. 2 Tinct. Digitalis, 2 m. Strychnine Sulph., 1-100 gr.	65	36	15

No		PER BOTTLE OF 1000	500	100
495	DIGITALIS and IRON COMP. Ext. Digitalis, 1-10 gr. Iron Phosphate, 1-4 gr. Strychnine Sulph., 1-60 gr.	70	38	15
496	DIGITALIS and STROPHANTHUS chocolate coated only Tinct. Digitalis, 3 m. Tinct. Strophanthus, 2 m.	88	47	15
497	DIPSOMANIA Gold and Sodium Chloride, 1-24 gr. Strychnine Nitrate, 1-60 gr. Nitroglycerin, 1-200 gr. Atropine Sulphate, 1-200 gr. Tinct. Digitalis, 3 m. Oleoresin Capsicum, 1-8 m.	2 50	1 28	31
498	DIURETIC	1 05	56	16
499	Coated chocolate Powd. Digitalis, 1 gr. Potassium Nitrate, 1 gr. Ext. Buchu, 1 gr. Powd. Squill, 1 gr.	1 25	66	18
500	DIURETIC, Improved, chocolate coated only Powd. Digitalis, 1 gr. Potassium Nitrate, 2 grs. Ext. Buchu, 1-2 gr. Ext. Scoparius, 1-2 gr. Oil Juniper, 1 gtt.	2 30	1 18	29
501	DOBELL'S SOLUTION Sodium Bicarbonate, 7 1-2 grs. Sodium Borate, 7 1-2 grs. Carbolic Acid, 1 1-2 grs. Each tablet dissolved in 1 oz. of warm water represents Dobell's Solution.	1 60	84	20
502	DOVER'S POWDER, 1 gr. chocolate coated only (Ipecac and Opium Powder)	1 10	58	17
503	DOVER'S POWDER, 1 1-4 grs	1 00	53	16
504	DOVER'S POWDER, 2 1-2 grs.	1 30	68	19
505	Coated chocolate	1 50	78	21
506	DOVER'S POWDER, 5 grs	2 50	1 28	31
507	Coated chocolate	2 70	1 38	33

No.		PER BOTTLE OF 1000	500	100
509	DYSPEPSIA, chocolate coated only Pepsin, pure (1:3000), 1 gr. Bismuth Subnitrate, 3 grs. Ginger, 1 gr.	4 75	2 41	54
510	DYSPEPTIC, (Dr. Haworth) Strychnine Sulphate, 1-40 gr. Powd. Ipecac, 1-8 gr. Powd. Rhubarb 1-4 gr. Powd. Capsicum, 1-8 gr.	78	42	15
511	ELATERIN, 1-20 gr.	4 25	2 16	48
512	ELATERIN, 1-10 gr	8 35	4 21	89
513	ELATERIUM, (Clutterbuck) 1-16 gr	70	38	15
514	ELATERIUM, (Clutterbuck) 1-10 gr.	80	43	15
515	ELATERIUM, (Clutterbuck) 1-8 gr.	90	48	15
516	EMMENAGOGUE, No. 1	2 60	1 33	32
517	Coated chocolate	2 80	1 42	34
	Ergotin, 1 gr. Iron Sulphate, exsic., 1 gr. Ext. Black Hellebore, 1 gr. Aloes, Socotrine, 1 gr. Oil Savin, 1-4 m.			
518	EMMENAGOGUE, No. 2 Blaud's Mass, 2 grs. Ext. Senicio Vulgaris, 1 gr. Acid Oxalic, 1-4 gr. Ergotin, 1-2 gr. Aloes, 1-2 gr.	3 75	1 91	4[illegible]
519	EMMENAGOGUE, Improved	3 05	1 55	36
520	Coated chocolate	3 25	1 66	39
	Ext. Cotton Root Bark, 1 gr. Ergotin, 1 gr. Iron Sulph., exsic., 1 gr. Ext. Black Hellebore, 1 gr. Aloes, Socotrine, 1 gr. Oil Savin, 1-4 m.			
521	EMMENAGOGUE, Improved, No. 2 chocolate coated only	3 05	1 56	36
	Ext. Cotton Root Bark, 1 gr. Ergotin, 1 gr. Iron Sulph., exsic., 1 gr. Ext. Black Hellebore, 1 gr. Aloes, Socotrine, 1-3 gr Oil Savin, 1-4 m.			

No.		PER BOTTLE OF 1000	500	100
522	ENDOMETRITIS, chocolate coated only	4 00	2 03	46
	Ergotin, 1-2 gr. Ext. Viburnum Prunifolium, 2 grs. Ext. Hamamelis Virginiana, 1 gr. Ext. Nux Vomica, 1-12 gr. Hydrastin, 1-16 gr.			
523	ENTERITIS, (Haskell)	72	38	15
	Copper Arsenite, 1-100 gr. Corrosive Sublimate, 1-100 gr. Morphine Sulphate, 1-100 gr.			
524	EPILEPTIC chocolate coated only	3 60	1 83	41
	Iron Ferrocyanide, 1-2 gr. Ext. Belladonna, 1-8 gr. Ext. Gelsemium, 1-8 gr.			
525	EPILEPTIC, (Dr. Batton)	3 00	1 53	35
	Sodium Bromide, 3 grs. Ammonium Bromide, 3 grs. Potassium Bromide, 3 grs. Tinct. Calabar Bean, 2 1-2 m. Ext. Hyoscyamus, 1-2 gr.			
526	ERGOTIN, 1-10 gr	85	46	15
527	ERGOTIN, 1-4 gr	94	50	15
528	ERGOTIN and STRYCHNINE COMP. chocolate coated only	2 50	1 28	30
	Ergotin, 1-4 gr. Strychnine Sulphate, 1-100 gr. Tinct. Belladonna, 1 m. Tinct. Cantharides, 1-2 m.			
529	ERGOT EXTRACT, 1 gr	1 80	93	23
530	ERGOT, FLUID EXTRACT, 1 m	65	36	15
531	EUCALYPTUS, FLUID EXTRACT, 1 m	60	33	15
532	EUONYMIN, BROWN, 1-3 gr	65	36	15
533	EUONYMIN, BROWN, 1-4 gr	72	39	15
534	EUONYMIN, BROWN, 1-2 gr	95	50	16
535	EUONYMIN, BROWN, 1 gr	1 45	76	20
536	FEBRIFUGE, (Laxative) chocolate coated only	3 60	1 83	43
	Quinine Sulphate, 1 gr. Acetanilid, 2 grs. Tinct. Gelsemium, 1 m. Aloin, 1-20 gr. Podophyllin, 1-40 gr. Powd. Capsicum, 1-4 gr.			
537	FEVER	1 38	68	19
	Tinct. Aconite Root, 1 m. Morphine Sulphate, 1-20 gr. Tartar Emetic, 1-50 gr.			

No.		PER BOTTLE OF 1000	500	100
538	FEVER, (Dr. T. G. Davis)	60	33	15
539	Coated chocolate Tinct. Aconite, 1-5 m. Tinct. Bryonia, 1-10 m. Tinct. Belladonna Leaves, 1-10 m.	80	43	15
540	FEVER, (Dr. H. J. Kenyon)	1 55	81	21
541	Coated chocolate Tinct. Aconite Root, 1 m. Morphine Sulphate, 1-20 gr. Tartar Emetic, 1-50 gr. Powd. Ipecac, 1-8 gr.	1 75	91	23
542	FOLLICULAR TONSILLITIS Tinct. Aconite, 1-5 m. Tinct. Belladonna Leaves, 1-10 m. Tinct. Bryonia, 1-10 m. Merc. Iodide, red, 1-100 gr. Morphine Sulphate, 1-100 gr. Sodium Salicylate, 1 gr. Oil Gaultherin, 1-60 m.	90	48	15

FOWLER'S SOLUTION
(See Potassium Arsenite, Solution)

GALLIC ACID and ERGOTIN COMP.
(See Menorrhagic, Dr. Hirst)

543 See Caripeptic with Charcoal
Net List, page 160.

544 See Caripeptic with Charcoal, Special
Net List, page 160.

545	GASTRITIS, No. 1, chocolate coated only Silver Nitrate, 1-4 gr. Ext. Nux Vomica, 1-4 gr. Ext. Belladonna 1-8 gr. Ext Opium, 1-8 gr. Potassium Nitrate, 1-2 gr.	3 40	1 73	39
546	GASTRITIS, No. 2, chocolate coated only Silver Nitrate, 1-6 gr. Ext. Henbane, 1-4 gr. Ext. Nux Vomica, 1-4 gr. Sodium Bicarbonate, 3 grs.	3 88	1 97	45
547	GENTIAN COMPOUND, chocolate coated only Ext. Gentian, 1 gr. Ext. Cascara Sagrada, 1-2 gr. Hydrastin, 1-2 gr. Ext. Nux Vomica, 1-8 gr. Capsicum, 1-8 gr.	2 14	1 10	27

Indicated in atonic dyspepsia, with constipation, anemia, loss of appetite, etc.

Dose—One or two tablets after meals.

548	GELSEMIUM, FLUID EXTRACT, 1 m.	72	39	15

No.		PER BOTTLE OF 1000	500	100
549	GELSEMIUM, TINCTURE, 1 m.	55	31	15
550	GELSEMIUM, TINCTURE, 2 m.	60	33	15
551	GELSEMIUM, TINCTURE, 3 m.	60	33	15
552	GELSEMIN (concentration), 1-8 gr.	72	39	15
553	GELSEMIN (concentration), 1-4 gr.	95	50	16
554	GONORRHEA Mass Copaiba, 1 gr. Venice Turpentine, 1-4 m. Cubeb, 1 gr. Oil Sandalwood, 1-4 gr. Oil Wintergreen, 1-10 m. Iron Sulphate, exsic., 1-4 gr.	1 55	81	21
555	GONORRHEA, No. 2, chocolate coated only Ext. Kava Kava, 1 gr. Cubeb, 1 gr. Copaiba, 1 1-2 grs Oil Santal, 1 m. Dried Iron Sulph., 1-2 gr.	3 60	1 83	42
556	GUAIAC, 2 grs.	60	33	15
557	GUAIAC and HYDRASTIS COMP., Throat Guaiac Resin, 2 grs. Ammonium Chloride, 2 grs. Ext. Hydrastis, colorless, 1 gr. Ext. Licorice, 2 grs.	1 36	71	19
558	HÆMATIC, (Kirwan) Strychnine Sulphate, 1-240 gr. Corrosive Sublimate, 1-120 gr. Arsenous Acid, 1-96 gr. Iron Sulphate, 2 grs. Potassium Carbonate, 2 grs.	1 25	66	17
559	HEART STIMULANT, (DaCosta)	95	50	15
560	Coated chocolate Tinct. Digitalis, 2 m Tinct. Strophanthus, 2 m. Tinct. Belladonna Leaves, 1-4 m. Nitroglycerin (Glonoin), 1-100 gr.	1 15	61	17
561	HEART TONIC	4 38	2 23	50
562	Coated chocolate Fld. Ext. Cereus Grandiflorus, 5 m. Tinct. Digitalis, 2 m. Caffeine, Citrated, 2 grs.	4 58	2 32	52

HEART TONIC and STIMULANT.
(See Heart Stimulant, DaCosta)

563	HEPATIC Blue Mass, 1-2 gr. Ext. Hyoscyamus, 1-8 gr. Ext. Colocynth Comp., 1-2 gr	95	50	15

No.		PER BOTTLE OF 1000	500	100
564	HEPATIC, (Dr. H. J. Kenyon)	85	46	15
565	Coated chocolate Euonymin, 1-8 gr. Podophyllin, 1-20 gr. Powd. Ipecac, 1-8 gr. Calomel, 1-8 gr. Aloin, 1-12 gr.	1 05	56	17
566	HEROIN, 1-24 gr.	1 75	91	23
567	HEROIN, 1-16 gr.	2 50	1 28	30
568	HEROIN, 1-12 gr.	3 05	1 56	37
569	HEXAMETHYLENE TETRAMINE 5 grs.	4 67	2 40	53
570	HEXAMETHYLENE TETRAMINE 7 1-2 grs.	6 67	3 40	80
571	HYDRAGOGUE CATHARTIC, per bottle of 25, .35, of 50, .60 Elaterin Crystals (Mercks), 1-16 gr. Ext. Henbane, 1 gr. Oil Cloves, 1-5 gtt.			1 00
572	HYDRASTINE COMPOUND Hydrastine Hydrochlorate, 1-20 gr. Lead Acetate, 2 grs. Zinc Sulphate, 2 grs. Morphine Acetate, 1-32 gr.	4 00	2 03	46
573	HYDRASTINE, white Alkaloid, 1-16 gr.	3 90	1 98	45
574	HYDRASTINE, white Alkaloid, 1-8 gr.	5 90	2 98	65
575	HYDRASTINE, white Alkaloid 1-4 gr.	9 75	4 92	1 03
576	HYPNOTIC Sodium Bromide, 5 grs. Acetanilid, 2 grs. Hyoscyamine, pure, 1-400 gr. Digitalin, pure, 1-400 gr.	1 80	93	25
577	HYPOPHOSPHITES and QUININE COMPOUND Quinine Hypophosphite, 1 gr. Iron Hypophosphite, 1-2 gr. Calcium Hypophosphite, 1-2 gr. Sodium Hypophosphite, 1-4 gr. Potassium Hypophosphite, 1-4 gr. Manganese Hypophosphite, 1-4 gr	4 70	2 38	53
578	HYPOPHOSPHITES and QUININE COMPOUND with STRYCHNINE Quinine Hypophosphite, 1 gr. Iron Hypophosphite, 1-2 gr. Calcium Hypophosphite, 1-2 gr. Sodium Hypophosphite, 1-4 gr. Potassium Hypophosphite, 1-4 gr. Manganese Hypophosphite, 1-4 gr. Strychnine, 1-64 gr.	4 70	2 38	53

No.		PER BOTTLE OF 1000	500	100
579	HYPOPHOSPHITES and QUININE COMPOUND with CREOSOTE Quinine Hypophosphite, 1 gr. Iron Hypophosphite, 1-2 gr. Calcium Hypophosphite, 1-2 gr. Sodium Hypophosphite, 1-4 gr. Potassium Hypophosphite, 1-4 gr. Manganese Hypophosphite, 1-4 gr. Creosote, Beechwood, 1 gr.	4 95	2 50	56
580	IGNATIA, 1-20 gr.	60	33	15
581	IGNATIA, 1-10 gr.	60	33	16
582	IGNATIA EXTRACT, 1-4 gr.	80	43	16
583	INJECTION COMPOUND, No. 1 Zinc Acetate, 2 grs. Zinc Sulphate, 2 grs. Boric Acid, 2 grs. Morphine Sulphate, 1-64 gr. Zinc Sulphocarbolate, 2 grs.	2 00	1 04	25
584	INTESTINAL ANTISEPTIC Salol, 2 grs. Bismuth Subgallate, 2 grs. Pepsin, pure (1-3000), 1-2 gr.	4 30	2 18	50
585	INTESTINAL ANTISEPTIC, Improved Zinc Sulphocarbolate, 1-2 gr. Calcium Sulphocarbolate, 1-2 gr. Acid Carbolic, 1-32 gr. Sodium Sulphocarbolate, 1-2 gr. Thymol, 1-16 gr. Menthol, 1-16 gr. Eucalyptus, 1-16 gr.	2 50	1 28	30
586	INTESTINAL ATONY, (Dr. Hare) Salol, 2 grs. Pancreatin, pure, 1 gr. Charcoal, 2 gr. Oleoresin Capsicum 1-4 gr. Oleoresin Ginger, 1-4 gr.	4 00	2 04	45
587	INTESTINAL TONIC Euonymin, brown, 2-5 gr. Res Podophyllum, 1-5 gr. Beechwood Creosote, 1-3 m. Ext. Chirata, 1 gr. Leptandrin, 2-5 gr.	2 05	1 06	27
588	IPECAC, FLUID EXTRACT, 1 m.	1 70	88	22
589	IPECAC, POWD., 1-4 gr.	90	48	15
590	IPECAC, POWD., 1-2 gr.	1 15	61	18
591	IPECAC, POWD., 1 gr.	2 00	1 03	26
592	IRON ARSENATE, 1-25 gr.	55	31	15
593	IRON ARSENATE, 1-16 gr.	55	31	15
594	IRON ARSENATE, 1-10 gr.	60	33	15
595	IRON ARSENATE, 1-8 gr.	60	33	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
596	IRON ARSENATE, 1-4 gr	60	33	15
597	IRON and ARSENIC No. 1	70	38	15
598	Coated chocolate Reduced Iron, 1 gr. Arsenous Acid, 1-30 gr.	90	48	15
599	IRON and ARSENIC, No. 2 Reduced Iron, 1 gr. Arsenous Acid, 1-60 gr.	70	38	15
600	IRON and ARSENIC, No. 3 Reduced Iron, 1 gr. Arsenous Acid, 1-100 gr.	70	38	15
601	IRON, ARSENIC and NUX VOMICA Reduced Iron, 1 gr. Arsenous Acid, 1-100 gr. Ext. Nux Vomica, 1-8 gr.	70	38	15
602	IRON, ARSENIC and STRYCHNINE, No. 1	80	43	15
603	Coated chocolate Reduced Iron 1 gr. Arsenous Acid, 1-100 gr. Strychnine Sulphate, 1-60 gr.	1 00	53	15
604	IRON. ARSENIC and STRYCHNINE, No. 2	80	43	15
605	Coated chocolate Reduced Iron, 1 gr. Arsenous Acid, 1-50 gr. Strychnine Sulphate, 1-60 gr.	1 00	53	15
606	IRON, ARSENIC and STRYCHNINE, No. 3 Reduced Iron, 1 gr. Arsenous Acid, 1-50 gr. Strychnine Sulphate, 1-100 gr.	80	43	15
607	IRON by HYDROGEN, 1-2 gr	60	33	15
608	IRON by HYDROGEN, 1 gr	72	39	15
609	IRON CITRATE (ferric), 1 gr	65	36	15
610	IRON LACTATE (ferrous), 1 gr	65	36	15
611	IRON and MERCURY COMPOUND	80	43	15
612	Coated chocolate Reduced Iron, 1 gr. Corrosive Sublimate, 1-60 gr. Strychnine Sulphate, 1-60 gr. Arsenous Acid, 1-60 gr.	1 00	53	15
613	IRON and PHOSPHORUS COMPOUND, chocolate coated only Reduced Iron, 1 gr. Arsenous Acid, 1-40 gr. Strychnine Sulphate, 1-60 gr. Phosphorus, 1-100 gr.	1 50	78	20

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
614	IRON PEPTONATE COMPOUND, No. 1, chocolate coated only Iron Peptonate, 2 grs. Manganese Sesquioxide, 1 gr. Strychnine Phosphate, 1-60 gr. Strontium Arsenite, 1-100 gr.	3 33	1 70	39
615	IRON PEPTONATE COMPOUND, No. 2, red coated only Iron Peptonate, 1-4 gr. Quinine Sulphate, 1-4 gr. Manganese Sesquioxide, 1-10 gr. Strychnine Phosphate, 1-250 gr. Strontium Arsenite, 1-250 gr.	2 05	1 06	26
616	IRON PYROPHOSPHATE, 1 gr	65	36	15
617	IRON PYROPHOSPHATE, QUININE and STRYCHNINE, No. 1 chocolate coated only Iron Pyrophosphate, 1 gr. Quinine Sulphate, 1-2 gr. Strychnine Sulphate, 1-120 gr.	1 80	93	23
618	IRON PYROPHOSPHATE, QUININE and STRYCHNINE, No. 2 chocolate coated only Iron Pyrophosphate, 2 grs. Quinine Sulphate, 1 gr. Strychnine Sulphate, 1-60 gr.	3 20	1 63	38
619	IRON PYROPHOSPHATE, QUININE and STRYCHNINE, No. 3 chocolate coated only Iron Pyrophosphate, 1 gr. Quinine Sulphate, 1-2 gr. Strychnine Sulphate, 1-60 gr. Arsenous Acid, 1-30 gr.	1 80	93	19
620	IRON and QUININE Reduced Iron, 1-2 gr. Quinine Sulphate, 1-2 gr.	1 40	73	19
621	IRON and QUININE CITRATE, 1-2 gr	1 00	53	16
622	IRON and QUININE CITRATE, 1 gr	1 15	61	18
623	IRON, QUININE and ARSENIC, No. 1 Reduced Iron, 2 grs. Quinine Sulphate, 1 gr. Arsenous Acid, 1-50 gr.	2 60	1 33	31

No.		PER BOTTLE OF 1000	500	100
624	IRON, QUININE and ARSENIC, No. 2	1 65	86	22
	Reduced Iron, 1-2 gr. Quinine Sulphate, 1-2 gr. Arsenous Acid, 1-100 gr.			
625	IRON, QUININE and STRYCHNINE	1 65	86	22
626	Coated chocolate	1 85	96	25
	Reduced Iron, 1-2 gr. Quinine Sulphate, 1-2 gr. Strychnine Sulphate, 1-120 gr.			
627	IRON and STRYCHNINE	70	38	15
	Reduced Iron, 1 gr. Strychnine Sulphate, 1-60 gr.			
628	IRON and STRYCHNINE CITRATE, 1-4 gr.	60	33	15
629	IRON and STRYCHNINE CITRATE, 1-2 gr.	72	39	15
630	IRON and STRYCHNINE CITRATE, 1 gr.	1 00	53	15
631	IRON and STRYCHNINE COMP.	1 65	86	22
632	Coated chocolate	1 85	96	24
	Reduced Iron, 1-2 gr. Arsenous Acid, 1-100 gr. Quinine Sulphate, 1-2 gr. Strychnine Sulphate, 1-120 gr.			
633	LACTATED PEPSIN, 5 grs.	4 15	2 11	46
634	LAXATIVE	2 00	1 03	25
	Powd. Alex. Senna, 10 grs. Ext. Cascara, bitterless, 1 gr. Oil Wintergreen, 1-12 m. Ext. Licorice, 6 grs. Sugar, 3 grs.			
635	LEAD and OPIUM WASH	2 67	1 40	33
	Lead Acetate, 5 gr. Ext. Opium, 1-4 gr. Ammonium Chloride, 4 grs.			
	Dissolve one tablet in one fluid ounce water			
636	LEPTANDRIN, 1-8 gr.	60	33	15
637	LEPTANDRIN, 1-4 gr.	60	33	15

No.		PER BOTTLE OF 1000	500	100
638	LEUCORRHEA COMPOUND	3 50	1 78	41
	Ext. Witch Hazel, 1-2 gr. Ext. Henbane, 1 gr. Ext. Hydrastis, colorless, 1 gr. Ext. Helonias, 1-2 gr. Alum, 1 gr. Tannic Acid, 1 gr. Eucalyptol, q. s. Thymol, q. s. Menthol, q. s. Boric Acid, 8 grs.			
639	LICORICE EXTRACT, 1-10 gr.	53	30	15
640	LICORICE POWD. COMP., 20 grs. (Comp. Loz.)	1 27	66	18
641	LITHIUM BENZOATE with HYDRANGEA	4 44	2 39	50
	Fld. Ext. Hydrangea, 15 m. Fld. Ext. Couch Grass, 5 m. Lithium Benzoate, 1 1-2 grs. Lithium Salicylate, 1 gr.			
642	LITHIUM CARBONATE 1-2 gr.	1 27	66	18
643	LITHIUM CARBONATE, 1 gr.	1 95	1 00	26
644	LUPULIN and BROMIDE COMP.,	1 30	68	18
645	Coated chocolate	1 50	78	20
	Lupulin, 1-2 gr. Scutellarin, 1-2 gr. Atropine Sulphate, 1-2000 gr. Zinc Bromide, 1-10 gr. Ergotin, 1-4 gr.			
	LUPULIN and BROMIDE COMP., Improved. Coated purple. (See Net List, page 161)			
646	MANGANESE and IRON COMPOUND, chocolate coated only	2 14	1 10	27
	Mangan. Binox., 1 gr. Iron by Hydrogen 1 gr. Ext. Gentian, 1-2 gr. Ext. Nux Vomica, 1-6 gr. Cascarine, 1-8 gr. Capsicum, 1-8 gr.			
	Indicated in anemia, chlorosis, leukemia, amenorrhea, atonic dyspepsia, debility, etc.			
	DOSE—One tablet three times a day after meals.			
647	MANGANESE BINOXIDE C. P., 1-2 gr.	55	31	15
648	MANGANESE BINOXIDE, C. P., 1 gr.	55	31	15
649	MANGANESE BINOXIDE, C. P., 2 grs.	85	46	15

No		PER BOTTLE OF 1000	500	100
650	MENORRHAGIA, No. 3	3 85	1 96	44
651	Coated chocolate	4 05	2 06	46
	{ Ergotin, 1-2 gr. Viburnin, 1-4 gr. Helonin, 1-4 gr. Hydrastin, 1-8 gr. Gallic Acid, 2 grs.			
652	MENORRHAGIC, (Dr. Hirst), chocolate coated only	4 25	2 16	48
	{ Gallic Acid, 3 grs. Ergotin, 1 gr. Hydrastin, 1-2 gr.			
	MERCURIC CHLORIDE, (Bichloride of Mercury) (See Corrosive Sublimate)			
653	MERCURY BINIODIDE, 1-100 gr.	60	33	15
654	MERCURY BINIODIDE, 1-50 gr	60	33	15
655	MERCURY BINIODIDE, 1-30 gr.	60	33	15
656	MERCURY BINIODIDE, 1-25 gr	60	33	15
657	MERCURY BINIODIDE, 1-20 gr	60	33	15
658	MERCURY BINIODIDE, 1-16 gr	60	33	15
659	Coated chocolate	80	43	15
660	MERCURY BINIODIDE, 1-12 gr	60	33	15
661	MERCURY BINIODIDE, 1-8 gr	65	36	15
662	Coated chocolate	85	46	15
663	MERCURY BINIODIDE, 1-6 gr	65	36	15
664	MERCURY BINIODIDE, 1-4 gr	80	43	15
665	Coated chocolate	1 00	53	15
666	MERCURY PROTIODIDE, yellow, 1-500 gr	55	31	15
667	MERCURY PROTIODIDE, yellow, 1-200 gr	55	31	15
668	MERCURY PROTIODIDE, yellow, 1-100 gr	60	33	15
669	MERCURY PROTIODIDE, yellow, 1-50 gr	60	33	15

No.		PER BOTTLE OF 1000	500	100
670	MERCURY PROTIODIDE, yellow, 1-25 gr	60	33	15
671	MERCURY PROTIODIDE, yellow, 1-20 gr	60	33	15
672	MERCURY PROTIODIDE, yellow, 1-16 gr	60	33	15
673	MERCURY PROTIODIDE, yellow, 1-12 gr	65	36	15
674	MERCURY PROTIODIDE, yellow, 1-10 gr	65	36	15
675	MERCURY PROTIODIDE, yellow, 1-8 gr	65	36	15
676	Coated chocolate	85	46	15
677	MERCURY PROTIODIDE, yellow, 1-6 gr	70	38	15
678	Coated chocolate	90	48	15
679	MERCURY PROTIODIDE, yellow, 1-5 gr	70	38	15
680	Coated chocolate	90	48	15
681	MERCURY PROTIODIDE, yellow, 1-4 gr	80	43	15
682	Coated chocolate	1 00	53	16
683	MERCURY PROTIODIDE, yellow, 1-3 gr	90	48	15
684	MERCURY PROTIODIDE, yellow, 1-2 gr	1 05	56	17
685	Coated chocolate	1 25	66	18
686	MERCURY PROTIODIDE, yellow, 1 gr	1 70	88	23
687	MERCURY PROTIODIDE and OPIUM	88	47	15
	{ Mercury Protiodide, yellow, 1-5 gr. Powd. Opium, 1-12 gr.			
688	MERCURY with CHALK, 1-10 gr	55	31	15
	MERCURY with CHALK, 1 gr. [No. 1067]	65	36	15
690	MERCURY TANNATE, 1 gr., chocolate coated only	2 20	1 13	28
	MERCURY with CHARCOAL (See Anti-Syphilitic, No. 1)			
691	METHYLENE BLUE, 1 gr. chocolate coated only	2 20	1 13	28

No.		PER BOTTLE OF 1000	500	100
692	METHYLENE BLUE COMPOUND chocolate coated only	6 00	3 04	65
	Methylene Blue, 1 gr. Oil Nutmegs, 1-2 m. Oil Sandalwood 1 m.			
693	MIGRAINE, No. 1.....	1 60	83	21
	Aromatic pink, [No. 1068]	1 80	93	24
694	Coated chocolate.....	1 80	93	24
	Acetanilid, 2 grs. Camphor Monobromated, 1-2 gr. Caffeine, Citrated, 1 gr.			
695	MIGRAINE, No. 2.....	3 50	1 78	41
	Acetanilid, 3 grs. Camphor Monobromated, 2 grs. Caffeine, Citrated, 1 gr.			
696	MIGRAINE Improved.....	1 50	78	21
	Acetanilid, 2 1-2 grs. Sodium Salicylate, 1 gr. Camphor Monobrated, 1-2 gr. Ext. Hyoscyamus, 1-8 gr. Tinct. Gelsemium, 2 m.			
697	MIGRAINE FOR CHILDREN, colored pink.....	66	36	15
	Acetanilid, 1-4 gr. Camphor Monobromated, 1-16 gr. Caffeine, Citrated, 1-16 gr.			
698	MORPHINE ACETATE, 1-8 gr.....	2 50	1 28	30
699	MORPHINE ACETATE, 1-4 gr.....	4 55	2 31	51
700	MORPHINE BROMIDE COMPOUND.....	6 40	3 23	69
	Morphine Bromide, 1-8 gr. Hyoscine Hyd., 1-150 gr. Camphor Monobromated, 2 grs.			
701	MORPHINE SULPHATE, 1-100 gr	80	43	15
702	MORPHINE SULPHATE, 1-50 gr..	95	50	15
703	MORPHINE SULPHATE, 1-16 gr..	Special	1 05	24
704	MORPHINE SULPHATE, 1-10 gr..		1 30	28
705	MORPHINE SULPHATE, 1-8 gr...	slips	1 33	30
706	Coated red or chocolate.....		1 35	30
707	MORPHINE SULPHATE, 1-6 gr...	issued	1 58	33
708	Coated chocolate.....		1 60	35
709	MORPHINE SULPHATE, 1-4 gr...	giving	2 33	48
710	Coated red or chocolate.....		2 35	50
711	MORPHINE SULPHATE, 1-3 gr...	net	3 35	70
712	MORPHINE SULPHATE, 1-2 gr..	prices.	4 55	92
713	Coated chocolate.....		4 60	95

No.		PER BOTTLE OF 1000	500	100
714	MORPHINE and ATROPINE, No. 1	2 83	1 45	33
	Morphine Sulphate, 1-8 gr. Atropine Sulphate, 1-150 gr.			
715	MORPHINE and ATROPINE, No. 2	4 95	2 51	55
	Morphine Sulphate, 1-4 gr. Atropine Sulphate, 1-120 gr.			
716	MORPHINE and ATROPINE, No. 3	2 70	1 34	32
717	Coated chocolate.....	2 90	1 48	35
	Morphine Sulphate, 1-8 gr. Atropine Sulphate, 1-200 gr.			
718	MORPHINE and ATROPINE, No. 4	4 75	2 41	53
719	Coated chocolate.....	4 95	2 51	55
	Morphine Sulphate, 1-4 gr. Atropine Sulphate, 1-150 gr.			
720	MORPHINE and ATROPINE, No. 5	3 40	1 73	40
	Morphine Sulphate, 1-6 gr. Atropine Sulphate, 1-180 gr.			
721	MORPHINE and ATROPINE, No. 6	4 95	2 51	55
	Morphine Sulphate, 1-4 gr. Atropine Sulphate, 1-100 gr.			
722	NAPHTOL and BISMUTH COMPOUND chocolate coated only	3 05	1 56	36
	Naphtol, 1-2 gr. Bismuth Subnitrate, 2 1-2 grs. Sodium Bicarbonate, 2 1-2 grs.			
723	NASAL.....	1 27	66	18
	Sodium Bicarbonate, 5 grs. Sodium Borate, 5 grs. Sodium Chloride, 5 grs. Sodium Benzoate, 7-24 gr. Sodium Salicylate, 7-24 gr. Thymol, 7-48 gr. Oil Eucalyptus, 7-48 m. Menthol, 7-96 gr. Oil Gaultheria, 7-96 m.			
724	NASAL, IMPROVED.....	95	50	15
	Sodium Borate, 5 grs. Sodium Chloride, 5 grs. Ol. Gaultheria, 3-100 m. Oil Eucalyptus, 3-50 m. Menthol, 3-50 gr. Thymol, 3-50 gr.			
725	NAUSEA, No. 2.....	4 70	2 38	52
	Bismuth Subnitrate, 2 grs. Cerium Oxalate, 2 grs. Cocaine Muriate, 1-12 gr.			
726	NERVE TONIC, coated red only	1 90	98	25
	Asafetida, 1 gr. Iron Bromide, 1-2 gr. Zinc Phosphide, 1-8 gr. Ext. Nux Vomica, 1-8 gr. Ext. Henbane, 1-16 gr.			

No.		PER BOTTLE OF 1000	500	100
727	NERVE TONIC, No. 1 (Dr. Westbrook)	1 00	53	16
728	Coated chocolate	1 20	63	18
	Zinc Phosphide, 1-10 gr. Ext. Nux Vomica, 1-4 gr. Reduced Iron, 1 gr.			
729	NERVE TONIC, No. 2, (Dr. Westbrook)	95	50	15
	Zinc Phosphide, 1-10 gr. Ext. Nux Vomica, 1-4 gr. Arsenous Acid, 1-20 gr.			
	NERVINE			
	(See Camphor, Hyoscyamus and Valerian)			
730	NEURALGIC	2 40	2 23	49
	Quinine Sulphate, 1 1-2 grs. Morphine Sulphate, 1-20 gr. Strychnine Sulphate, 1-30 gr. Ext. Aconite Leaves, 1-4 gr.			
731	NEURALGIC, (Cook) chocolate coated only	5 40	2 73	60
	Quinine Sulph., 2 grs. Acetanilid, 2 grs. Ext. Hyoscyamus, 1-2 gr. Ext Cannabis Indica, 1-4 gr. Arsenous Acid, 1-100 gr. Strychnine Sulph., 1-60 gr.			
732	NEURALGIC, (Gross)	4 70	2 38	53
733	Coated chocolate	4 90	2 48	55
	Quinine Sulphate, 2 grs. Morphine Sulphate, 1-20 gr. Strychnine Sulphate, 1-30 gr. Arsenous Acid, 1-20 gr. Ext. Aconite Leaves, 1-2 gr.			
734	NEURALGIC, (Gross) without Morphine, 2 1-2 grains	4 50	2 28	51
735	Coated chocolate	4 70	2 38	53
	Quinine Sulphate, 2 grs. Strychnine Sulphate, 1-30 gr. Arsenous Acid, 1-20 gr. Ext. Aconite Leaves, 1-2 gr.			
736	NEURALGIC. (Dr. H. J. Kenyon)	1 05	56	17
737	Coated chocolate	1 25	66	18
	Zinc Phosphide, 1-16 gr. Strychnine Sulphate, 1-60 gr. Sodium Arsenate, 1-20 gr. Aconitine, Crystals, 1-400 gr. Ext. Cannabis Indica, 1-8 gr.			

No.		PER BOTTLE OF 1000	500	100
738	NEURALGIC HEADACHE, (Dr. Myers)	3 00	1 53	35
	Sodium Bromide, 5 grs. Caffeine, 1-2 gr. Acetanilid, 1 gr. Ext. Henbane, 1-2 gr. Morphine Sulphate, 1-50 gr.			
739	NEURALGIC IDIOPATHIC, (Brown-Sequard)	4 27	2 17	48
740	Coated chocolate	4 47	2 27	50
	Ext. Hyoscyamus, 2-3 gr. Ext. Conium Fruit, 2-3 gr. Ext. Ignatia, 1-2 gr. Ext. Opium, 1-2 gr. Ext. Aconite Leaves, 1-3 gr. Ext. Cannabis Indica, 1-4 gr. Ext. Stramonium Seed, 1-5 gr. Ext. Belladonna Leaves, 1-6 gr.			
741	NEURALGIC IDIOPATHIC, (Brown-Sequard) half strength	2 60	1 33	32
742	Coated chocolate	2 80	1 43	34
	Ext. Hyoscyamus, 1-3 gr. Ext. Conium Seed, 1-3 gr. Ext. Ignatia, 1-4 gr. Ext Opium, 1-4 gr. Ext. Aconite Leaves, 1-6 gr. Ext. Cannabis Indica, 1-8 gr. Ext. Stramonium Seed, 1-10 gr. Ext. Belladonna Leaves, 1-12 gr.			
743	See Potass. Arsenite, Sol. 1 m. (Fowler's Sol.)	55	31	15
	NIGHT-SWEAT			
	(See Agaricin Comp.)			
744	NITROGLYCERIN, 1-200 gr.	55	31	15
745	NITROGLYCERIN, 1-150 gr.	55	31	15
746	NITROGLYCERIN, 1-100 gr.	55	31	15
747	Coated chocolate	75	41	15
748	NITROGLYCERIN. 1-50 gr.	60	33	15
	NITROGLYCERIN COMP.			
	(See Heart Stimulant, DaCosta)			
749	NITROGLYCERIN COMP., No. 1	60	33	15
	Nitroglycerin, 1-100 gr. Tinct. Digitalis, 2 m.			

No.		PER BOTTLE OF 1000	500	100
750	NITROGLYCERIN COMP., No. 2..	60	33	15
751	Coated chocolate.....	85	46	15
	{ Nitroglycerin, 1-100 gr. Tinct. Strophanthus, 2 m.			
752	NITROGLYCERIN COMP., No. 3 ..	1 40	73	19
753	Coated chocolate.....	1 60	83	22
	{ Nitroglycerin, 1-200 gr. Strychnine, 1-60 gr. Digitalis, Fld. Ext., 1 m. Reduced Iron, 1 gr. Tinct. Strophanthus, 3 m.			
754	NITROGLYCERIN COMP., No. 4 chocolate coated only	85	46	15
	{ Nitroglycerin (Glonoin), 1-100 gr. Tinct. Strophanthus, 2 m. Tinct. Digitalis, 3 m.			
755	NUX VOMICA, EXTRACT, 1-8 gr..	60	33	15
756	NUX VOMICA, EXTRACT, 1-4 gr..	60	33	15
757	Coated chocolate.....	80	43	15
758	NUX VOMICA, EXTRACT, 1-2 gr..	70	38	15
759	NUX VOMICA, FLUID EXTRACT, 1-2 m.....	70	38	15
760	NUX VOMICA, FLUID EXTRACT, 1 m.....	75	41	15
761	NUX VOMICA, POWD., 1-1000 gr.	55	31	15
762	NUX VOMICA, POWD., 1-500 gr ..	55	31	15
763	NUX VOMICA, POWD., 1-200 gr ..	55	31	15
764	NUX VOMICA, POWD., 1-100 gr ..	55	31	15
765	NUX VOMICA, POWD., 1-50 gr. ..	55	31	15
766	NUX VOMICA, POWD., 1-20 gr. ..	55	31	15
767	NUX VOMICA, POWD., 1-10 gr. ..	55	31	15
768	NUX VOMICA, POWD., 1-8 gr.....	60	33	15
769	NUX VOMICA, POWD., 1-4 gr.....	60	33	15
770	NUX VOMICA, POWD., 1-2 gr.....	65	36	15
771	NUX VOMICA and ARSENIC.....	60	33	15
	{ Nux Vomica, 1-10 gr. Arsenous Acid, 1-50 gr.			
772	NUX VOMICA and CHARCOAL, No. 1.....	60	33	15
	{ Nux Vomica, 1-100 gr. Willow Charcoal, 1-10 gr.			

No.		PER BOTTLE OF 1000	500	100
773	NUX VOMICA and CHARCOAL, No. 2.....	72	39	15
	{ Nux Vomica, 1-2 gr. Willow Charcoal, 1-4 gr.			
774	NUX VOMICA and IGNATIA COMP..	95	50	16
775	Coated chocolate.....	1 15	61	17
	{ Tinct. Nux Vomica, 1 m. Tinct. Ignatia, 1 m. Tinct. Cinchona, 5 m. Tinct. German Chamomile, 1 m. Tinct. Gentian, 1 m. Tinct. Columbo, 1-2 m. Phosphorus, 1-300 gr. Aromatic Powder, 1 gr.			
776	NUX VOMICA and PEPSIN	1 85	96	24
777	Coated chocolate	2 05	1 06	26
	{ Ext. Nux Vomica, 1-10 gr. Pepsin, pure (1:3000), 1 gr.			
778	NUX VOMICA and PEPSIN, (Dr. Skiff)	72	38	15
779	Coated chocolate	90	48	15
	{ Powd. Nux Vomica, 1-100 gr. Pepsin, pure (1:3000), 1-10 gr.			
780	OBESITY, (Dr. Brewer)	4 27	2 17	48
	{ Ext. Phytolacca Fruit, 3 grs. Leptandrin, 1-8 gr. Strychnine Sulphate, 1-150 gr.			
781	OPIUM, POWDERED, 1-50 gr.....	55	31	15
782	OPIUM, POWDERED, 1-4 gr. chocolate coated only	1 25	66	18
783	OPIUM, POWDERED, 1-2 gr.....	1 50	78	20
784	Coated chocolate.....	1 70	88	23
785	OPIUM, POWDERED, 1 gr.....	2 83	1 45	34
786	OPIUM, CAMPHORATED TINCTURE, 5 m	72	39	15
787	OPIUM, CAMPHORATED TINCTURE, 10 m.....	85	46	15
788	Coated chocolate	1 05	56	16
789	OPIUM and CAMPHOR	1 05	56	16
	{ Powd. Opium, 1-4 gr. Camphor, 1-4 gr.			
790	OPIUM and LEAD ACETATE, No. 1	1 50	78	20
	{ Powd. Opium, 1-2 gr. Lead Acetate, 1 gr.			

No.		PER BOTTLE OF 1000	500	100
791	OPIUM and LEAD ACETATE, No. 2	85	46	15
	Powd. Opium, 1-8 gr. Lead Acetate, 1-4 gr.			
792	OX GALL COMPOUND	3 30	1 68	39
793	Coated chocolate	3 50	1 78	41
	Inspissated Ox Gall, 1 gr. Pancreatin, pure, 1 gr. Ext. Colocynth Comp., 1-4 gr. Quinine Muriate, 1-2 gr. Ext. Nux Vomica, 1-8 gr. Ext. Taraxacum, 1 gr.			
794	PANCREATIN-COMPOUND, coated white only	3 54	1 80	41

Combines Pure Pepsin, Pure Pancreatin, Diastase (Upjohn) and Inspissated Ox-Gall w th Ext. Nux Vomica (1-8 gr.).

A complete digestant of every variety of food, and an efficient remedy in the treatment of the various forms of indigestion and dyspepsia, nausea, cholera morbus, diarrhea, etc.

GENERAL DIRECTIONS—One or two tablets after meals.

795	OX GALL, PEPSIN and PANCREATIN	6 40	3 23	70
796	Coated chocolate	6 60	3 33	72
	Inspissated Ox Gall, 2 grs. Pepsin, pure (1:3000), 2 grs. Pancreatin, pure, 2 grs.			
	PAREGORIC (See Opium Camph. Tinct.)			
797	PAREGORIC COMPOUND	95	50	16
	Tinct. Opium Camphorated, 10 m. Powd. Squill, 1-25 gr. Powd. Ipecac, 1-50 gr.			
798	PEPSIN, PURE (1:3000), 1-2 gr.	95	50	16
799	PEPSIN, PURE (1:3000), 1 gr.	1 60	83	22
800	Coated chocolate	1 80	93	24
801	PEPSIN, PURE (1:3000), 2 grs.	2 85	1 46	35
802	Coated chocolate	3 05	1 56	37
803	PEPSIN, PURE (1:3000), 3 grs.	4 25	2 16	48
804	Coated chocolate	4 45	2 26	50
805	PEPSIN and BISMUTH, No. 2	4 95	2 51	55
	Pepsin, pure (1:3000), 2 1-2 grs. Bismuth Subnitrate, 2 1-2 grs.			
806	PEPSIN and BISMUTH, No. 3	1 92	99	25
	Pepsin, pure (1:3000), 1-4 gr. Bismuth Subnitrate, 1 gr.			
807	PEPSIN, BISMUTH and CHARCOAL	3 90	1 98	44
	Pepsin, pure (1:3000), 2 grs. Bismuth Subnitrate, 2 grs. Charcoal, 2 grs.			

No.		PER BOTTLE OF 1000	500	100
808	PEPSIN, BISMUTH and NUX VOMICA, chocolate coated only	4 75	2 41	53
	Pepsin, pure (1:3000), 1 gr. Bismuth Subnitrate, 3 grs. Ext. Nux Vomica, 1-10 gr.			
809	PEPSIN and CAPSICUM COMPOUND	1 05	55	16
	Pepsin, pure (1:3000), 1-8 gr. Ext. Nux Vomica, 1-10 gr. Powd. Capsicum, 1-10 gr. Powd. Ipecac, 1-20 gr.			
	PEPSIN and NUX VOMICA (See Nux Vomica and Pepsin)			
810	PEPSIN and PANCREATIN	8 60	4 33	92
	Pepsin, pure (1:3000), 2 grs. Pancreatin, pure, 3 grs.			
811	PEPSIN and PANCREATIN COMPOUND	3 60	1 83	42
812	Coated chocolate	3 80	1 93	44
	Pepsin, pure (1:3000), 1 gr. Pancreatin, pure, 1 gr. Ext. Nux Vomica, 1-4 gr. Oleoresin Ginger, 1-16 m.			
813	PEPSIN and SALOL COMPOUND chocolate coated only	4 50	2 28	51
	Pepsin, pure (1:3000), 1 gr. Bismuth Subgallate, 2 1-2 grs. Salol, 1-2 gr. Ext. Nux Vomica, 1-8 gr.			
814	PEPSIN, SACCHARATED, U. S. P., 5 grs.	1 05	55	16
	PHENACETINE and COMBINATIONS (See under Acetphenetidin, U. S. P. Chemically identical with Phenacetine.)			
	PLACEBO (See Blank Tablets)			
815	PODOPHYLLIN, 1-40 gr.	55	31	15
816	PODOPHYLLIN, 1-20 gr.	55	31	15
817	PODOPHYLLIN, 1-16 gr.	55	31	15
818	PODOPHYLLIN, 1-10 gr.	60	33	15
819	PODOPHYLLIN, 1-8 gr.	60	33	15
820	Coated chocolate	80	43	15
821	PODOPHYLLIN, 1-5 gr.	65	36	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
822	PODOPHYLLIN, 1-4 gr	70	38	15
823	Coated chocolate	90	48	15
824	PODOPHYLLIN, 1-2 gr	88	47	15
825	PODOPHYLLIN COMPOUND { Podophyllin, 1-2 gr. Ext. Nux Vomica, 1-16 gr. Ext. Hyoscyamus, 1-8 gr.	1 00	53	15
826	PODOPHYLLIN and LEPTANDRIN { Podophyllin, 1-8 gr. Leptandrin, 1-4 gr.	65	36	15
743	POTASSIUM ARSENITE, SOLUTION, 1 m (Fowler's Solution)	55	31	15
827	POTASSIUM ARSENITE, SOLUTION, 2 m	55	31	15
828	POTASSIUM ARSENITE, SOLUTION, 3 m	60	33	15
829	POTASSIUM ARSENITE, SOLUTION, 5 m	60	33	15
830	POTASSIUM BROMIDE, 2 grs	1 25	66	18
831	POTASSIUM BROMIDE, 5 grs	1 50	78	21
832	POTASSIUM BROMIDE, 10 grs	2 66	1 36	32
833	POTASSIUM CHLORATE, 5 grs. (See Net List)	60	33	15
834	POTASSIUM CHLORATE and AMMONIUM CHLORIDE (See Net List)	75	40	15
835	POTASSIUM CHLORATE and BORAX { Potassium Chlorate, 2 1-2 grs. Sodium Borate, 2 1-2 grs.	83	45	15
836	POTASSIUM CHLORATE and COCAINE, (Voice Tablets) { Potassium Chlorate, 5 grs. Cocaine Muriate, 1-60 gr.	2 10	1 08	26
837	POTASSIUM IODIDE, 5 grs	6 15	3 11	67
838	POTASSIUM PERMANGANATE, 1 gr	55	31	15
839	POTASSIUM PERMANGANATE, 2 grs	60	33	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
840	POTASSIUM PERMANGANATE, 3 grs	65	36	15
841	POTASSIUM PERMANGANATE, 5 grs	85	46	15
842	QUININE BISULPHATE, 1-2 gr.			
843	QUININE BISULPHATE, 1 gr.			
844	Coated chocolate.			
845	QUININE BISULPHATE, 2 grs., plain			
846	Also coated, choc., white, or pink			
847	QUININE BISULPHATE, 3 grs., plain			
848	Also coated, choc., or white			
849	QUININE BISULPHATE, 4 grs. plain			
850	QUININE BISULPHATE, 5 grs. plain			
851	Also coated chocolate			
852	QUININE SULPHATE, 1-2 gr. plain			
853	Also coated, choc., pink, or white			
854	QUININE SULPHATE, 1 gr. plain			
855	Also coated, choc., pink, or white			
856	QUININE SULPHATE, 2 grs., plain			
857	Also coated, choc., pink, white, or yellow			
858	QUININE SULPHATE, 3 grs., plain			
859	Also coated, choc. or pink			
860	QUININE SULPHATE, 4 grs., plain			
861	Also coated, choc. or pink			
862	QUININE SULPHATE, 5 grs., plain			
863	Also coated, choc., pink, or white			
864	QUININE COMP. with STRYCHNINE, chocolate coated only. { Quinine Sulphate, 1 gr. Reduced Iron, 1 gr. Arsenous Acid, 1-50 gr. Strychnine Sulphate, 1-60 gr.	2 80	1 43	33
865	QUININE with CHOCOLATE, 1 gr. 1 gr. Quinine Tannate.	4 00	2 03	46
866	QUININE with CHOCOLATE, 2 grs 2 grs. Quinine Tannate.	5 40	2 73	60
867	QUININE and DOVER'S POWDER { Quinine Sulphate, 2 1-2 grs. Dover's Powder, 2 1-2 grs.	5 25	2 66	58

Special slips issued giving net prices.

No.		PER BOTTLE OF 1000	500	100
868	QUININE and HYDRASTIS COMPOUND, (Dr. Wesley Allen) chocolate coated only	2 40	1 23	29
	Quinine Sulphate, 1-2 gr. Hydrastis, 1-4 gr. Strychnine Sulph., 1-30 gr.			
869	QUININE, IRON and ZINC VALERIANATES, chocolate coated only	4 80	2 43	53
	Quinine Valerianate, 1 gr. Iron Valerianate, 1 gr. Zinc Valerianate, 1 gr.			
870	QUININE, IRON and ZINC VALERIANATES, half strength, chocolate coated only	2 70	1 38	32
	Quinine Valerianate, 1-2 gr. Iron Valerianate, 1-2 gr. Zinc Valerianate, 1-2 gr.			
871	QUININE and SALOL	5 40	2 73	60
	Quinine Sulphate, 2 1-2 grs. Salol, 2 1-2 grs.			
872	RHEUMATIC, No. 1	4 70	2 38	52
873	Coated chocolate	4 90	2 48	55
	Quinine Sulphate, 1 gr. Ext. Colchicum Root, 1 gr. Ext. Colocynth Comp., 1-2 gr Ext. Hyoscyamus, 1-4 gr. Powd. Opium, 1-4 gr. Blue Mass, 1 gr.			
874	RHEUMATIC, No. 2	2 15	1 11	27
875	Coated chocolate	2 35	1 21	30
	Ext. Colocynth Comp., 1 1-2 grs. Ext Colchicum Root, 1 gr. Ext. Hyoscyamus, 1-3 gr Calomel, 1-3 gr.			
876	RHEUMATIC, No. 3	5 05	2 55	56
877	Coated chocolate	5 25	2 65	58
	Lithium Salicylate, 5 grs. Macrotin, 1-4 gr. Phytolaccine, 1-8 gr Colchicine, 1-150 gr.			
878	RHEUMATIC, Improved, chocolate coated only	4 70	2 38	53
	Sodium Salicylate, 3 grs. Ext. Colchicum Root, 1-2 gr. Ext. Phytolacca, 1-2 gr. Morphine Sulphate, 1-24 gr. Potassium Iodide, 1 gr.			

No.		PER BOTTLE OF 1000	500	100
879	RHEUMATISM, (Dr. Liggett)	5 95	3 00	65
880	Coated chocolate	6 15	3 10	67
	Sodium Salicylate, 5 grs. Codeine Sulphate, 1-16 gr. Colchicine, 1-120 gr.			
881	RHEUMATIC without MERCURY.	2 50	1 28	31
	Ext Colocynth, 1 1-2 grs. Ext. Colchicum, acetic, 1-2 gr. Podophyllin, 1-4 gr. Powd. Capsicum, 1-4 gr. Ext. Belladonna Leaves, 1-10 gr. Ext. Nux Vomica, 1-10 gr.			
882	RHINITIS	1 65	86	24
883	Coated chocolate	1 85	96	25
	Powd. Camphor, 1-2 gr Belladonna Root, Fld. Ext., 1-4 m. Quinine Sulphate, 1-2 gr.			
884	RHINITIS, half strength	1 05	56	16
885	Coated chocolate	1 25	66	18
	Powd. Camphor, 1-4 gr. Belladonna Root, Fld. Ext., 1-8 m. Quinine Sulphate, 1-4 gr.			
886	RHUBARB and IPECAC COMPOUND, (Roosevelt Hospital)	1 00	53	15
	Powd. Rhubarb, 1 gr. Powd. Ipecac, 1-8 gr. Oil Peppermint, 1-20 m. Sodium Bicarbonate, 5 grs.			
887	RHUBARB and IPECAC COMPOUND, No. 4, (Dr. M. L. Goodkind)	1 30	68	19
	Powd. Rhubarb, 1 gr. Soda Bicarbonate, 5 grs. Powd. Ipecac, 1-8 gr. Ext. Nux Vomica, 1-4 gr. Oil Peppermint, 1-10 gr. Fld. Ext. Cascara Sagrada, 5 m.			
888	RHUBARB and SODA, No. 1	60	33	15
889	Coated chocolate	80	43	15
	Powd. Rhubarb, 1 1-2 grs. Sodium Bicarbonate, 1 1-2 grs. Oil Peppermint, q. s.			
890	RHUBARB and SODA, No. 2	65	36	15
	Powd. Rhubarb, 1-2 gr. Sodium Bicarbonate, 1-2 gr.			
891	RHUBARB and SODIUM COMPOUND, No. 1, chocolate coated only	1 05	56	16
	Rhubarb, 2 grs. Soda Bicarbonate, 5 grs. Aloes, purified, 1-4 gr. Peppermint Oil, 1-8 m. Ipecac, 1-4 gr. Nux Vomica, 1-8 gr.			

No.		PER BOTTLE OF 1000	500	100
892	RHUBARB and SODIUM COMP., No. 2	1 20	63	18
893	Coated chocolate	1 40	73	20
	Powd. Rhubarb, 1 gr. Sodium Bicarbonate, 5 grs. Powd. Ipecac, 1-10 gr. Cardamom Seed, 1-2 gr. Oil Peppermint, 1-20 gtt.			
894	SACCHARIN, 1-2 gr	1 10	58	17
	Saccharin, 1-2 gr. Sodium Bicarbonate, q. s.			
895	SACCHARIN, 1 gr	2 05	1 06	26
	Saccharin, 1 gr. Sodium Bicarbonate, q. s.			

A substitute for sugar in sweetening beverages for diabetic patients.

896	SALICIN, 5 grs	9 70	4 88	1 03
897	SALICYLIC ACID, 3 grs	1 10	58	17
898	SALICYLIC ACID, 5 grs	1 50	78	21
899	SALINE and CHALYBEATE TONIC, (Flint)	95	50	16
900	Coated chocolate	1 15	61	18
	Sodium Chloride, 3 grs. Potassium Chloride, 3-20 gr. Potassium Sulphate, 1-10 gr. Potassium Carbonate, 1-20 gr. Sodium Carbonate, 3-5 gr. Magnesium Carbonate, 1-20 gr. Calcium Phosphate, precip., 1-2 gr. Calcium Carbonate, precip., 1-20 gr. Reduced Iron, 9-20 gr. Iron Protocarb. (Vallet), 1-20 gr.			
901	SALOL, 1-10 gr	60	33	15
902	SALOL, 1 gr	1 00	53	16
903	Coated chocolate	1 20	63	18
904	SALOL, 2 1-2 grs	1 95	1 00	26
905	Coated chocolate	2 15	1 11	28
906	SALOL, 5 grs	3 50	1 78	41
907	Coated chocolate	3 70	1 88	43
908	SALOL COMPOUND	2 35	1 21	30
	Salol, 1 gr. Powd. Opium, 1-40 gr. Bismuth Subnitrate, 1 gr. Powd. Camphor, 1-80 gr. Oil Peppermint, 1-40 m.			

No.		PER BOTTLE OF 1000	500	100
909	SALOL and COPAIBA COMPOUND, chocolate coated only	5 00	2 53	56
	Salol, 2 grs. Copaiba, 2 grs. Oleoresin Cubebs, 1 gr. Oil Wintergreen, 1-4 m. Ext. Kava Kava, 1 gr. Oil Santal, 1-4 m. Pepsin, pure, 1-2 gr.			
910	SANTONIN, 1-10 gr	80	43	15
911	SANTONIN, 1-4 gr	1 45	76	20
912	SANTONIN, 1-2 gr	2 40	1 23	30
913	SANTONIN, 1 gr	4 40	2 23	50
914	SANTONIN and CALOMEL, No. 1	2 50	1 28	31
915	Coated chocolate	2 70	1 38	33
	Santonin, 1-2 gr. Calomel, 1-2 gr.			
916	SANTONIN and CALOMEL, No. 2	1 50	78	21
	Santonin, 1-4 gr. Calomel, 1-8 gr.			
917	SANTONIN and CALOMEL, No. 3	4 50	2 28	51
	Santonin, 1 gr. Calomel, 1 gr.			
918	SANTONIN and CALOMEL, No. 4	1 25	66	18
	Santonin, 1-10 gr. Calomel, 1-10 gr.			
919	SANTONIN and PODOPHYLLIN, No. 1	1 25	66	18
	Santonin, 1-10 gr. Podophyllin, 1-20 gr.			
920	SANTONIN and PODOPHYLLIN, No. 2	1 50	78	21
	Santonin, 1-4 gr. Podophyllin, 1-20 gr.			
921	SANTONIN and PODOPHYLLIN, No. 3	2 50	1 28	31
	Santonin, 1-2 gr. Podophyllin, 1-20 gr.			
922	SAW PALMETTO COMPOUND	2 50	1 28	31
923	Coated chocolate	2 70	1 38	33
	Ext. Saw Palmetto, 3 grs. Tinct. Cantharides, 2 m. Tinct. Belladonna Leaves, 2 m. Ext. Corn Silk, 1-2 gr.			
924	SCIATICA, (Dr. Metcalf)	85	46	15
	Tinct. Aconite Root, 3-4 m. Tinct. Belladonna Leaves, 3-4 m. Tinct. Colchicum Seed, 3-4 m. Tinct. Cimicifuga, 3-4 m.			

No.		PER BOTTLE OF 1000	500	100
925	SEDATIVE, coated white only	2 38	1 22	30
	Ext. Hyoscyamus, 1-2 gr. Powd. Valerian, 1-2 gr. Ext. Sumbul, 1-2 gr. Camphor, 1 gr.			
926	SEDATIVE, (Dr. B. F. Baer)	1 50	78	21
927	Coated chocolate	1 70	88	23
	Ext. Valerian, 1 gr. Ext. Musk Root, 1 gr. Asafetida, purified, 1 gr.			
928	SEDATIVE COMPOUND	1 60	83	22
929	Coated chocolate	1 80	93	24
	Dried Iron Sulphate, 1 gr. Ext. Valerian, 1 gr. Ext. Musk Root, 1 gr. Asafetida, purified, 1 gr. Arsenous Acid, 1-60 gr.			
930	SEDATIVE MODIFIED, coated pink	1 60	83	22
	Camphor, 1 gr. Asafetida, 1 gr. Valerian, 1 gr. Tinct. Cannabis Indica, 5 gtt.			
931	SEDATIVE SPECIAL	2 50	1 28	30
	Potassium Bromide, 2 1-2 grs. Ammonium Bromide, 2 1-2 grs. Tinct. Hyoscyamus, 7 1-2 m. Tinct Cannabis Ind., 7 1-2 m. Sodium Bromide, 2 1-2 grs.			
932	SICK HEADACHE, (Dr. Hale)	1 00	53	15
	Irisin, 1-10 gr. Podophyllin, 1-20 gr. Sanguinarin, 1-20 gr. Nux Vomica, 1-20 gr. Euonymin, 1-4 gr.			
933	SILVER NITRATE, 1-4 gr. chocolate coated only	2 75	1 41	33
934	SODA MINT, 5 grs.	60	33	15
935	Coated chocolate (See also Net List)	80	43	15
936	SODIUM ARSENATE, 1-15 gr	55	31	15
937	SODIUM ARSENATE, 1-10 gr	55	31	15
938	SODIUM BENZOATE, 5 grs., chocolate coated only	2 15	1 11	27
939	SODIUM BICARBONATE, 5 grs.	55	31	15
940	SODIUM BICARBONATE, 10 grs.	65	36	15

No.		PER BOTTLE OF 1000	500	100
941	SODIUM BICARBONATE and NUX VOMICA	1 30	68	19
	Sodium Bicarbonate, 5 grs. Tinct. Nux Vomica, 2 m.			
942	SODIUM BICARBONATE and NUX VOMICA COMPOUND	2 00	1 03	26
	Sodium Bicarbonate, 5 grs. Tinct. Nux Vomica, 2 m. Powd. Ipecac, 1-20 gr. Oleoresin Ginger, 1-6 m.			
943	SODIUM BICARBONATE and PAREGORIC COMPOUND	1 00	53	15
	Sodium Bicarbonate, 1 gr. Paregoric, 2 m. Oil Fennel, 1-10 m.			
944	SODIUM BROMIDE, 5 grs.	1 10	58	16
945	SODIUM BROMIDE, 10 grs	1 95	1 00	25
946	SODIUM CHLORIDE, PURE, 11 grs	55	31	15
	For normal salt solution: Dissolve one tablet in four ounces of distilled water.			
947	SODIUM PHOSPHATE, Effervescent, 5 grs.	2 25	1 16	27
948	SODIUM SALICYLATE, 1 gr. (See also No. 953)	72	39	15
949	SODIUM SALICYLATE, 3 grs.	1 30	68	19
950	SODIUM SALICYLATE, 5 grs.	1 70	88	23
	Aromatic pink, [No. 1069]	1 90	98	25
951	Coated chocolate	1 90	98	25
952	SODIUM SALICYLATE and ACETANILID COMPOUND	2 25	1 16	27
	Sodium Salicylate, 2 1-2 grs. Acetanilid, 2 1-2 grs. Tinct. Digitalis, 1-4 m.			
953	SODIUM SALICYLATE, AROMATIC	75	40	15
	Sodium Salicylate, 1 gr. Oil Wintergreen, 1-10 gr.			
954	SODIUM SALICYLATE COMPOUND	1 60	83	22
955	Coated chocolate	1 80	93	24
	Sodium Salicylate, 3 grs. Ext. Colchicum Root, 1-2 gr. Tinct. Digitalis, 1-4 m.			
956	SODIUM SULPHOCARBOLATE, 1 gr	95	50	16

No.		PER BOTTLE OF 1000	500	100
957	SODIUM SULPHOCARBOLATE, 5 grs	2 05	1 06	27
958	STOMACHIC, (Dr. North)	70	38	15
959	Coated chocolate	90	48	15
	Pepsin, pure (1:3000), 1-4 gr. Ext. Nux Vomica, 1-4 gr. Powd. Charcoal, 1-4 gr. Powd. Capsicum, 1-4 gr.			
960	STRONTIUM SALICYLATE, 5 grs.	2 85	1 46	35
961	STROPHANTHUS, TINCTURE, 1 m	55	31	15
962	STROPHANTHUS, TINCTURE, 2 m	60	33	15
963	STROPHANTHUS, TINCTURE, 5 m	72	39	15
964	STROPHANTHUS COMPOUND, No. 1	65	36	15
	Tinct. Strophanthus, 2 m. Tinct. Digitalis, 3 m.			
965	STROPHANTHUS COMPOUND, No. 2	72	39	15
	Tinct. Digitalis, 3 m. Tinct. Strophanthus, 2 m. Nitroglycerin, 1-100 gr.			
966	STRYCHNINE ARSENATE, 1-100 gr	60	33	15
967	STRYCHNINE ARSENATE, 1-32 gr	60	33	15
968	STRYCHNINE NITRATE, 1-100 gr	60	33	15
969	STRYCHNINE NITRATE, 1-60 gr.	65	36	15
970	Coated chocolate	85	46	15
971	STRYCHNINE NITRATE, 1-50 gr.	65	36	15
972	Coated chocolate	85	46	15
973	STRYCHNINE NITRATE, 1-40 gr.	70	38	15
974	Coated chocolate	90	48	15
975	STRYCHNINE NITRATE, 1-30 gr.	80	43	15
976	Coated chocolate	1 00	53	16
977	STRYCHNINE NITRATE, 1-20 gr.	80	43	15
978	STRYCHNINE NITRATE, 1-16 gr.	90	48	15
979	STRYCHNINE PHOSPHATE, 1-100 gr. chocolate coated only	90	48	15
980	See Strychnine Sulph., 1-100 gr. Coated red, small size	80	43	15
981	STRYCHNINE SULPHATE, 1-1000 gr	55	31	15

No.		PER BOTTLE OF 1000	500	100
982	STRYCHNINE SULPHATE, 1-500 gr	55	31	15
983	STRYCHNINE SULPHATE, 1-200 gr	55	31	15
984	STRYCHNINE SULPHATE, 1-120 gr	60	33	15
985	STRYCHNINE SULPHATE, 1-100 gr	60	33	15
986	Coated chocolate, full size	80	43	15
	S. C. red, small, [No. 980]	80	43	15
987	STRYCHNINE SULPHATE, 1-60 gr.	60	33	15
988	Coated chocolate, full size	80	43	15
	S. C. red, small, [No. 1070]	80	43	15
989	STRYCHNINE SULPHATE, 1-50 gr	60	33	15
990	Coated chocolate, full size	80	43	15
	S. C. red, small, [No. 1071]	80	43	15
991	STRYCHNINE SULPHATE, 1-40 gr	65	36	15
992	Coated chocolate, full size	85	46	15
	S. C. red, small, [No. 1072]	85	46	15
993	STRYCHNINE SULPHATE, 1-32 gr	70	38	15
994	STRYCHNINE SULPHATE, 1-30 gr	70	38	15
995	Coated chocolate, full size	90	48	15
	S. C. red, small, [No. 1073]	90	48	15
996	STRYCHNINE SULPHATE, 1-20 gr	80	43	15
997	Coated chocolate, full size	1 00	53	16
	S. C. red, small, [No. 1074]	1 00	53	16
998	STRYCHNINE SULPHATE, 1-16 gr	80	43	15
999	SULPHUR, 5 grs	60	33	15
1000	SULPHUR, 10 grs	72	39	15
1001	SULPHUR and CREAM TARTAR	78	42	15
	Sulphur, Sublimed, 4 grs. Potassium Bitartrate, 2 grs.			
1002	SULPHUR COMPOUND	1 27	67	19
	Washed Sulphur, 5 grs. Ext. Ipecac, 1-100 gr. Ext. Capsicum, 1-500 gr. Potassium Bitartrate, 2 grs. Arsenous Acid, 1-1000 gr. Sodium Benzoate, 1-16 gr.			
1003	SUMBUL COMPOUND, (Goodell).	1 95	1 01	25
1004	Coated chocolate	2 15	1 11	28
	Ext. Sumbul, 1 gr. Asafetida, 2 grs. Dried Iron Sulphate, 1 gr. Arsenous Acid, 1-40 gr.			

No.		PER BOTTLE OF 1000	500	100
1005	SUN CHOLERA	1 30	68	19
1006	Coated chocolate Tinct. Opium, 3 m. Tinct. Rhubarb, 3 m. Tinct. Capsicum, 3 m Spirit Camphor, 3 m. Oil Peppermint, q. s.	1 50	78	21
1007	TARTAR EMETIC, 1-120 gr	55	31	15
1008	TARTAR EMETIC, 1-100 gr	55	31	15
1009	TARTAR EMETIC, 1-50 gr	55	31	15
1010	TARTAR EMETIC, 1-30 gr	55	31	15
1011	TARTAR EMETIC, 1-25 gr	55	31	15
1012	TARTAR EMETIC, 1-20 gr	55	31	15
1013	TARTAR EMETIC, 1-10 gr	55	31	15
1014	TARTAR EMETIC, 1-8 gr	55	31	15
1015	TARTAR EMETIC, 1-4 gr	60	33	15
	TARTAR EMETIC and IPECAC. (See Antimony and Ipecac)			
1016	TERPIN HYDRATE and HEROIN Terpin Hydrate, 2 1-2 grs. Heroin, 1-50 gr.	1 95	1 01	25
1017	TERPIN HYDRATE and HEROIN, No. 2 Terpin Hydrate, 5 grs. Heroin, 1-12 gr.	3 60	1 84	42
1018	TERPIN HYDRATE COMPOUND Terpin Hydrate, 3 grs. Tinct. Guaiac Ammon., 6 m. Paregoric, 10 m. Fld. Ext. Wild Cherry, 5 m. Ext. Belladonna, 1-16 gr.	2 15	1 11	29
	THROAT (See Guaiac and Hydrastis Comp.) (See also Acid Boric and Potassium Comp.) (See also Throat Troches, Net List, page 162)			
1019	THROAT, (Dr. Quinlan) Benzoic Acid, 1-5 gr. Tinct. Belladonna Leaves, 1 m. Tinct. Opium, Camphorated, 10 m. Ext. Licorice, q. s.	95	50	16
1020	THROAT, (Mentholated) Menthol, 1-35 gr. Cocain Muriate, 1-280 gr. Oil Anise, 1-80 gr. Benzoic Acid, 1-12 gr. Eucalyptol, 1-16 m.	1 45	76	20

No.		PER BOTTLE OF 1000	500	100
1021	TONIC, (Aiken)	2 70	1 38	32
1022	Coated chocolate Quinine Sulphate, 1 gr. Reduced Iron, 2-3 gr. Arsenous Acid, 1-50 gr. Strychnine, 1-50 gr. Ext. Gentian, 1-4 gr.	2 90	1 48	24
	TONIC CHALYBEATE (See Saline and Chalybeate Tonic)			
1023	TONIC for CHILDREN, No. 1	1 00	53	15
1024	Coated chocolate Calcium Phosphate, 1-10 gr. Iron Phosphate, 1-10 gr. Chocolate, q. s.	1 20	63	17
1025	TONIC for CHILDREN, No. 2	1 25	66	19
1026	Coated chocolate Reduced Iron, 1-10 gr. Quinine Sulphate, 1-4 gr. Arsenous Acid, 1-500 gr. Strychnine Sulphate, 1-500 gr.	1 45	76	21
1027	TONIC, VEGETABLE. chocolate coated only Ext. Gentian, 1-2 gr. Ext. Quassia, 1-2 gr.	1 22	64	18
1028	TONSILLITIS, No. 1	65	36	15
1029	Coated chocolate Tinct. Aconite, 1-5 m. Tinct. Belladonna Leaves, 1-10 m. Tinct. Bryonia, 1-1 m Mercury Biniodide, 1-100 gr.	85	46	15
1030	TONSILLITIS, No. 2 Tinct. Aconite, 1-5 m. Tinct. Belladonna, 1-10 m. Mercury Biniodide, 1-100 gr. Sodium Salicylate, 1-2 gr. Thymol, q. s. Oil Wintergreen, q. s.	1 50	78	20
1031	TONSILLITIS GARGLE Sodium Salicylate, 3 grs. Sodium Bicarbonate, 3 grs. Oil Wintergreen, q. s. Zinc Sulphocarbolate, 1 gr. Boric Acid, 3 grs.	1 60	83	22
1032	TRIFOLIUM COMPOUND Ext. Red Clover, 1-2 gr. Ext. Stillingia, 1-2 gr. Ext. Prickly Ash Bark, 1-8 gr. Ext. Burdock, 1-2 gr. Ext. Poke Root, 1-2 gr. Ext. Blue Flag, 1-4 gr.	1 50	73	20
1033	TRIPLE BROMIDES, No. 1 Sodium Bromide, 2 1-2 grs. Ammonium Bromide, 2 1-2 grs Potassium Bromide, 2 1-2 grs.	2 25	1 16	28

No.		PER BOTTLE OF 1000	500	100
1034	TRIPLE BROMIDES, No. 2 ..... (Sodium Bromide, 5 grs. Ammonium Bromide, 5 grs. Potassium Bromide, 5 grs.)	4 15	2 11	47
1035	TRIPLE SULPHOCARBOLATES. (Calcium Sulph carb., 2 1-2 grs. Sodium Sulphocarb., 2 1-2 grs. Zinc Sulphocarb., 2 1-2 grs.)	2 40	1 25	30
1036	TRIPLE SULPHOCARBOLATES No. 2..... (Calcium Sulphocarb., 1 1-2 grs. Sodium Sulphocarb., 1 1-2 grs. Zinc Sulphocarb., 1 1-2 grs.)	1 60	85	21
1037	TULLY'S POWDER, 1 gr.....	83	45	15
1038	TYPHOID FEVER No. 1..... (Podophyllin, 1-960 gr. Calomel, 1-16 gr. Eucalyptol, q. s. Menthol, 1-16 gr. Guaiacol Carbonate, 1-16 gr.)	1 94	1 00	25
1039	TYPHOID FEVER, No. 2 ..... (Podophyllin, 1-960 gr. Calomel, 1-16 gr. Eucalyptol, q. s. Menthol 1-16 gr. Guaiacol Carbonate, 1-4 gr. Thymol, 1-16 gr.)	3 90	1 99	44
1040	TYPHOID FEVER, (Dr. Daly) chocolate coated only..... (Menthol, 1-20 gr. Thymol, 1-10 gr. Carbolic Acid, 1-10 gr. Iodine Resub., 1-20 gr.)	2 00	1 03	26
1041	UTERINE ASTRINGENT and ANTISEPTIC..... (Alum, purified, 3 grs. Zinc Sulphate, 2 grs. Morphine Sulphate, 1-20 gr. Fld. Golden Seal, colorless, 1 1-2 m. Boric Acid, 6 grs. Tannic Acid, 2 grs.)	2 65	1 36	22
1042	VAGINAL ASTRINGENT. ..... (Zinc Sulphate, 3 3-4 grs. Sodium Sulphate, 3 1-2 grs. Sodium Borate, 4 grs. Boric Acid, 3-4 grs.)	2 40	1 23	30
1043	VERATRINE, 1-32 gr.....	85	46	15
1044	VERATRUM VIRIDE, TINCTURE, 1 m.....	55	31	15
1045	VERATRUM VIRIDE, TINCTURE, 2 m.....	60	33	15

No.		PER BOTTLE OF 1000	500	100
1046	VIBURNUM COMPOUND, (Uterine Tonic)	2 05	1 06	27
1047	Coated chocolate..... (Ext. Viburnum Prunifolium, 1 gr. Ext. Viburnum Opulus, 1 gr. Ext. Star Grass, 1-2 gr. Ext. Helonias, 1-2 gr. Ext. Squaw Vine, 1-2 gr. Caulophyllin, 1-4 gr.)	2 25	1 16	29
1048	VOICE ..... (Potassium Chlorate, 2 1-2 grs. Cocaine Muriate, 1-50 gr. Sodium Borate, 2 1-2 grs.)	2 10	1 08	27
1049	WARBURG TINCTURE.....	3 00	1 53	36
1050	Coated chocolate..... Each tablet represents 1 fluid dram of Warburg Tincture.	3 20	1 63	38
1051	WARBURG TINCTURE, without Aloes.....	3 00	1 53	36
1052	Coated chocolate..... Each tablet represents 1 fluid dram Warburg Tincture without Aloes	3 20	1 63	38
1053	WHOOPING COUGH, chocolate coated only..... (Antipyrine, 2 grs. Ext. Belladonna Leaves, 1-20 gr. Zinc Oxide, 1-2 gr. Castanea, Fld. Ext., 1 m)	4 38	2 22	49
1054	ZINC PHOSPHIDE, 1-10 gr.....	65	36	15
1055	ZINC PHOSPHIDE, 1-8 gr.....	65	36	15
1056	ZINC PHOSPHIDE, 1-6 gr.....	72	39	15
1057	ZINC PHOSPHIDE, 1-4 gr.....	83	45	15
1058	ZINC PHOSPHIDE, 1-2 gr.....	1 05	56	17
1059	ZINC PHOSPHIDE and NUX VOMICA	80	43	15
1060	Coated chocolate..... (Zinc Phosphide, 1-10 gr. Powd. Nux Vomica, 1 4 gr.)	1 00	53	15
1061	ZINC SULPHOCARBOLATE, 1-2 gr.....	60	33	15
1062	ZINC SULPHOCARBOLATE, 1 gr	65	36	15

TABLETS
Plain and Coated

No.		PER BOTTLE OF 1000	500	100
1063	ZINC SULPHOCARBOLATE, 2 grs	85	46	15
1064	ZINC SULPHOCARBOLATE, 5 grs	1 65	86	22
1065	ZINC SULPHOCARBOLATE and ALOIN (Zinc Sulphocarbolate, 1 gr. Aloin, 1-8 gr.)	65		15
1066	ZINC SULPHOCARBOLATE COMP. Chocolate coated only (Zinc Sulphocarbolate, 1 gr. Aromatic Chalk Powder, 1 gr. Powd. Opium, 1-40 gr.)	1 50	78	21
1067	See Mercury with Chalk, 1 gr.	65	36	15
1068	See Migraine No. 1., Arom. pink.	1 80	93	24
1069	See Sodium Salicylate, 5 grs., Aromatic, pink	1 90	98	25
1070	See Strychnine Sulph., 1-60 gr. coated red, small size	80	43	15
1071	See Strychnine Sulph., 1-50 gr. coated red, small size	80	43	15
1072	See Strychnine Sulph., 1-40 gr. coated red, small size	85	46	15
1073	See Strychnine Sulph., 1-30 gr. coated red, small size	90	48	15
1074	See Strychnine Sulph., 1-20 gr. coated red, small size	1 00	53	16
1075	See Antiseptic, (Bernay's) blue, large. Net List, page 160. For external use only.			
1076	See Antiseptic, (Bernay's) small, white or blue. Net List, page 160. For external use only.			
1077	See Antiseptic, (Wilson's) white or blue. Net List, page 160. For external use only.			
1078	See Cold Special, No. 1. Net List, page 161.			
1079	See Lupulin and Bromide Comp., Improved. Net List, page 161.			
1080	See Throat Troches. Net List, page 162.			

THERAPEUTIC INDEX

Handy reference for physicians' use.

The following index comprises a list of the more common diseases, together with a selection of formulae from this Price List which are suitable for their treatment. Many other formulae are included in the body of the list which in certain cases will be preferred over those given here.

The numerals following the names of preparations indicate the pages on which they will be found listed.

ABORTION, to Prevent. Avoid active cathartics. A safe laxative is PILL ANTI-CONSTIPATION (UPJOHN), 129. As prophylactics. ALETRIS COMPOUND, 98; Pill Black Haw Ext., 20; When threatened, H. T. MORPHINE, 124; Pill Morphine Sulphate, 47, 48; F. E. Black Haw, 69, 30 minims every three hours.

ABSCESS, Acute. F. E. Aconite, 65, or American Hellebore, 66, full doses in forming stage. As abortive, Stramonium, 93, locally. Pill Calcium Sulphide, 1-10 gr., 22, every two hours. TERRAPLASM WITH DERMOCEL, 151. Surgical measures.

ABSCESS, Chronic. PILL RESTONAL, 131; Four Chlorides, 104; Manganese and Iron Compound, 215, LIQUID PEPTONES, 146; Phospho-Glycerine Tonic Compound, 147; Hypophosphites, Hematic, 114. See also Tonics, Anemia.

ACIDITY OF STOMACH. CARIPEPTIC LIQUID, 133, OR TABLETS, 160; Soda Mint, 161; Alkaline Digestive, 98; Rhubarb and Ipecac Compound, 229.

ACNE. Pill Anti-Constipation, 129, to regulate bowels. ICHTHOLINE, 154, well rubbed in. Terraplasm, 151; Pill Arsenous Acid, 10; Pill Calcium Sulphide, 22; Sulphur Compound, 235. See Gastritis for correctives to indigestion. See also Tonics.

AFTER-PAINS. Ergot, 78, with Pill Atropine and Morphine, 19; Pill Camphor, Opium and Henbane, 24.

ALBUMINURIA. LIQUID PEPTONES, 146; restriction of meat in diet. PILL NITROGLYCERIN, 49; Jaborandi (Caution), 83. See Nephritis.

ALCOHOLISM. See Delirium Tremens.

ALOPECIA. Pill Arsenous Acid, 10; Locally, Tr. Cantharides, 124. Tr. Jaborandi, 83, locally and internally.

AMAUROSIS and AMBLYOPIA. Pill Strychnine Sulph., 60, 61; Pill Santonin, 58, 59.

AMENORRHEA. PILL EMMENAGOGUE No. 4, 36; Pill Emmenagogue (Mutter), 36; PILL ALOES and IRON, 11; Pill Potassium Permanganate, 51, 52; Black Cohosh, 69; Chamomile, 74, in infusion. Cotton Root Bark, 77; Guaiac, 81. See also Anemia.

ANEMIA. FERRUGINOUS PILLS, 37, 38, 39. Pill Arsenous Acid, 10; PILL RESTONAL, 131; Pill Iron Iodide, 43; Pill Quinine, Iron and Strychnine, 53, 54; PILL HEMATIC TONIC, 136; PILL HYPOPHOSPHITES COMP., 136; Four Chlorides, 104; Syr. Iron Iodide, 116; Gentian and Iron Chloride, 105; Hypophosphites Comp. Hematic, 114; Solution Hypophosphites Comp., no sugar, Nos. 1 and 2, 147; LIQUID PEPTONES, 146; Manganese and Iron Comp., 215.

ANGINA PECTORIS. H. T. MORPHINE, 174; NITROGLYCERIN, 174. Between attacks Pill Arsenous Acid, 10; Pill Potassium Iodide, 51; Four Chlorides, 104. See also Heart.

Pseudoangina (in nervous women). Bromochloral Comp., 100; Pill Asafetida and Henbane, 19; Pill Sumbul Comp., 61; Pill Ferruginous Modified, 39, or Pill Restonal, 131, between attacks.

ANOREXIA. PHOSPHO-GLYCERINE TONIC COMP., 147; Calisaya, Iron and Strychnine, 102; Gentian, Iron and Strychnine, 105; Ironwood Comp., 107; F. E. Cinchona, 74; F. E. or Tr. Nux Vomica, 86; Nux Vomica and Ignatia Comp. 223; Bitter Tonic, 188; Anti-Dyspeptic, No. 2, 184; Stomachic (North), 234; MANGANESE AND IRON COMP., 215.

APHTHOUS STOMATITIS. TYMOROL OR THYMO-LYPTOL, 148, 149; Potassium Chlorate, 161, dissolved in the mouth or dissolved in Thymo-Lyptol and used as a mouth wash. Sol PEPTONATE IRON AND MANGANESE, 148, as Tonic.

APPENDICITIS. LAXSALINE, 145, if salines are indicated

APPETITE, loss of. See Anorexia.

ARTERIOSCLEROSIS. Pill Potassium Iodide, 51; Pill Nitroglycerin, 49.

ARTHRITIS. See Gout, Rheumatism, Syphilis, Gonorrhea, or Tuberculosis, according to cause.

ASCARIDES. See Worms.

ASCITES. See Dropsy.

ASTHMA, Spasmodic. Preceding or during an attack. PALMO-DIONIN, 135; H. T. MORPHINE AND ATROPINE, No. 68, 173, every one or two hours until relieved. H.T. Hyoscine, 173; Anti-Asthmatic, 183 and 99; Lobelia, 85. Between attacks PILL POTASSIUM IODIDE, 51; Caripeptic Liquid, 133; with Nux Vomica, 86, when dyspeptic. Grindelia, 81.

ASTHMA, Bronchial. PALMO-DIONIN, 135; The UPJOHN NEBULIZER, with NEBULOL No. 41, 165 and 170; Bronchitis, No. 1 190 Between attacks, Pill Arsenous Acid, 10; Pill Potassium Iodide, 51. See also Bronchitis.

ASTHMA, Cardiac. See Heart.

ATONY, of Stomach and Bowels. PILL RESTONAL, 131. Pill Arsenous Acid, 10; Pill Nux Vomica, 49; PILL ANTI-CONSTIPATION, 129; Gentian and Iron Chloride, 105; Bitter Tonic, 188; Capsicum and Nux, 191; Manganese and Iron Comp., 216.

ATONY, Genito-Urinary. SAW PALMETTO AND COUCH GRASS COMPOUND WITH STRYCH. NITRATE, 111; Saw Palmette and Couch Grass Comp., 110; Buchu Comp. (Infusion) 191.

BALDNESS. See Alopecia.

BARBER'S ITCH. PHENOSORCIN, 155; or ICHTHOLINE, 154. Precede use of Ointment by shaving and the application by the physician of a solution of Mercuric Chloride in Alcohol See Antiseptic Tablets, 160.

BED SORES. Tincture Benzoin Comp., 124; Zinc Oxide Comp. 156. See Also Tonics.

BED WETTING. See Incontinence of Urine.

BILIOUSNESS. See Cathartic Pills, 25. CATHARTIC VEGETABLE LIVER, 30; Pill Antibilious, 14; Pill Anti-Constipation, 129; Pill Cathartic Comp., U. S. P., 29; Pill Calomel, 22; Pill Podophyllin, 50, when stools are dark. LAXATONIC GRANULES, 137. Calomel Aromatic, 192, 193; Calomel combinations, 193, 194, 195; Sodium Phosphate, 148, for children and during fevers. Laxsaline, 145; Alkaline Digestive, 98; Fringe Tree Comp., 104, when tendency to jaundice exists.

BLADDER. See Cystitis.

BOILS. Pill Calcium Sulphide, 22; Pill Arsenous Acid, 10 when chronic. Sodium Phosphate, 148; Phenosorcin, 155, to relieve pain. TERRAPLASM, 151, to assist maturation. See also Tonics.

BREASTS, INFLAMED. See Mastitis.

BRIGHT'S DISEASE. See Nephritis.

BRONCHITIS, Acute. Upjohn Nebulizer, and Nebulol No. 1 or 2, 165 and 169; Pill Ipecac and Opium, 42; PALMO-DIONIN, 135; Pill Creosote, 33; Pill Codeine, 31; Blood Root Comp., 141; Heroin and Terpin Hydrate, No. 2, 106; Cold Special 161; Bronchitis, No. 1, 190; Tr. Benzoin Comp., 124, for inhalation

BRONCHITIS, Chronic. Upjohn Nebulizer, and Nebulol No. 10, 165 and 169; Bronchitis Imp. 191; CREOSOTE AND IODINE COMP., 202; Heroin and Terpin Hydrate, No. 2, 106; Blood Root Comp., 141. Tonics.

BRONCHITIS, Children. HIVE SYR. AND TOLU COMP., 145; PALMO-DIONIN, 135. Creosote and Iodine Comp., 202; Derm-Anodyne, 152. See also Bronchitis, acute.

BURNS and SCALDS. ICHTHOLINE, 154; Zinc Oxide Comp., 156

CACHEXIA. PILL RESTONAL, 131; FERRUGINOUS PREPARATIONS, 37, 38, 39; Pill Anti-Malarial, 15; Pill Quinine and Capsicum, 53; PILL HEMATIC TONIC, 136; PILL HYPOPHOSPHITES COMP., 136; Manganese and Iron Comp., 215; Iron, Quinine and Strychnine Phosphates, 106; Hypophosphites (Hematic), 114; Liquid Peptones, 146. See Tonics.

CALCULI, Biliary. Solution Sodium Phosphate, 148; H. T. Morphine, 174; H. T. Morphine and Atropine, No. 27, 173, during attack, followed by Pill Atropine and Morphine, 19, as indicated. Calomel Aromatic, 192, 193; Calomel combinations, 193, 194, 195.

CALCULI, Renal and Vesical. Pill Buchu Comp., 21; SAW PALMETTO AND COUCH GRASS COMP., 110, with Strychnine Nitrate, 111; Cystitis No. 2, 202; Diuretic Improved, 205; Buchu, Juniper, Uva Ursi and Potassium Acetate, 101.

CANCER OF STOMACH. Caripeptic Liquid, 133; or Tablet, 134, as digestant. Liquid Peptones, 146, as nutrient. Manganese and Iron Comp., 215, as tonic. Pill Atropine and Morphine, 19, for spasmodic pain. See Tonics.

CANCRUM ORIS. See Aphthous Stomatitis.

CATARRH. THE UPJOHN NEBULIZER, and NEBULOL SOLUTIONS, 165 to 170; See Rhinitis, Bronchitis, Cystitis, Gastritis, Diarrhea, Leucorrhea.

CEREBRAL ANEMIA. Pill Asafetida, 18; Pill Restonal, 131; Pill Cactus Comp., 21; Pill Nitroglycerin, 49; Pill Sumbul Comp., 61; Ferruginous Pills, 37, 38, 39.

CHILLS. Pill Ipecac and Opium, 42; Pill Cathartic Vegetable Liver, 30, or Anti-Constipation, 129; Pill Quinine and Capsicum, 53; Cold Special, 161; Acetanilid and combinations, 177, 178. See also Malaria.

CHLOROSIS. FERRUGINOUS PILLS, 37, 38, 39; RESTONAL, 131; HEMATIC TONIC, 136; PILL ANTI-CONSTIPATION, 129, regularly, to prevent auto-toxemia. See also Anemia.

CHOLERA INFANTUM. Pill Zinc Sulphocarbolate, 64; Pill Copper Arsenite, 32, 33; Tablet Cholera Infantum, 198; Corrective Infants (Ives), 200; Caripeptic Liquid, 133; Liquid Peptones with Creosote and Guaiacol, 146.

CHOLERA MORBUS. Caripeptic Liquid, 133, as prophylactic and corrective. DIARRHEA PELLETS, 34; Pill Camphor and Opium, 24; Pill Camphor, Opium and Henbane, 24; Pill Chlorodyne, 30; Pill Cathartic Vegetable Liver, 30, to empty bowels. Sodium Phosphate, 148; Laxsaline, 145; G. E Laxsaline, 157, Sod. Phosphate, 159, or Mag. Cit., 158; Alkaline Digestive, 98; Liquid Peptones, 146; Sun Cholera, 236.

CHORDEE. Pill Camphor, Opium and Henbane, 24; LUPULIN AND BROMIDE COMP., IMP'D., 161; Bromochloral Comp., 100; Cocain Muriate, in 4 per cent solution, applied to glans, 198, 199; Morphine Hypo., 174, if other remedies fail.

CHOREA. Pill Arsenous Acid, 10, full dose; Pill Copper Arsenite, 32, 33; Pill Restonal, 131; Lupulin and Bromide Comp., Imp'd., 161; Tablet Sedative, 234, and varieties. See also Tonics, Anemia.

CIRRHOSIS. Pill Blue Mass, 20, 21; Pill Podophyllin, 50; Sol Sod Phosph., 148; Pill Potassium Iodide, 51. See also Dyspepsia, Cathartics, Dropsy.

COLDS. See Rhinitis.

COLIC, Gall Stone. See Calculi Biliary.

COLIC, Intestinal. See Diarrhea. PILL CHLORODYNE, 30; Pill Anodyne, 13; H. T. Morphine and Atropine, 173; Pill Atropine and Morphine, 19; Bismuth and Paregoric Comp., 188

COLIC, Lead. H. T. Atropine, 1-100 gr., 171; Atropine and Morphine, 19, to control pain; or H.T. Morphine and Atropine, No. 27 or 29, 173, with Laxsaline, 145; or Pill Cathartic Vegetable Liver 30, for the constipation.

COLIC, Renal. H. T. Morphine and Atropine, 19, during attack, followed by Pill Atropine and Morphine, as indicated; See Calculi, Renal and Vesical.

COLLAPSE. H.T. Atropine Sulphate, 1-60, 171, or H. T. Morphine and Atropine, No. 27, 173, if accompanied by excitement or fear. H. T. Digitalin, 172; or H. T. Strychnine, 174.

CONSUMPTION. See Tuberculosis.

CONSTIPATION. PILL ANTI-CONSTIPATION, 129. LAXATONIC GRANULES, 137. For other preparations see "Cathartics," 25. See also Pill Asafetida and Nux Vomica, 19; Sol.

Sodium Phosphate, 148; Cascara and Sodium Phosphate Comp., 102. Pill Anti-Constipation (Upjohn) will fully meet the indications in the majority of cases. For children, Laxatonic Granules are indicated.

CONVALESCENCE. LIQUID PEPTONES, 146; PILL RESTONAL, 131; Pill Hematic Tonic, 136, or Hypophosphites Comp 136; Sol. Peptonate Iron and Manganese, 148, plain or arsenated; Hypophosphites (Hematic), 114; Iron, Quinine and Strychnine Phosphates, 106; Nux and Ignatia Comp., 223; Saline and Chalybeate Tonic, 230; Caripeptic Liquid, for weak digestion, 133. See Tonics.

CONVULSIONS, Infantile. Inhalation of Chloroform followed by Elix. Bromochloral Comp., 100, 8 to 12 mins. in starch water, as enema, repeated as necessary.

CONVULSIONS, Hysterical and Epileptic. Pill Asafetida and Henbane, 19; Triple Bromides, 237, 238; Bromides Aromatic with Opium, 100; Bromochloral Comp., 100.

CORYZA. See Rhinitis.

COUGH. PALMO-DIONIN, 135. See also Bronchitis.

CRAMPS. See Colic.

CROUP. Spasmodic. PALMO-DIONIN, 135; HIVE SYRUP and TOLU COMP. 145; Belladonna, 68; Ipecac, 43; Pill Morphine and Tartar Emetic, 48; Bromides Comp., 100, to prevent recurrence. See also Laryngitis, Laryngismus Stridulus.

CYSTITIS, Acute. Rest, fluid diet, thorough purgation by Laxsaline, 145, or Sol. Sodium Phosphate, 148; Cystitis No. 1, 202; Pill Apiol and Digitalis Comp., 17; BROMOCHLORAL COMP., 100, to secure sleep; PILL ATROPINE AND MORPHINE, 19, to relieve vesical pain and tenesmus.

CYSTITIS, Chronic or Subacute. Pill Buchu Comp., 21; PILL METHYLENE BLUE COMP., 130; SAW PALMETTO AND COUCH GRASS COMP., 110, or the same with Strychnine Nitrate, 111; Buchu, 71, or Uva Ursi, 94; Buchu, Juniper, Uva Ursi and Potassium Acetate, 101; Cystitis, No. 2, 202; HEXAMETHYLENE, 210; Buchu Comp. Infusion, 191; Salol and Copaiba Comp., 231.

DEBILITY. See Tonics.

DELIRIUM. H.T. Hyoscine Hydrobrom., 173; Bromides Comp., 100; Bromochloral Comp., 100.

DELIRIUM TREMENS. Bromochloral Comp., 100; H.T Hyoscine, 173; Pill Strychnine, 59, 60, full doses; Capsicum and Nux, 196; Liquid Peptones, 146.

DERMATITIS. See also Eczema. ICHTHOLINE, 154; Zinc Oxide Comp., 156. ECZEMA LOTION, 143.

DIABETES INSIPIDUS. Pill Arsenous Acid, 10; Pill Camphor, Valerian and Henbane, 24; Pill Ergotin, 37; Pill Ferruginous, mod. with Nux 39.

DIABETES MELLITUS. Pill Codeine, 31; Pill Arsenous Acid, 10; Tablet Saccharin, 239.

DIARRHEA, Acute. Pill Calomel, 22; Pill Calomel and Ipecac, 23; Tablet Calomel and combinations, 192, 193, 194, 195; PILL CHLORODYNE, 30; Pill Salol, 58; Pill Camphor and Opium and astringent combinations, 24; Pill Creosote, 33; DIARRHEA PELLETS, 34; PILL ZINC SULPHOCARB., 64; Cholera Infantum, 198; Corrective Infants, 200; Rhubarb Comp., 57; Intest. Antisept., Improved, 211, 122; Sun Cholera, 236; Charcoal, 198; Alkaline Digestive, 98; Wine of Ipecac, 120; CARIPEPTIC LIQUID, 133; Liquid Peptones, 146; Laxsaline, 145; Neutralizing Cordial, 123.

DIARRHEA, Chronic. Liquid Peptones, 146; CARIPEPTIC LIQUID, 133; Pill Salol, 58; Pill Copper Arsenite, 32, 33; Wine of Ipecac, 120; Wine of Koln, 121; Neutralizing Cordial, 123; Pepsin, Bismuth and Charcoal, 224; Injection Comp., 211.

DILATATION. See Heart.

DIPSOMONIA. See Alcoholism.

DROPSY. See Heart, Nephritis. As Hydragogues, Pill Cathartic Comp., U. S. P., 29; Cathartic Comp., Improved, 28; Pill Elaterium, 36; Laxsaline, 145.

DYSENTERY. Wine or F. E. Ipecac, 83. See Diarrhea.

DYSMENORRHEA. Helonias Comp., 105; Cordial Helonias, 122; Viburnum Comp., Tab., 239, or Elix., 112; Black Cohosh, 69; Black Haw, 69; Acetanilid and Sod. Salicyl. Comp., 178; Endometritis, 207; Guaiac Resin, 81.

DYSPEPSIA. See Gastritis, Acute and Chronic.

DYSPNEA. See Asthma, Heart. Pill Strychnine, 59, 60; H. T. Strychnine, 174; Pill Arsenous Acid, 10; Grindelia, 81; Black Cohosh, 70.

DYSPHAGIA. Tab. Throat Mentholated, 236.

DYSURIA. SAW PALMETTO AND COUCH GRASS COMP. 110, Pill Buchu Comp., 21; Tab. Cystitis, 202. See Cystitis.

EARACHE. Irrigation with hot normal salt solution every hour; Tab. Sodium Chloride, 233; few drops Solution Cocaine, Tab. Cocaine for Sol., 199.

ECZEMA. ECZEMA LOTION, 143; PHENOSORCIN, 155; ZINC OXIDE COMP., 156; Pill Iron Iodide, 45; Syrup Iodide of Iron, 116; Laxsaline, 145; Sod. Phosphate, 148; Sulphur Comp., 235; Caripeptic Liquid, 133; Alkaline Digestive, 98.

EDEMA. See Dropsy.

EMISSIONS. Lupulin and Bromide Comp. Imp'd, 161; Bromochloral Comp., 100, at night. HYOSCINE, 173; Pill Ferrug., Arsenic and Strych., 38.

EMPHYSEMA. Pill Potas. Iodide, 51; Atropine and Morphine, Pill, 19, or H. T., 173, for asthmatic attacks. Anti-Asthmatic, Tabs., 183, or Elix., 99; Pill Arsenous Acid, 10; Pill Strychnine, 59, 60.

ENTERITIS. See Diarrhea.

ENURESIS. See Incontinence of Urine.

EPILEPSY. Bromides Comp., 100; Bromides Aromatic with Opium, 100; Triple Bromides, 237, 238.

EPISTAXIS. Aconite, 65, internally; Cocaine for Sol., 199, or Rhatany, 89, locally applied. See Rhinitis.

ERYSIPELAS. ICHTHOLINE, 154.

ERYTHEMA. Zinc Oxide Comp., 156; Laxsaline, 145; Alkaline Digestive, 98; ECZEMA LOTION, 143.

FAVUS (Scald Head). ICHTHOLINE, 154. ECZEMA LOTION, 143.

FEVER. Pill No. 66 or 242, at onset. Acetphenetidin and Combs., 9; Fever (Davis), 208; Pill Ipecac and Opium, 42; Acetanilid and combs., 177, 178; Aconite, 65; American Hellebore, 66; Echinacea, 78.

FLATULENCE. CARIPEPTIC LIQUID, 133; CHLORODYNE, 30; Pill Asafetida and Henbane, 19; Pill Asafetida and Nux, 19; Charcoal, 198; Capsicum and Nux, 196; Charcoal and Pepsin, 198; Intest. Antiseptic, Improved, 211, 122; Rhubarb and Ipecac Comp., 229.

FRECKLES. ECZEMA LOTION, 143.

FROST BITE. Ichtholine, 154; Tr. Capsicum, 124, locally.

GALACTORRHEA. Belladonna, 68, locally and internally.

GALLSTONES. See Calculi Biliary.

GASTRALGIA. CHLORODYNE, 30; H. T. Morphine and Atropine, 173; Pill Atropine and combinations, 19; Pill Acetphenetidin, 9; Caripeptic Liquid, 133; Liquid Peptones, 146. If neurotic, Pill Asafetida and Henbane, 19; Pill Sumbul Comp., 61; Pill Asafetida and Nux., 19; Pill Sedative, 59. RESTONAL, 131; Bismuth Subnitrate, 188.

GASTRITIS, Acute. Pill Cathartic Vegetable Liver, 30; Calomel, 22, and combinations, 193, 194, 195; H. T. Apomorphine, 171; Liquid Peptones, 146; Caripeptic Liquid, 133.

GASTRITIS, Chronic. CARIPEPTIC LIQUID, 133; Diastasic Wine, 143; Restonal, 131; Pill Dyspeptic (Haworth), 35; Pill Carminative, 25; Pill Anti-Constipation, 129; G. E. Sodium Phosphate, 159; Anti-Dyspeptic No. 2, 183; Dyspeptic (Haworth), 206; Glycero-Phospho-Mangan., 144; Lime Juice and Pepsin, 146; Phospho-Glycerine Tonic Comp., 147; Ipecac, 83; TAB. CARIPEPTIC, 134. For Drunkards, Arsenic, 10; Capsicum and Nux, 196;

GLEET. PILL METHYLENE BLUE COMP., 130; Salol and Copaiba Comp., 231.

GONORRHEA. PILL METHYLENE BLUE COMP., 130; Salol and Copaiba Comp., 231; Alum Comp., for Injection, 181; Injection Comp., 211.

GOUT. Solution Sodium Phosphate, 148; G. E. Lithium Cit., 158; Rheumatic, No. 3, 228; Lithium and Hydrangea, 108; Antilithic (Hewish), 184; Fld. Ext. or Wine of Colchicum, 75; Rhubarb, 89.

GRAVEL. See Cystitis.

GRIP. See Influenza.

HAY FEVER. Upjohn Nebulizer, and Nebulol No. 41, 165, 170; Pill Arsenous Acid, 10; Cocaine Hydroch., for Sol., 199; Terpin Hydrate and Heroin, 236, 105, 106, full doses; Belladonna, 68; Grindelia 81, Lobelia, 85.

HEADACHE. PILL ACETPHENETIDIN AND COMBS., 9; Acetanilid, 177, 178, and combinations; Pill Anti-Constipation, 129; Pill Cathartic Vegetable Liver, 30; Sodium Phosphate, 148; Cannabis Indica, 72; Cordial Sedative, 123; Migraine and combinations, 218. DERM-ANODYNE, 152.

HEARTBURN. See Gastritis.

HEART, VALVULAR DISEASE with Failure or Dilatation. Digitalis, 78, 124, or Strophanthus, 125; PILL HEART STIMULANT, 40; Cardiac Renal Comp., 25; PILL NITROGLYCERIN, 49; STRYCHNINE, PILL, 59, 60, or H. T. 174; H. T. Digtalin, 179; Heart Tonic, 209; Nitroglycerin Comp., 221, 222.

Stage of Compensation with Hypertrophy and Palpitation. PILL CACTUS COMP., 21; PILL NITROGLYCERIN, 49. Aconite, 65, or American Hellebore, 66, for tumultuous action. Pill Potassium Iodide, 51, with Pill Nitroglycerin, 49, if arteriosclerosis exists.

HEART, Weak. PILL CACTUS COMP., 21; Heart Tonic, 209; Nitroglycerin Comp., 221, 222; Kola, 84. See also Anemia, Neurasthenia, Tonics.

HEART, Nervous Palpitation. PILL CACTUS COMP., 21; PILL HEART STIMULANT, 40; PILL CAMPHOR, VALERIAN AND HENBANE, 24; Aconite, 65; American Hellebore, 66; Nux Vomica, 86. See also Anemia, Neurasthenia, Tonics. See Gastritis for palpitation due to dyspepsia or flatulence.

HEMOPTYSIS. H.T.Morphine, 174; Bromochloral Comp., 100.

HEMORRHAGE, Intestinal. H. T. Morphine, 174; Pill Morphine, 47, 48; Pill Camphor, Opium and Lead Acetate, 24.

HEMORRHAGE, Uterine. See Menorrhagia.

HEMORRHOIDS. OINT. ACID CARBOLIC AND NUTGALL COMP., 153. For laxatives, Pill Aloes and Iron, 11; Pill Rhubarb, 58; Pill Anti-Constipation, 129; Sulphur Comp., 235.

HERPES. PILL RESTONAL, 131; Ichtholine, 154.

HIVES. Eczema Lotion, 143; Sodium Phosphate, 148; Alkaline Digestive, 98; Sodium Salicylate, 233, in full doses; Restonal, 131.

HYPOCHONDRIASIS. Pill Iron, Quinine and Zinc Valerianates, 43; Pill Asafetida and Nux, 19; Pill Sumbul Comp., 61.

HYSTERIA. Pill Iron, Quinine and Zinc Valerianates, 43; Pill Asafetida, 18, 19, and combinations; Pill Anti-Nervous, 16; Pill Sumbul Comp., 61; Pill Sedative, 59; Bromides Comp., 100; Sedative Bath, 232; Ammonium Valerianate, 98; BROMO-CHLORAL COMP., 100.

IMPOTENCE. Pill Zinc Phosphide and combinations, 63. Pill Aphrodisiac 17; Hypophosphites, 147, 114; Wine Kola, 121; Cannabin Comp. 195. See Tonics.

INCONTINENCE OF URINE. PILL INCONTINENCE, 42; Pill Santonin, 58, 59, for some cases. Pill Buchu Comp., 21; Iron Iodide, Pill, 43, or Syr., 116; Belladonna, 68; Bromochloral Comp., 100.

INFLUENZA. PILL COLD LAXATIVE, 32; Ipecac and Opium 42; Pill Salol, 58; Acetanilid and combinations, 177, 178; Dover's Powder, 113. See also Convalescence, Tonics.

INSOMNIA. PILL ASAFETIDA AND HENBANE, 19; H. T. Hyoscine, 173; Pill Sedative, 59; Bromides Comp., 100; Bromochloral Comp., 100; Acetanilid Comp., 98; Cordial Sedative, 123.

INTERMITTENT FEVER. See Malaria.

JAUNDICE. Pill Calomel, 22; Pill Calomel and Ipecac, 23; Pill Blue Mass, 20, 21; Pill Podophyllin, 50; Pill Salol, 58; Ox Gall Comp., 224; Pancreatin Comp., 224; Ammonium Chloride, 181, large doses; Calomel, Ipecac and Soda, 193; Sodium Phosphate, 148; Fringe Tree (Chionanthus), 79; Fringe Tree Comp., 104; Eczema Lotion, 143, for itching. See Pruritus.

LARYNGISMUS STRIDULUS. Pill Morphine and Tartar Emetic, 48; PALMO-DIONIN, 135; HIVE SYRUP AND TOLU COMP., 145; Bromides Comp., 100; Belladonna, 68; Ipecac, 83. See Croup, Spasmodic.

LARYNGITIS. UPJOHN NEBULIZER AND NEBULOL SOLS., 165 to 170; Pill Ipecac and Opium, 42; Pill Codeine, 31; PALMO-DIONIN, 135; Throat Mentholated, 236; Voice, 239; Tr Benzoin Comp., 124, inhaled; HIVE SYRUP AND TOLU COMP., 145. DERM-ANODYNE, 152; externally. See Bronchitis.

LEUCORRHEA. Astringent Wash, 186; Leucorrhea Comp 215; Potassium Permanganate, 226, 227, as an injection. Uterine Astringent and Antiseptic, 238; Vaginal Astringent, 238; Golden Seal, colorless, 81; Ty-mo-rol, 149; Rhatany, 89 Endometritis, 207; Pill Restonal, 131; Pill Sumbul Comp., 61.

LICHEN. PILL RESTONAL, 131; Pill Arsenous Acid, 10; Ointments, 151; Pill Potassium Iodide, 51; Pill Calcium Sulphide, 22; Sulphur Comp., 235; Eczema Lotion, 143.

LITHEMA. LITHIASIS. See Gout.

LIVER, Torpid. SOL. SODIUM PHOSPHATE, 148; Laxatonic Granules, 137; Pill Podophyllin, 50; Pill Blue Mass, 20, 21; CATHARTICS, 25; Fringe Tree Bark, 79; Fringe Tree Comp., 104; Cascara and Sodium Phosphate Comp., 102.

LIVER, Congested. See Heart, Dropsy, Cirrhosis.

LOCOMOTOR ATAXIA. Pill Acetphenetidin, 9; Acetanilic and Sodium Salicylate Comp., 178, for the pains. Pill Potassium Iodide, 51.

LUMBAGO. DERM-ANODYNE, 152; Stramonium, 93, as ointment. Pill Buchu Comp., 21; Cardiac Renal Comp., 25; Antilithic, 184; Rheumatic, No. 3, 228; Sodium Salicylate, 233; Ammonium Chloride, 181, large doses; Acetanilid and Sodium Salicylate Comp., 178; Buchu, Juniper, Uva Ursi and Potassium Acetate, 101; Black Cohosh, 69.

MALARIA. QUININE PILLS and combs., 52, 53, 54, 55; Pill Anti-Malarial, 15; Pill Arsenous Acid, 10; Pill Warburg Tr., 63; FERRUGINOUS PILLS, 37, 38, 39; PILL RESTONAL, 131.

MANIA. H. T. HYOSCINE, 173; BROMOCHLORAL COMP., 100. ASAFETIDA AND HENBANE, 19.

MARASMUS. Iron Iodide, Pill, 43, or Syr., 116; Liquid Peptones, 146; Glycerophosphates, 105; Wine, Beef and Iron, 120 See Tonics.

MASTITIS. TERRAPLASM, 151; Belladonna, 68, internally and locally. Pill Calcium Sulphide, 22. See Abscess.

MEASLES. Fever (Davis), 208; Aconite, 65; Sodium Phosphate, 148; Morphine and Tartar Emetic, 48, for Cough.

MELANCHOLIA. See Hypochondriasis.

MENOPAUSE. Pill Iron, Quinine and Zinc Valerianates, 54; Pill Restonal, 131; CARIPEPTIC LIQUID, 133, for dyspeptic disturbances. Acetanilid and Sodium Comp., No. 1, 178; Cannabis Indica, 72; Black Cohosh, 69. See Nervousness.

MENORRHAGIA AND METRORRHAGIA. PILL ERGOTIN, 37; Ergot, 78; Black Cohosh, 69; Viburum Comp., 239, 112; ALETRIS COMP., 98; Camphor, Opium and Henbane, 24. See Menopause.

MENSTRUATION. Painful or Suppressed. See Amenorrhea. Dysmenorrhea.

MIGRAINE. See Headache.

MYALGIA. Muscular Rheumatism. DERM-ANODYNE, 152; Stramonium, 93, as ointment; Coca, F. E., 75, or Wine, 120; TERRAPLASM, 151; Ammonium Chloride, 181, large doses; Arnica, 67; Black Cohosh, 69; Acetanilid and Sod. Sal. Comp., 178.

NAUSEA. Creosote Comp., 202; Nausea, No. 2, 219; Wine Ipecac, 120.

NEPHRITIS. Chronic. Pill Nitroglycerin, 49; Pill Buchu Comp., 21; Cardiac Renal Comp., 25.

NERVOUSNESS. Pill Anti-Nervous, 16; PILL ASAFETIDA AND HENBANE, 19; Pill Asafetida and Nux, 19; Pill Camphor, Valerian and Henbane, 24; PILL SUMBUL COMP., 61; Pill Sedative, 59; Triple Bromides, 237, 238; Ammonium Valerianate, 98; Bromides Comp., 100; BROMOCHLORAL COMP., 100; Glycerophosphates, 105; Elix. Acetanilid Comp., 98. See Tonics, Anemia.

NEURALGIA. PILL ACETPHENETIDIN and Combs., 9; DERM-ANODYNE, 152; Pill Neuralgic (Gross), 48; Pill Neuralgic. Idiopathic, 48; Acetanilid and combinations, 177, 178; Bromides and Caffeine Comp., 190; Pill Restonal, 131; Bromochloral Comp., 100; Elix. Acetanilid Comp., 98.

NEURASTHENIA. PILL HEMATIC TONIC, 136; PILL HYPOPHOSPHITES COMP., 136; Pill Ext. Nux Vomica, 49; Hypophosphites (Hematic), 114; Glycerophosphates, 105. See Nervousness, Tonics, Anemia.

NIGHT SWEATS. Agaricin Comp., 179; Pill Night Sweat, 49; H. T., 171.

NYMPHOMANIA. LUPULIN AND BROMIDE COMP., IMP., 161; H. T. HYOSCINE, 173; Pill Camphor, Opium and Henbane, 24; Triple Bromides, 237, 238; Bromides Comp., 100.

PAIN. PILL ANODYNE, 13; PILL MORPHINE, 47, 48; PILL CAMPHOR AND OPIUM, 24; PILL ATROPINE AND MORPHINE, 19; Pill Acetphenetidin and Combs., 9; Acetanilid and Combs., 177, 178; ANODYNE FOR INFANTS, 183; BROMOCHLORAL COMP., 100; Fluid Opium Preparations, 86, 87; ELIX. ACETANILID COMPOUND 98.

PHARYNGITIS. DERM-ANODYNE, 152; Follicular Tonsillitis, 208; Tonsillitis, Nos. 1 and 2, 237; Tonsillitis Gargle, 237; Pill Cold Laxative, 32; Potassium Chlorate, 161; Throat Mentholated, 236; Voice, 239.

PHTHISIS PULMONALIS. (Tuberculosis.) Glycerophosphates, 105; Hypophosphites, 147; PALMO-DIONIN, 135; Pill Codeine, 31; Pill Creosote, 33; Liquid Peptones, 146; with Creosote and Guaiacol, 146; CARIPEPTIC LIQUID, 133, to aid digestion.

PLEURISY. DERM-ANODYNE, 152; TERRAPLASM, 151; Pill Ipecac and Opium, 42. For removal of effusion, Pill Elaterium, 36; Cathartics, 25, or Laxsaline, 148. In later stage, Pill Potassium Iodide, 51; Sodium Salicylate, 233.

PNEUMONIA. Pill Creosote, 33; Pill Ipecac and Opium, 42; Terraplasm, 151; H. T. Morphine, 174; H. T. Strychnine, 174.

PROSTATITIS. Enlarged Prostate. ELIX. SAW PALMETTO AND COUCH GRASS COMP., 110. See also Cystitis.

PRURITUS. ECZEMA LOTION, 143; Ichtholine, 154; PHENOSORCIN, 155; Acid Carbolic and Nutgall Comp., 153. Cannabis Indica, 72, or Sodium Salicylate, 233, internally.

PSORIASIS. ARSENOUS ACID, 10; RESTONAL, 131; PHENOSORCIN, 155.

PTYALISM. THYMO-LYPTOL, 148, or Potassium Chlorate, 161, for mouth wash; Pill Potassium Iodide, 51; Atropine, H. T., 171.

PURPURA. PILL RESTONAL, 131; Pill Arsenous Acid, 10. See Tonics, Heart, Anemia, Arteriosclerosis.

PYELITIS. Pill Methylene Blue Comp., 130; Hexamethylene, 210; Salol and Copaiba Comp., 231; Pill Salol, 58. See also Cystitis.

RHEUMATISM, Acute. Sod. Salicylate, 233; PILL SALOL, 58; Strontium Salicylate, 234; Acetanilid and Combs., 177, 178.

RHEUMATISM, Chronic. Derm-Anodyne, 152; Pill Potas. Iodid., 51; Acetphenetidin and Combs., 178, 179; Rheumatic, No. 3, 228; Rheumatic Imp., 228; Rheumatism, Liggett, 229; Acetanilid and Combs., 177, 178; Alterative Tonic, 181; Lithium and Hydrangea, 108; Ichtholine, for rheumatic joints, 154; Black Cohosh, 69; Guaiac, 81.

RHEUMATISM, Muscular. See Myalgia.

RHINITIS. Upjohn Nebulizer and Nebulol Solutions, 165 to 170; PILL COLD LAXATIVE, 32; Alkaline Antiseptic, 159; Rhinitis, 229; Cold Special, 161; Coryza (Bishop), 201.

RICKETS. Pill Copper Arsenite, 32, 33; Hypophosphites, 114, 147; Glycerophosphates, 105; Calcium Lactophosphate, 113; Syrup Iron Iodide, 116; Ferruginous Pills, 37, 38, 39.

RINGWORM. PHENOSORCIN, 155; ICHTHOLINE, 154.

SCARLET FEVER. See Fevers.

SCIATICA. Acetanilid and Sod. Sal. Comp., 178; Pill Neuralgic, 48; Pill Potassium Iodide, 51; H. T. Morphine, 174; Rheumatic, No. 3, 228.

SCROFULA. See Tonics, Anemia.

SEA SICKNESS. BROMOCHLORAL COMP., 100, used early as a preventive; Nausea, No. 2, 219.

SHOCK. H. T. Atropine, 171; H. T. Strychnine, 174; H. T Morphine and Atropine, 173; H. T. Digitalin, 172.

SPASMS. See Convulsions.

SPERMATORRHEA. See Emissions.

SPRAINS. TERRAPLASM, 151; Belladonna, 68; or Stramonium, 93, as ointment or liniment.

STOMATITIS. See Aphthous Stomatitis.

STONE IN BLADDER. See Cystitis.

SUNBURN. Zinc Oxide Comp., 156; Rose Lotion (See under Benzoin, 68).

SYPHILIS. PILL MERCURY PROTIODIDE, 45, 46; Pill Mercury Protiodide, Arom., 141; Pill Mercury Biniodide, 45; PILL POTASSIUM IODIDE, 51; Pill Antisyphilitic, 16, 17; Pill Blue Mass, 20, 21; Antisyphilitic, No. 1, 185; RESTONAL, 131 as aid to specific treatment.

TONICS—Pills. HEMATIC TONIC, 136; HYPOPHOS. COMP., 136; ARSENOUS ACID, 10; Cactus Comp., 21; FERRUGINOUS, 37, 38, 39; Heart Stimulant, 40; Iron, Quinine and Zinc Valerianates, 43; Iron Iodide, 43; Nux Vomica Ext., 49; Quinine and Combs., 52, 53, 54, 55; RESTONAL, 131; Strychnine, 59, 60; Warburg Tr., 63.

Tablets. Alterative Tonic, 181; Bitter Tonic, 188; CAPSICUM AND NUX, 196; Iron, Arsenic and Strychnine, 212; Nux Vomica and Ignatia Comp., 223; Saline and Chalybeate Tonic, 230; Tonic (Aiken), 237; Tonic for Children, 237; Warburg Tr., 239

Fluids. Diastasic Wine, 143; Callsaya, Iron and Strych., 102; Calc. Lactophosph., 113; Calc., Sod. and Iron Hypophosph., 113; Four Chlorides, 104; Glycero-Phospho-Mangan, 144; Hypophosphites, 147 and 114; Iron Iodide, 116; Iron, Quin. and Strych., 106; Ironwood Comp., 107; Kola Comp., 107; Nitroglycerin Comp., 108; Phospho-Glycerine Tonic, 147; Phosphate Comp., 116; Tasteless Wine Cod Liver Oil, 150; Vin Carnol, 149; Wine, Beef and Iron, 120; Wine Coca, 120; Wine Kola Comp., 121; Bitter Wine of Iron, 121.

TONSILLITIS. DERM-ANODYNE, 152, Externally. See Pharyngitis.

TUBERCULOSIS. See Phthisis, Tonics.

TYMPANITES. DERM-ANODYNE, 152; Pill Asafetida, 18; Pill Asafetida and Nux, 19; Pill Creosote, 33; Intestinal Antiseptic. Imp., 211; Cordial Intest. Antisept., 122; Asafetida, 67, as enema

TYPHOID FEVER. Pill Salol, 58; Pill Zinc Sulphocarb., 64; Pill Calomel, 22; Typhoid, Nos. 1 and 2, 238; Intest. Antisept. Imp., 211; LIQUID PEPTONES, 146.

VOMITING. Elix. Bromochloral Comp., 100, preceded by H. T. Hyoscine, 173, for severe reflex vomiting. Bromides Comp. 100. See Nausea.

URTICARIA. See Hives.

WHOOPING COUGH. Pill Asafetida and Henbane, 19 HIVE SYRUP AND TOLU COMP., 145; Belladonna, 68; Grindelia, 81; Chestnut, 74.

WORMS. Pill Santonin, 58, 59; Pill Santonin and Calomel, 59, or tablet, 231; Pink Root and Senna, 87.

SPECIAL NOTE

We call particular attention to the following new preparations and specialties added to our list:

PILLS

Dover's Powder, 1-2 gr., Aromatic, coated chocolate, page 140.

Laxatonic Granules, page 137.

Hematic Tonic, coated silver or hemoglobin red, page 136.

Hypophosphites Comp., coated hemoglobin red, page 136.

Mercury Protiodide Aromatic, 1-8 gr. and 1-4 gr., in a variety of colors, page 138.

TABLETS

Lupulin and Bromide Comp., Improved, purple.

LIQUIDS

Upjohn's Diastasic Wine.

Sol. Peptonate Iron and Manganese, Arsenated

ALSO

Derm-Anodyne (Upjohn)

The Upjohn Nebulizer and Special Nebulizer Preparations

Nebulol Solutions

We desire to assure our patrons that these new preparations will be maintained at the same uniformly high standard of quality which has always characterized the products of this laboratory.

TABLE FOR MAKING PERCENTAGE SOLUTIONS

The amount of drugs specified for each percentage is to be dissolved in sufficient water to make one pint for an approximately correct solution:

1-50% (1 to 5000)	1 1-2 grs.	1-2% (1 to 200)	36 1-2 grs.
1-40% (1 to 4000)	1 5-6 grs.	1% (1 to 100)	73 grs.
1-30% (1 to 3000)	2 4-9 grs.	2% (1 to 50)	146 grs.
1-20% (1 to 2000)	3 2-3 grs	4% (1 to 25)	292 grs.
1-10% (1 to 1000)	7 1-3 grs.	5% (1 to 20)	365 grs.
1-5% (1 to 500)	14 2-3 grs.	10% (1 to 10)	730 grs.

LEADING
UPJOHN SPECIALTIES

PILL ANTI-CONSTIPATION (Upjohn)
For Habitual Constipation
See page 129.

PILL METHYLENE BLUE COMP. (Upjohn)
Antiseptic, Anti-Gonorrheal, Diuretic, Resolvent.
See page 130.

PILL RESTONAL (Upjohn)
Restorative Tonic Alterative
See page 131.

BLAUD'S FERRUGINIOUS PILLS (Upjohn)
Blaud's Mass in permanent form.
See page 132.

LAXATONIC GRANULES (Upjohn)
A true tonic laxative treatment. Adapted to all ages.
See page 137

CARIPEPTIC PREPARATIONS

CARIPEPTIC LIQUID (Upjohn)
The Vegetable Digestant.

CARIPEPTIC TABLETS (Upjohn)
See Specialties
See page 134

PALMO-DIONIN (Upjohn)
The Cough Sedative
See page 135

TERRAPLASM (Upjohn) with DERMOCEL
An Antiseptic Earthy Poultice, in a Sterile Medium; with our new protective covering.
See page 151

THE UPJOHN HAND NEBULIZER
Non-Spillable; a new and perfect instrument.
See page 165

NEBULOL SOLUTIONS
The non-irritant Nebulizer Solutions
See page 166